

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = State of North Carolina

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	89,393	1,235,987	247,197	47,498	695,970	139,194	41,895	540,017	108,003
Acute Myocardial Infarction	17,571	246,623	49,325	9,747	145,007	29,001	7,824	101,615	20,323
Other Ischemic Heart Disease	35,014	484,875	96,975	20,833	301,371	60,274	14,181	183,504	36,701
Hypertension	4,507	60,467	12,093	1,911	27,896	5,579	2,596	32,571	6,514
Cerebrovascular Disease	23,514	289,139	57,828	9,768	126,600	25,320	13,746	162,540	32,508
Atherosclerosis	746	9,026	1,805	354	4,786	957	392	4,240	848
Cancer	95,163	1,559,698	311,940	50,707	784,416	156,883	44,456	775,282	155,056
Colon, Rectum, and Anus	7,926	132,794	26,559	4,139	68,393	13,679	3,787	64,402	12,880
Trachea, Bronchus, and Lung	27,615	435,886	87,177	15,805	237,297	47,459	11,810	198,590	39,718
Breast (Female Only)	6,563	130,312	26,062	N/A	N/A	N/A	6,563	130,312	26,062
Prostate	4,410	49,487	9,897	4,410	49,487	9,897	N/A	N/A	N/A
Diabetes Mellitus	13,042	213,735	42,747	6,893	113,617	22,723	6,149	100,118	20,024
Pneumonia and Influenza	9,707	124,575	24,915	4,434	58,133	11,627	5,273	66,442	13,288
Chronic Lower Respiratory Diseases	25,385	338,611	67,722	11,876	149,906	29,981	13,509	188,705	37,741
Chronic Liver Disease and Cirrhosis	5,930	131,552	26,310	3,805	82,705	16,541	2,125	48,847	9,769
Septicemia	7,266	110,753	22,151	3,330	49,043	9,809	3,936	61,710	12,342
Nephritis, Nephrosis, & Nephrotic Syndrome	9,046	123,757	24,751	4,480	60,341	12,068	4,566	63,416	12,683
Alzheimer's disease	16,917	142,674	28,535	4,854	39,967	7,993	12,063	102,707	20,541
HIV disease	1,183	35,588	7,118	864	25,001	5,000	319	10,587	2,117
Unintentional Motor Vehicle Injuries	7,125	261,557	52,311	5,051	181,678	36,336	2,074	79,879	15,976
All Other Unintentional Injuries	16,453	434,620	86,924	9,681	273,241	54,648	6,772	161,379	32,276
Suicide	6,679	222,405	44,481	5,000	162,170	32,434	1,679	60,235	12,047
Homicide	3,002	129,744	25,949	2,376	102,501	20,500	626	27,243	5,449
Remaining Causes	94,897	1,590,566	318,113	42,058	760,532	152,106	52,839	830,033	166,007
Total Deaths - All Causes	429,955	7,014,453	1,402,891	214,940	3,698,502	739,700	215,015	3,315,951	663,190

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Alamance County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	1,583	21,289	4,258	856	12,117	2,423	727	9,172	1,834
Acute Myocardial Infarction	285	3,981	796	168	2,556	511	117	1,426	285
Other Ischemic Heart Disease	627	8,608	1,722	367	5,134	1,027	260	3,474	695
Hypertension	76	893	179	33	458	92	43	435	87
Cerebrovascular Disease	410	4,639	928	162	2,096	419	248	2,544	509
Atherosclerosis	8	120	24	1	28	6	7	92	18
Cancer	1,710	26,490	5,298	875	12,861	2,572	835	13,629	2,726
Colon, Rectum, and Anus	148	2,254	451	65	1,014	203	83	1,240	248
Trachea, Bronchus, and Lung	481	7,468	1,494	254	3,766	753	227	3,702	740
Breast (Female Only)	115	2,108	422	N/A	N/A	N/A	115	2,108	422
Prostate	82	873	175	82	873	175	N/A	N/A	N/A
Diabetes Mellitus	234	3,510	702	118	1,834	367	116	1,676	335
Pneumonia and Influenza	156	2,218	444	80	1,059	212	76	1,159	232
Chronic Lower Respiratory Diseases	524	6,789	1,358	226	2,734	547	298	4,055	811
Chronic Liver Disease and Cirrhosis	107	2,342	468	61	1,264	253	46	1,079	216
Septicemia	130	1,976	395	66	1,002	200	64	974	195
Nephritis, Nephrosis, & Nephrotic Syndrome	274	3,848	770	137	1,839	368	137	2,009	402
Alzheimer's disease	389	3,044	609	122	876	175	267	2,169	434
HIV disease	12	346	69	8	217	43	4	129	26
Unintentional Motor Vehicle Injuries	97	3,340	668	71	2,370	474	26	969	194
All Other Unintentional Injuries	289	6,427	1,285	163	4,011	802	126	2,416	483
Suicide	103	3,390	678	80	2,585	517	23	805	161
Homicide	39	1,558	312	31	1,171	234	8	386	77
Remaining Causes	1,890	29,576	5,915	836	14,032	2,806	1,054	15,544	3,109
Total Deaths - All Causes	8,031	121,794	24,359	3,926	62,552	12,510	4,105	59,242	11,848

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Alexander County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	333	4,659	932	186	2,792	558	147	1,867	373
Acute Myocardial Infarction	108	1,612	322	62	942	188	46	670	134
Other Ischemic Heart Disease	100	1,358	272	65	914	183	35	444	89
Hypertension	5	68	14	2	35	7	3	34	7
Cerebrovascular Disease	73	890	178	28	395	79	45	495	99
Atherosclerosis	4	54	11	3	48	10	1	7	1
Cancer	416	6,925	1,385	237	3,755	751	179	3,170	634
Colon, Rectum, and Anus	34	599	120	21	327	65	13	272	54
Trachea, Bronchus, and Lung	115	1,892	378	68	1,092	218	47	800	160
Breast (Female Only)	27	531	106	N/A	N/A	N/A	27	531	106
Prostate	19	227	45	19	227	45	N/A	N/A	N/A
Diabetes Mellitus	73	1,185	237	46	737	147	27	447	89
Pneumonia and Influenza	41	452	90	18	183	37	23	269	54
Chronic Lower Respiratory Diseases	168	2,292	458	82	1,069	214	86	1,223	245
Chronic Liver Disease and Cirrhosis	24	593	119	14	361	72	10	232	46
Septicemia	32	428	86	14	169	34	18	259	52
Nephritis, Nephrosis, & Nephrotic Syndrome	29	314	63	13	142	28	16	172	34
Alzheimer's disease	111	905	181	38	307	61	73	598	120
HIV disease	2	62	12	2	62	12	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	38	1,340	268	29	1,025	205	9	315	63
All Other Unintentional Injuries	67	1,654	331	38	955	191	29	699	140
Suicide	39	1,282	256	30	984	197	9	298	60
Homicide	10	461	92	8	379	76	2	82	16
Remaining Causes	384	5,997	1,199	176	2,829	566	208	3,168	634
Total Deaths - All Causes	1,849	29,563	5,913	964	16,226	3,245	885	13,337	2,667

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Alleghany County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	134	1,866	373	69	1,118	224	65	748	150
Acute Myocardial Infarction	33	406	81	17	236	47	16	170	34
Other Ischemic Heart Disease	54	821	164	33	589	118	21	232	46
Hypertension	9	98	20	4	56	11	5	42	8
Cerebrovascular Disease	26	399	80	12	183	37	14	216	43
Atherosclerosis	1	17	3	1	17	3	N/A	N/A	N/A
Cancer	135	2,235	447	68	1,054	211	67	1,181	236
Colon, Rectum, and Anus	12	181	36	5	60	12	7	121	24
Trachea, Bronchus, and Lung	44	729	146	21	289	58	23	439	88
Breast (Female Only)	11	237	47	N/A	N/A	N/A	11	237	47
Prostate	10	123	25	10	123	25	N/A	N/A	N/A
Diabetes Mellitus	26	440	88	15	270	54	11	170	34
Pneumonia and Influenza	11	149	30	6	102	20	5	47	9
Chronic Lower Respiratory Diseases	41	668	134	23	357	71	18	311	62
Chronic Liver Disease and Cirrhosis	6	121	24	5	106	21	1	14	3
Septicemia	8	91	18	1	11	2	7	80	16
Nephritis, Nephrosis, & Nephrotic Syndrome	13	140	28	7	91	18	6	50	10
Alzheimer's disease	45	419	84	12	132	26	33	287	57
HIV disease		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	10	344	69	7	252	50	3	92	18
All Other Unintentional Injuries	21	720	144	12	434	87	9	286	57
Suicide	12	411	82	9	302	60	3	109	22
Homicide	2	62	12	2	62	12	N/A	N/A	N/A
Remaining Causes	136	2,320	464	57	1,131	226	79	1,189	238
Total Deaths - All Causes	636	10,499	2,100	310	5,679	1,136	326	4,820	964

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Anson County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	359	4,703	941	185	2,555	511	174	2,148	430
Acute Myocardial Infarction	88	1,178	236	46	658	132	42	520	104
Other Ischemic Heart Disease	123	1,591	318	66	912	182	57	679	136
Hypertension	29	330	66	10	113	23	19	217	43
Cerebrovascular Disease	95	1,148	230	39	512	102	56	637	127
Atherosclerosis	33	278	56	10	106	21	23	172	34
Cancer	312	4,752	950	172	2,386	477	140	2,366	473
Colon, Rectum, and Anus	32	521	104	17	264	53	15	257	51
Trachea, Bronchus, and Lung	93	1,415	283	54	760	152	39	655	131
Breast (Female Only)	22	403	81	N/A	N/A	N/A	22	403	81
Prostate	21	195	39	21	195	39	N/A	N/A	N/A
Diabetes Mellitus	50	919	184	25	475	95	25	444	89
Pneumonia and Influenza	36	508	102	20	357	71	16	151	30
Chronic Lower Respiratory Diseases	82	1,019	204	43	540	108	39	480	96
Chronic Liver Disease and Cirrhosis	19	345	69	16	291	58	3	54	11
Septicemia	29	475	95	8	111	22	21	364	73
Nephritis, Nephrosis, & Nephrotic Syndrome	48	668	134	27	412	82	21	257	51
Alzheimer's disease	32	244	49	6	39	8	26	205	41
HIV disease	2	39	8	2	39	8	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	30	917	183	23	630	126	7	286	57
All Other Unintentional Injuries	37	820	164	28	667	133	9	153	31
Suicide	14	507	101	12	398	80	2	109	22
Homicide	20	825	165	15	573	115	5	252	50
Remaining Causes	321	5,232	1,046	145	2,632	526	176	2,600	520
Total Deaths - All Causes	1,548	23,730	4,746	786	12,836	2,567	762	10,895	2,179

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Ashe County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	366	4,589	918	186	2,460	492	180	2,129	426
Acute Myocardial Infarction	91	1,101	220	45	584	117	46	517	103
Other Ischemic Heart Disease	127	1,575	315	77	922	184	50	653	131
Hypertension	12	191	38	5	65	13	7	126	25
Cerebrovascular Disease	68	718	144	29	340	68	39	378	76
Atherosclerosis	3	24	5	1	10	2	2	13	3
Cancer	377	6,018	1,204	219	3,313	663	158	2,705	541
Colon, Rectum, and Anus	33	551	110	21	381	76	12	170	34
Trachea, Bronchus, and Lung	107	1,658	332	65	996	199	42	661	132
Breast (Female Only)	26	519	104	N/A	N/A	N/A	26	519	104
Prostate	20	224	45	20	224	45	N/A	N/A	N/A
Diabetes Mellitus	34	514	103	17	290	58	17	225	45
Pneumonia and Influenza	47	582	116	16	247	49	31	335	67
Chronic Lower Respiratory Diseases	123	1,482	296	60	667	133	63	815	163
Chronic Liver Disease and Cirrhosis	30	635	127	25	535	107	5	100	20
Septicemia	21	275	55	12	147	29	9	128	26
Nephritis, Nephrosis, & Nephrotic Syndrome	18	210	42	5	42	8	13	168	34
Alzheimer's disease	62	507	101	18	139	28	44	369	74
HIV disease	1	46	9	1	46	9	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	19	676	135	16	618	124	3	58	12
All Other Unintentional Injuries	52	1,394	279	32	898	180	20	496	99
Suicide	24	847	169	19	637	127	5	209	42
Homicide	2	90	18	2	90	18	N/A	N/A	N/A
Remaining Causes	419	5,383	1,077	185	2,701	540	234	2,682	536
Total Deaths - All Causes	1,678	24,182	4,836	848	13,245	2,649	830	10,937	2,187

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Avery County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	219	2,856	571	108	1,579	316	111	1,278	256
Acute Myocardial Infarction	45	607	121	21	336	67	24	271	54
Other Ischemic Heart Disease	75	931	186	47	601	120	28	330	66
Hypertension	3	32	6	2	22	4	1	11	2
Cerebrovascular Disease	36	426	85	14	155	31	22	270	54
Atherosclerosis		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Cancer	180	3,005	601	97	1,593	319	83	1,412	282
Colon, Rectum, and Anus	15	253	51	6	76	15	9	177	35
Trachea, Bronchus, and Lung	51	793	159	32	511	102	19	282	56
Breast (Female Only)	13	271	54	N/A	N/A	N/A	13	271	54
Prostate	9	132	26	9	132	26	N/A	N/A	N/A
Diabetes Mellitus	14	339	68	7	131	26	7	208	42
Pneumonia and Influenza	36	370	74	11	106	21	25	264	53
Chronic Lower Respiratory Diseases	84	1,178	236	45	535	107	39	643	129
Chronic Liver Disease and Cirrhosis	8	223	45	4	97	19	4	126	25
Septicemia	20	302	60	12	194	39	8	108	22
Nephritis, Nephrosis, & Nephrotic Syndrome	17	239	48	9	111	22	8	128	26
Alzheimer's disease	51	451	90	16	144	29	35	307	61
HIV disease		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	11	300	60	8	209	42	3	91	18
All Other Unintentional Injuries	47	1,151	230	27	739	148	20	412	82
Suicide	17	587	117	12	463	93	5	125	25
Homicide	1	16	3	1	16	3	N/A	N/A	N/A
Remaining Causes	187	2,871	574	103	1,642	328	84	1,229	246
Total Deaths - All Causes	931	14,345	2,869	476	7,735	1,547	455	6,610	1,322

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Beaufort County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	646	8,770	1,754	351	5,142	1,028	295	3,628	726
Acute Myocardial Infarction	119	1,638	328	64	899	180	55	739	148
Other Ischemic Heart Disease	281	3,868	774	171	2,610	522	110	1,258	252
Hypertension	52	582	116	19	231	46	33	352	70
Cerebrovascular Disease	159	1,896	379	72	940	188	87	956	191
Atherosclerosis	9	73	15	4	29	6	5	44	9
Cancer	683	10,944	2,189	370	5,625	1,125	313	5,318	1,064
Colon, Rectum, and Anus	59	944	189	24	401	80	35	543	109
Trachea, Bronchus, and Lung	207	3,148	630	125	1,809	362	82	1,339	268
Breast (Female Only)	36	643	129	N/A	N/A	N/A	36	643	129
Prostate	33	405	81	33	405	81	N/A	N/A	N/A
Diabetes Mellitus	106	1,660	332	57	991	198	49	668	134
Pneumonia and Influenza	40	496	99	18	248	50	22	248	50
Chronic Lower Respiratory Diseases	185	2,340	468	90	1,183	237	95	1,157	231
Chronic Liver Disease and Cirrhosis	39	936	187	23	469	94	16	467	93
Septicemia	36	472	94	20	225	45	16	247	49
Nephritis, Nephrosis, & Nephrotic Syndrome	49	750	150	18	210	42	31	540	108
Alzheimer's disease	94	816	163	32	301	60	62	515	103
HIV disease	6	165	33	5	156	31	1	9	2
Unintentional Motor Vehicle Injuries	50	1,658	332	35	1,160	232	15	498	100
All Other Unintentional Injuries	128	2,890	578	67	1,737	347	61	1,153	231
Suicide	46	1,364	273	36	1,039	208	10	325	65
Homicide	12	463	93	9	354	71	3	109	22
Remaining Causes	602	9,900	1,980	280	4,891	978	322	5,009	1,002
Total Deaths - All Causes	2,942	46,175	9,235	1,506	24,932	4,986	1,436	21,243	4,249

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Bertie County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	257	3,549	710	137	2,022	404	120	1,527	305
Acute Myocardial Infarction	41	567	113	19	260	52	22	306	61
Other Ischemic Heart Disease	103	1,315	263	61	820	164	42	495	99
Hypertension	38	425	85	13	173	35	25	252	50
Cerebrovascular Disease	67	1,052	210	27	463	93	40	589	118
Atherosclerosis	1	7	1	1	7	1	N/A	N/A	N/A
Cancer	254	4,117	823	145	2,227	445	109	1,890	378
Colon, Rectum, and Anus	19	319	64	13	225	45	6	95	19
Trachea, Bronchus, and Lung	76	1,147	229	50	730	146	26	417	83
Breast (Female Only)	19	360	72	N/A	N/A	N/A	19	360	72
Prostate	10	104	21	10	104	21	N/A	N/A	N/A
Diabetes Mellitus	95	1,343	269	45	657	131	50	686	137
Pneumonia and Influenza	19	272	54	10	126	25	9	146	29
Chronic Lower Respiratory Diseases	55	732	146	29	365	73	26	366	73
Chronic Liver Disease and Cirrhosis	7	181	36	3	71	14	4	110	22
Septicemia	18	258	52	10	169	34	8	89	18
Nephritis, Nephrosis, & Nephrotic Syndrome	25	374	75	11	139	28	14	235	47
Alzheimer's disease	61	528	106	20	185	37	41	343	69
HIV disease	4	124	25	2	66	13	2	58	12
Unintentional Motor Vehicle Injuries	27	940	188	20	740	148	7	200	40
All Other Unintentional Injuries	29	625	125	12	252	50	17	373	75
Suicide	11	296	59	9	226	45	2	70	14
Homicide	11	414	83	8	326	65	3	88	18
Remaining Causes	247	4,305	861	94	1,731	346	153	2,574	515
Total Deaths - All Causes	1,226	19,542	3,908	596	9,946	1,989	630	9,596	1,919

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Bladen County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	555	8,413	1,683	294	4,477	895	261	3,936	787
Acute Myocardial Infarction	177	2,576	515	90	1,273	255	87	1,303	261
Other Ischemic Heart Disease	215	3,422	684	124	2,055	411	91	1,368	274
Hypertension	29	347	69	11	122	24	18	225	45
Cerebrovascular Disease	85	1,147	229	35	518	104	50	629	126
Atherosclerosis		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Cancer	398	6,739	1,348	221	3,496	699	177	3,243	649
Colon, Rectum, and Anus	39	640	128	23	383	77	16	257	51
Trachea, Bronchus, and Lung	147	2,437	487	93	1,463	293	54	974	195
Breast (Female Only)	19	382	76	N/A	N/A	N/A	19	382	76
Prostate	15	154	31	15	154	31	N/A	N/A	N/A
Diabetes Mellitus	87	1,260	252	45	643	129	42	618	124
Pneumonia and Influenza	30	477	95	10	174	35	20	303	61
Chronic Lower Respiratory Diseases	106	1,571	314	57	858	172	49	713	143
Chronic Liver Disease and Cirrhosis	24	453	91	14	261	52	10	192	38
Septicemia	41	648	130	22	360	72	19	288	58
Nephritis, Nephrosis, & Nephrotic Syndrome	55	779	156	24	324	65	31	455	91
Alzheimer's disease	52	494	99	13	108	22	39	386	77
HIV disease	7	188	38	7	188	38	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	59	2,110	422	41	1,367	273	18	744	149
All Other Unintentional Injuries	71	2,116	423	40	1,220	244	31	896	179
Suicide	20	767	153	8	293	59	12	474	95
Homicide	18	714	143	15	592	118	3	122	24
Remaining Causes	393	7,144	1,429	176	3,480	696	217	3,665	733
Total Deaths - All Causes	2,030	35,367	7,073	1,033	18,480	3,696	997	16,888	3,378

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Brunswick County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	1,463	20,910	4,182	831	12,307	2,461	632	8,604	1,721
Acute Myocardial Infarction	252	3,841	768	149	2,338	468	103	1,503	301
Other Ischemic Heart Disease	741	10,495	2,099	452	6,711	1,342	289	3,784	757
Hypertension	43	529	106	21	301	60	22	227	45
Cerebrovascular Disease	364	4,829	966	166	2,238	448	198	2,590	518
Atherosclerosis	8	157	31	4	121	24	4	36	7
Cancer	1,647	27,689	5,538	938	14,754	2,951	709	12,935	2,587
Colon, Rectum, and Anus	129	2,116	423	71	1,172	234	58	945	189
Trachea, Bronchus, and Lung	513	8,590	1,718	299	4,782	956	214	3,808	762
Breast (Female Only)	95	1,862	372	N/A	N/A	N/A	95	1,862	372
Prostate	81	973	195	81	973	195	N/A	N/A	N/A
Diabetes Mellitus	169	2,522	504	104	1,574	315	65	948	190
Pneumonia and Influenza	98	1,327	265	46	617	123	52	710	142
Chronic Lower Respiratory Diseases	443	6,357	1,271	211	3,026	605	232	3,331	666
Chronic Liver Disease and Cirrhosis	75	1,776	355	51	1,194	239	24	582	116
Septicemia	90	1,496	299	39	655	131	51	841	168
Nephritis, Nephrosis, & Nephrotic Syndrome	132	1,833	367	70	935	187	62	898	180
Alzheimer's disease	189	1,740	348	69	637	127	120	1,103	221
HIV disease	10	344	69	8	253	51	2	91	18
Unintentional Motor Vehicle Injuries	92	3,154	631	69	2,370	474	23	784	157
All Other Unintentional Injuries	256	8,104	1,621	162	5,189	1,038	94	2,914	583
Suicide	93	2,936	587	66	2,055	411	27	880	176
Homicide	21	881	176	14	569	114	7	313	63
Remaining Causes	1,259	21,572	4,314	607	10,821	2,164	652	10,751	2,150
Total Deaths - All Causes	6,452	108,157	21,631	3,476	59,618	11,924	2,976	48,538	9,708

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Buncombe County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	2,490	31,782	6,356	1,289	17,942	3,588	1,201	13,840	2,768
Acute Myocardial Infarction	472	6,700	1,340	269	4,037	807	203	2,663	533
Other Ischemic Heart Disease	1,008	12,752	2,550	577	7,859	1,572	431	4,894	979
Hypertension	95	1,186	237	39	488	98	56	698	140
Cerebrovascular Disease	744	8,390	1,678	295	3,504	701	449	4,886	977
Atherosclerosis	14	173	35	8	117	23	6	57	11
Cancer	2,679	44,130	8,826	1,371	21,488	4,298	1,308	22,641	4,528
Colon, Rectum, and Anus	200	3,285	657	95	1,547	309	105	1,738	348
Trachea, Bronchus, and Lung	753	11,868	2,374	395	5,842	1,168	358	6,026	1,205
Breast (Female Only)	174	3,319	664	N/A	N/A	N/A	174	3,319	664
Prostate	116	1,264	253	116	1,264	253	N/A	N/A	N/A
Diabetes Mellitus	312	5,618	1,124	170	3,335	667	142	2,282	456
Pneumonia and Influenza	294	3,489	698	124	1,470	294	170	2,019	404
Chronic Lower Respiratory Diseases	813	11,264	2,253	375	4,726	945	438	6,538	1,308
Chronic Liver Disease and Cirrhosis	179	4,100	820	125	2,862	572	54	1,238	248
Septicemia	132	2,167	433	65	983	197	67	1,184	237
Nephritis, Nephrosis, & Nephrotic Syndrome	229	2,731	546	115	1,312	262	114	1,418	284
Alzheimer's disease	558	4,786	957	134	1,097	219	424	3,689	738
HIV disease	20	558	112	18	486	97	2	72	14
Unintentional Motor Vehicle Injuries	164	6,288	1,258	116	4,249	850	48	2,039	408
All Other Unintentional Injuries	555	12,800	2,560	312	8,312	1,662	243	4,489	898
Suicide	227	7,665	1,533	172	5,646	1,129	55	2,018	404
Homicide	53	2,087	417	35	1,401	280	18	686	137
Remaining Causes	2,999	46,160	9,232	1,373	22,652	4,530	1,626	23,509	4,702
Total Deaths - All Causes	12,557	195,372	39,074	6,136	102,069	20,414	6,421	93,303	18,661

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Burke County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	1,129	15,180	3,036	595	8,609	1,722	534	6,571	1,314
Acute Myocardial Infarction	231	3,338	668	124	1,828	366	107	1,510	302
Other Ischemic Heart Disease	525	6,672	1,334	288	3,988	798	237	2,685	537
Hypertension	25	356	71	11	179	36	14	177	35
Cerebrovascular Disease	298	3,430	686	112	1,339	268	186	2,091	418
Atherosclerosis	2	17	3	2	17	3	N/A	N/A	N/A
Cancer	1,105	17,731	3,546	639	9,532	1,906	466	8,199	1,640
Colon, Rectum, and Anus	96	1,523	305	50	735	147	46	788	158
Trachea, Bronchus, and Lung	341	5,487	1,097	214	3,239	648	127	2,249	450
Breast (Female Only)	52	948	190	N/A	N/A	N/A	52	948	190
Prostate	40	430	86	40	430	86	N/A	N/A	N/A
Diabetes Mellitus	154	2,392	478	88	1,278	256	66	1,114	223
Pneumonia and Influenza	127	1,594	319	59	716	143	68	878	176
Chronic Lower Respiratory Diseases	383	5,230	1,046	179	2,338	468	204	2,892	578
Chronic Liver Disease and Cirrhosis	85	1,980	396	58	1,362	272	27	618	124
Septicemia	83	1,244	249	41	629	126	42	615	123
Nephritis, Nephrosis, & Nephrotic Syndrome	88	1,120	224	44	601	120	44	519	104
Alzheimer's disease	253	2,154	431	80	698	140	173	1,456	291
HIV disease	1	28	6	N/A	N/A	N/A	1	28	6
Unintentional Motor Vehicle Injuries	64	1,958	392	44	1,406	281	20	552	110
All Other Unintentional Injuries	239	6,657	1,331	140	4,013	803	99	2,644	529
Suicide	94	2,663	533	66	1,778	356	28	884	177
Homicide	19	628	126	14	492	98	5	136	27
Remaining Causes	952	16,082	3,216	444	7,861	1,572	508	8,221	1,644
Total Deaths - All Causes	5,101	80,444	16,089	2,616	42,848	8,570	2,485	37,596	7,519

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Cabarrus County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	1,435	18,498	3,700	790	10,648	2,130	645	7,850	1,570
Acute Myocardial Infarction	248	3,451	690	143	2,122	424	105	1,329	266
Other Ischemic Heart Disease	488	6,310	1,262	303	3,958	792	185	2,352	470
Hypertension	57	860	172	27	407	81	30	454	91
Cerebrovascular Disease	404	4,818	964	175	2,028	406	229	2,791	558
Atherosclerosis	5	54	11	1	9	2	4	45	9
Cancer	1,560	24,656	4,931	813	12,306	2,461	747	12,350	2,470
Colon, Rectum, and Anus	121	2,113	423	54	946	189	67	1,167	233
Trachea, Bronchus, and Lung	440	6,605	1,321	243	3,521	704	197	3,085	617
Breast (Female Only)	113	2,175	435	N/A	N/A	N/A	113	2,175	435
Prostate	67	663	133	67	663	133	N/A	N/A	N/A
Diabetes Mellitus	208	3,472	694	103	1,741	348	105	1,731	346
Pneumonia and Influenza	221	2,844	569	108	1,311	262	113	1,533	307
Chronic Lower Respiratory Diseases	463	5,804	1,161	210	2,270	454	253	3,534	707
Chronic Liver Disease and Cirrhosis	100	2,056	411	60	1,199	240	40	857	171
Septicemia	109	1,640	328	43	668	134	66	972	194
Nephritis, Nephrosis, & Nephrotic Syndrome	144	1,771	354	80	1,012	202	64	760	152
Alzheimer's disease	396	3,133	627	110	824	165	286	2,309	462
HIV disease	18	492	98	10	264	53	8	228	46
Unintentional Motor Vehicle Injuries	93	3,228	646	60	2,074	415	33	1,154	231
All Other Unintentional Injuries	338	8,517	1,703	185	4,900	980	153	3,617	723
Suicide	130	4,299	860	94	3,109	622	36	1,190	238
Homicide	43	1,907	381	32	1,454	291	11	453	91
Remaining Causes	1,708	26,389	5,278	727	12,401	2,480	981	13,988	2,798
Total Deaths - All Causes	7,432	114,441	22,888	3,628	58,624	11,725	3,804	55,817	11,163

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Caldwell County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	983	12,494	2,499	543	7,504	1,501	440	4,990	998
Acute Myocardial Infarction	264	3,559	712	155	2,291	458	109	1,268	254
Other Ischemic Heart Disease	443	5,533	1,107	256	3,455	691	187	2,079	416
Hypertension	30	405	81	14	235	47	16	171	34
Cerebrovascular Disease	232	2,639	528	100	1,096	219	132	1,543	309
Atherosclerosis	11	231	46	7	142	28	4	89	18
Cancer	1,013	15,439	3,088	565	8,076	1,615	448	7,363	1,473
Colon, Rectum, and Anus	70	1,118	224	37	521	104	33	597	119
Trachea, Bronchus, and Lung	362	5,342	1,068	214	3,003	601	148	2,339	468
Breast (Female Only)	61	1,075	215	N/A	N/A	N/A	61	1,075	215
Prostate	40	451	90	40	451	90	N/A	N/A	N/A
Diabetes Mellitus	136	2,206	441	78	1,282	256	58	924	185
Pneumonia and Influenza	131	1,388	278	55	601	120	76	787	157
Chronic Lower Respiratory Diseases	376	4,625	925	168	1,830	366	208	2,795	559
Chronic Liver Disease and Cirrhosis	80	1,578	316	60	1,239	248	20	339	68
Septicemia	65	1,071	214	26	437	87	39	634	127
Nephritis, Nephrosis, & Nephrotic Syndrome	96	1,262	252	39	539	108	57	722	144
Alzheimer's disease	266	1,995	399	79	568	114	187	1,427	285
HIV disease	2	56	11	2	56	11	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	58	2,137	427	41	1,502	300	17	635	127
All Other Unintentional Injuries	180	4,823	965	101	2,777	555	79	2,047	409
Suicide	81	2,422	484	62	1,899	380	19	523	105
Homicide	26	997	199	19	678	136	7	318	64
Remaining Causes	932	15,015	3,003	434	7,450	1,490	498	7,565	1,513
Total Deaths - All Causes	4,698	70,783	14,157	2,393	37,911	7,582	2,305	32,872	6,574

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Camden County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	110	1,341	268	64	801	160	46	541	108
Acute Myocardial Infarction	37	374	75	21	219	44	16	154	31
Other Ischemic Heart Disease	36	490	98	27	367	73	9	124	25
Hypertension	7	127	25	6	114	23	1	13	3
Cerebrovascular Disease	19	244	49	7	75	15	12	170	34
Atherosclerosis		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Cancer	91	1,552	310	54	873	175	37	678	136
Colon, Rectum, and Anus	5	85	17	3	56	11	2	29	6
Trachea, Bronchus, and Lung	25	412	82	19	292	58	6	121	24
Breast (Female Only)	7	149	30	N/A	N/A	N/A	7	149	30
Prostate	6	66	13	6	66	13	N/A	N/A	N/A
Diabetes Mellitus	12	198	40	5	88	18	7	110	22
Pneumonia and Influenza	12	117	23	5	49	10	7	68	14
Chronic Lower Respiratory Diseases	20	194	39	11	97	19	9	97	19
Chronic Liver Disease and Cirrhosis	4	79	16	3	56	11	1	23	5
Septicemia	7	112	22	4	70	14	3	42	8
Nephritis, Nephrosis, & Nephrotic Syndrome	7	73	15	5	44	9	2	30	6
Alzheimer's disease	15	131	26	4	22	4	11	110	22
HIV disease		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	6	190	38	4	150	30	2	40	8
All Other Unintentional Injuries	18	500	100	9	242	48	9	258	52
Suicide	16	528	106	12	419	84	4	110	22
Homicide	1	65	13	N/A	N/A	N/A	1	65	13
Remaining Causes	66	1,084	217	31	522	104	35	562	112
Total Deaths - All Causes	411	6,537	1,307	224	3,622	724	187	2,915	583

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Carteret County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	871	11,515	2,303	466	6,702	1,340	405	4,814	963
Acute Myocardial Infarction	167	2,403	481	93	1,465	293	74	939	188
Other Ischemic Heart Disease	385	5,163	1,033	228	3,231	646	157	1,932	386
Hypertension	28	394	79	13	180	36	15	215	43
Cerebrovascular Disease	186	2,252	450	82	1,056	211	104	1,196	239
Atherosclerosis	5	44	9	1	7	1	4	36	7
Cancer	936	15,480	3,096	535	8,628	1,726	401	6,852	1,370
Colon, Rectum, and Anus	81	1,389	278	49	847	169	32	542	108
Trachea, Bronchus, and Lung	275	4,455	891	165	2,619	524	110	1,835	367
Breast (Female Only)	45	733	147	N/A	N/A	N/A	45	733	147
Prostate	43	420	84	43	420	84	N/A	N/A	N/A
Diabetes Mellitus	92	1,456	291	53	836	167	39	620	124
Pneumonia and Influenza	76	946	189	33	405	81	43	541	108
Chronic Lower Respiratory Diseases	219	3,276	655	98	1,406	281	121	1,870	374
Chronic Liver Disease and Cirrhosis	69	1,502	300	53	1,094	219	16	409	82
Septicemia	51	853	171	19	285	57	32	568	114
Nephritis, Nephrosis, & Nephrotic Syndrome	73	967	193	41	570	114	32	398	80
Alzheimer's disease	100	953	191	38	353	71	62	600	120
HIV disease	4	141	28	3	100	20	1	41	8
Unintentional Motor Vehicle Injuries	32	1,125	225	25	815	163	7	309	62
All Other Unintentional Injuries	167	4,491	898	102	2,985	597	65	1,506	301
Suicide	71	2,192	438	56	1,637	327	15	555	111
Homicide	11	405	81	8	314	63	3	91	18
Remaining Causes	845	13,307	2,661	392	6,154	1,231	453	7,153	1,431
Total Deaths - All Causes	3,836	61,300	12,260	2,018	33,529	6,706	1,818	27,771	5,554

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Caswell County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	263	3,658	732	142	2,117	423	121	1,542	308
Acute Myocardial Infarction	60	737	147	32	375	75	28	362	72
Other Ischemic Heart Disease	94	1,308	262	55	845	169	39	462	92
Hypertension	10	95	19	8	82	16	2	14	3
Cerebrovascular Disease	61	714	143	29	340	68	32	374	75
Atherosclerosis		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Cancer	336	5,244	1,049	186	2,678	536	150	2,566	513
Colon, Rectum, and Anus	43	759	152	24	429	86	19	331	66
Trachea, Bronchus, and Lung	103	1,545	309	70	945	189	33	600	120
Breast (Female Only)	23	423	85	N/A	N/A	N/A	23	423	85
Prostate	21	210	42	21	210	42	N/A	N/A	N/A
Diabetes Mellitus	52	798	160	28	453	91	24	345	69
Pneumonia and Influenza	37	420	84	19	215	43	18	205	41
Chronic Lower Respiratory Diseases	76	914	183	37	449	90	39	465	93
Chronic Liver Disease and Cirrhosis	16	280	56	12	186	37	4	93	19
Septicemia	23	350	70	9	123	25	14	226	45
Nephritis, Nephrosis, & Nephrotic Syndrome	36	442	88	20	291	58	16	151	30
Alzheimer's disease	54	446	89	12	102	20	42	344	69
HIV disease	2	81	16	1	27	5	1	53	11
Unintentional Motor Vehicle Injuries	28	820	164	19	507	101	9	313	63
All Other Unintentional Injuries	45	883	177	25	568	114	20	315	63
Suicide	14	374	75	13	342	68	1	33	7
Homicide	9	349	70	5	152	30	4	197	39
Remaining Causes	300	4,333	867	133	2,074	415	167	2,259	452
Total Deaths - All Causes	1,362	20,201	4,040	698	10,707	2,141	664	9,494	1,899

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Catawba County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	1,598	21,322	4,264	870	12,743	2,549	728	8,579	1,716
Acute Myocardial Infarction	424	5,768	1,154	230	3,575	715	194	2,193	439
Other Ischemic Heart Disease	538	7,203	1,441	336	4,731	946	202	2,473	495
Hypertension	59	686	137	33	378	76	26	308	62
Cerebrovascular Disease	401	4,257	851	159	1,858	372	242	2,399	480
Atherosclerosis	6	73	15	2	26	5	4	48	10
Cancer	1,654	25,591	5,118	899	13,277	2,655	755	12,315	2,463
Colon, Rectum, and Anus	160	2,706	541	94	1,556	311	66	1,149	230
Trachea, Bronchus, and Lung	476	7,260	1,452	282	4,101	820	194	3,159	632
Breast (Female Only)	118	2,076	415	N/A	N/A	N/A	118	2,076	415
Prostate	69	702	140	69	702	140	N/A	N/A	N/A
Diabetes Mellitus	211	3,554	711	118	1,906	381	93	1,648	330
Pneumonia and Influenza	204	2,317	463	96	1,217	243	108	1,100	220
Chronic Lower Respiratory Diseases	629	7,846	1,569	292	3,542	708	337	4,304	861
Chronic Liver Disease and Cirrhosis	130	2,655	531	81	1,728	346	49	927	185
Septicemia	140	1,905	381	59	832	166	81	1,073	215
Nephritis, Nephrosis, & Nephrotic Syndrome	182	2,150	430	88	996	199	94	1,154	231
Alzheimer's disease	433	3,160	632	106	780	156	327	2,380	476
HIV disease	9	222	44	8	188	38	1	34	7
Unintentional Motor Vehicle Injuries	121	4,028	806	96	3,225	645	25	802	160
All Other Unintentional Injuries	326	7,671	1,534	205	5,159	1,032	121	2,512	502
Suicide	143	4,790	958	106	3,306	661	37	1,484	297
Homicide	44	1,822	364	33	1,355	271	11	467	93
Remaining Causes	1,836	26,142	5,228	837	12,574	2,515	999	13,567	2,713
Total Deaths - All Causes	8,126	120,190	24,038	4,088	65,090	13,018	4,038	55,100	11,020

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Chatham County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	618	9,457	1,891	326	5,406	1,081	292	4,051	810
Acute Myocardial Infarction	144	2,350	470	90	1,595	319	54	755	151
Other Ischemic Heart Disease	229	3,797	759	138	2,374	475	91	1,423	285
Hypertension	28	381	76	10	155	31	18	226	45
Cerebrovascular Disease	217	3,001	600	91	1,321	264	126	1,680	336
Atherosclerosis	7	97	19	5	75	15	2	21	4
Cancer	757	13,302	2,660	411	7,142	1,428	346	6,160	1,232
Colon, Rectum, and Anus	55	1,073	215	25	525	105	30	548	110
Trachea, Bronchus, and Lung	186	3,529	706	111	2,052	410	75	1,476	295
Breast (Female Only)	46	974	195	N/A	N/A	N/A	46	974	195
Prostate	47	555	111	47	555	111	N/A	N/A	N/A
Diabetes Mellitus	100	1,757	351	55	1,020	204	45	738	148
Pneumonia and Influenza	66	940	188	25	338	68	41	602	120
Chronic Lower Respiratory Diseases	132	1,882	376	75	1,030	206	57	852	170
Chronic Liver Disease and Cirrhosis	36	933	187	25	593	119	11	340	68
Septicemia	50	833	167	20	263	53	30	570	114
Nephritis, Nephrosis, & Nephrotic Syndrome	56	746	149	25	360	72	31	386	77
Alzheimer's disease	115	1,260	252	33	347	69	82	913	183
HIV disease	3	60	12	3	60	12	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	50	2,077	415	38	1,532	306	12	545	109
All Other Unintentional Injuries	87	1,921	384	44	1,083	217	43	838	168
Suicide	46	1,473	295	32	1,044	209	14	429	86
Homicide	10	458	92	9	409	82	1	48	10
Remaining Causes	830	13,726	2,745	363	6,391	1,278	467	7,335	1,467
Total Deaths - All Causes	3,208	54,304	10,861	1,590	28,569	5,714	1,618	25,735	5,147

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Cherokee County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	463	6,105	1,221	260	3,652	730	203	2,453	491
Acute Myocardial Infarction	94	1,329	266	56	872	174	38	457	91
Other Ischemic Heart Disease	222	2,713	543	131	1,692	338	91	1,021	204
Hypertension	12	145	29	4	50	10	8	96	19
Cerebrovascular Disease	91	1,220	244	32	470	94	59	750	150
Atherosclerosis	2	17	3	N/A	N/A	N/A	2	17	3
Cancer	396	6,456	1,291	230	3,612	722	166	2,843	569
Colon, Rectum, and Anus	30	498	100	16	260	52	14	238	48
Trachea, Bronchus, and Lung	127	2,009	402	86	1,300	260	41	709	142
Breast (Female Only)	25	484	97	N/A	N/A	N/A	25	484	97
Prostate	18	199	40	18	199	40	N/A	N/A	N/A
Diabetes Mellitus	46	847	169	23	435	87	23	412	82
Pneumonia and Influenza	35	462	92	12	175	35	23	287	57
Chronic Lower Respiratory Diseases	144	2,027	405	68	887	177	76	1,140	228
Chronic Liver Disease and Cirrhosis	36	662	132	26	509	102	10	153	31
Septicemia	23	310	62	12	159	32	11	152	30
Nephritis, Nephrosis, & Nephrotic Syndrome	30	423	85	18	247	49	12	176	35
Alzheimer's disease	80	716	143	19	182	36	61	534	107
HIV disease	2	93	19	N/A	N/A	N/A	2	93	19
Unintentional Motor Vehicle Injuries	29	894	179	22	688	138	7	206	41
All Other Unintentional Injuries	64	1,614	323	36	837	167	28	777	155
Suicide	34	1,114	223	26	793	159	8	321	64
Homicide	7	255	51	5	191	38	2	63	13
Remaining Causes	308	5,482	1,096	150	2,630	526	158	2,852	570
Total Deaths - All Causes	1,802	28,840	5,768	943	15,517	3,103	859	13,323	2,665

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Chowan County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	204	2,958	592	101	1,559	312	103	1,399	280
Acute Myocardial Infarction	37	536	107	21	310	62	16	226	45
Other Ischemic Heart Disease	57	861	172	37	615	123	20	246	49
Hypertension	12	120	24	3	37	7	9	84	17
Cerebrovascular Disease	68	820	164	27	371	74	41	449	90
Atherosclerosis	1	21	4	1	21	4	N/A	N/A	N/A
Cancer	215	3,163	633	123	1,644	329	92	1,519	304
Colon, Rectum, and Anus	24	355	71	11	144	29	13	211	42
Trachea, Bronchus, and Lung	60	861	172	39	511	102	21	351	70
Breast (Female Only)	14	241	48	N/A	N/A	N/A	14	241	48
Prostate	12	131	26	12	131	26	N/A	N/A	N/A
Diabetes Mellitus	31	515	103	14	229	46	17	286	57
Pneumonia and Influenza	15	124	25	5	41	8	10	83	17
Chronic Lower Respiratory Diseases	41	539	108	21	235	47	20	304	61
Chronic Liver Disease and Cirrhosis	6	121	24	5	105	21	1	16	3
Septicemia	18	293	59	11	149	30	7	144	29
Nephritis, Nephrosis, & Nephrotic Syndrome	16	173	35	8	103	21	8	70	14
Alzheimer's disease	20	160	32	8	63	13	12	97	19
HIV disease	3	90	18	3	90	18	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	9	305	61	9	305	61	N/A	N/A	N/A
All Other Unintentional Injuries	31	826	165	22	671	134	9	155	31
Suicide	10	245	49	8	170	34	2	75	15
Homicide	3	157	31	3	157	31	N/A	N/A	N/A
Remaining Causes	197	2,751	550	91	1,343	269	106	1,408	282
Total Deaths - All Causes	900	13,380	2,676	463	7,291	1,458	437	6,089	1,218

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Clay County

Cause of Death	Total			Sex					
				Male			Female		
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	136	1,661	332	65	920	184	71	740	148
Acute Myocardial Infarction	34	484	97	19	294	59	15	190	38
Other Ischemic Heart Disease	44	506	101	19	240	48	25	266	53
Hypertension	5	60	12	2	35	7	3	25	5
Cerebrovascular Disease	43	396	79	21	206	41	22	190	38
Atherosclerosis		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Cancer	151	2,265	453	94	1,462	292	57	803	161
Colon, Rectum, and Anus	15	222	44	12	168	34	3	54	11
Trachea, Bronchus, and Lung	37	553	111	23	342	68	14	211	42
Breast (Female Only)	8	108	22	N/A	N/A	N/A	8	108	22
Prostate	9	102	20	9	102	20	N/A	N/A	N/A
Diabetes Mellitus	14	173	35	9	120	24	5	53	11
Pneumonia and Influenza	17	129	26	7	58	12	10	71	14
Chronic Lower Respiratory Diseases	50	621	124	22	242	48	28	380	76
Chronic Liver Disease and Cirrhosis	11	264	53	9	221	44	2	43	9
Septicemia	6	89	18	2	50	10	4	39	8
Nephritis, Nephrosis, & Nephrotic Syndrome	11	130	26	6	76	15	5	53	11
Alzheimer's disease	26	196	39	6	45	9	20	151	30
HIV disease		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	16	467	93	9	305	61	7	162	32
All Other Unintentional Injuries	29	647	129	10	308	62	19	340	68
Suicide	4	86	17	3	80	16	1	7	1
Homicide	2	64	13	1	43	9	1	21	4
Remaining Causes	193	2,909	582	94	1,579	316	99	1,330	266
Total Deaths - All Causes	714	10,157	2,031	360	5,749	1,150	354	4,407	881

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Cleveland County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	1,237	16,395	3,279	651	9,385	1,877	586	7,010	1,402
Acute Myocardial Infarction	316	4,225	845	163	2,344	469	153	1,881	376
Other Ischemic Heart Disease	445	6,018	1,204	277	3,965	793	168	2,053	411
Hypertension	53	615	123	22	352	70	31	264	53
Cerebrovascular Disease	334	3,831	766	127	1,598	320	207	2,233	447
Atherosclerosis	8	95	19	2	17	3	6	78	16
Cancer	1,221	18,070	3,614	671	9,610	1,922	550	8,460	1,692
Colon, Rectum, and Anus	122	1,885	377	71	1,040	208	51	845	169
Trachea, Bronchus, and Lung	370	5,542	1,108	209	2,947	589	161	2,595	519
Breast (Female Only)	74	1,183	237	N/A	N/A	N/A	74	1,183	237
Prostate	51	503	101	51	503	101	N/A	N/A	N/A
Diabetes Mellitus	208	3,285	657	103	1,584	317	105	1,700	340
Pneumonia and Influenza	168	1,783	357	67	747	149	101	1,036	207
Chronic Lower Respiratory Diseases	377	4,804	961	195	2,339	468	182	2,465	493
Chronic Liver Disease and Cirrhosis	92	1,971	394	63	1,356	271	29	616	123
Septicemia	186	2,426	485	75	962	192	111	1,464	293
Nephritis, Nephrosis, & Nephrotic Syndrome	122	1,722	344	54	853	171	68	868	174
Alzheimer's disease	268	1,864	373	73	531	106	195	1,333	267
HIV disease	18	481	96	14	355	71	4	126	25
Unintentional Motor Vehicle Injuries	98	3,132	626	70	2,236	447	28	896	179
All Other Unintentional Injuries	234	5,134	1,027	121	2,880	576	113	2,254	451
Suicide	82	2,198	440	57	1,401	280	25	797	159
Homicide	26	960	192	18	627	125	8	333	67
Remaining Causes	1,212	17,776	3,555	520	8,882	1,776	692	8,894	1,779
Total Deaths - All Causes	5,944	86,541	17,308	2,903	45,715	9,143	3,041	40,826	8,165

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Columbus County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	1,063	15,371	3,074	548	7,969	1,594	515	7,402	1,480
Acute Myocardial Infarction	339	4,117	823	152	1,766	353	187	2,351	470
Other Ischemic Heart Disease	463	7,209	1,442	279	4,336	867	184	2,873	575
Hypertension	35	426	85	16	213	43	19	214	43
Cerebrovascular Disease	163	2,263	453	70	959	192	93	1,304	261
Atherosclerosis	2	30	6	2	30	6	N/A	N/A	N/A
Cancer	661	10,540	2,108	366	5,359	1,072	295	5,181	1,036
Colon, Rectum, and Anus	57	961	192	33	505	101	24	455	91
Trachea, Bronchus, and Lung	217	3,341	668	131	1,922	384	86	1,419	284
Breast (Female Only)	47	926	185	N/A	N/A	N/A	47	926	185
Prostate	31	331	66	31	331	66	N/A	N/A	N/A
Diabetes Mellitus	71	1,151	230	36	626	125	35	525	105
Pneumonia and Influenza	59	814	163	24	326	65	35	488	98
Chronic Lower Respiratory Diseases	210	2,893	579	109	1,332	266	101	1,561	312
Chronic Liver Disease and Cirrhosis	41	917	183	27	601	120	14	316	63
Septicemia	66	1,012	202	24	375	75	42	637	127
Nephritis, Nephrosis, & Nephrotic Syndrome	82	1,043	209	46	604	121	36	438	88
Alzheimer's disease	97	856	171	29	239	48	68	617	123
HIV disease	14	306	61	8	185	37	6	122	24
Unintentional Motor Vehicle Injuries	93	3,296	659	70	2,293	459	23	1,002	200
All Other Unintentional Injuries	121	3,216	643	71	1,793	359	50	1,424	285
Suicide	29	995	199	22	736	147	7	260	52
Homicide	47	1,794	359	38	1,498	300	9	295	59
Remaining Causes	633	10,567	2,113	283	5,087	1,017	350	5,480	1,096
Total Deaths - All Causes	3,487	57,490	11,498	1,789	30,223	6,045	1,698	27,267	5,453

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Craven County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	1,060	14,843	2,969	604	8,345	1,669	456	6,498	1,300
Acute Myocardial Infarction	142	1,998	400	88	1,257	251	54	740	148
Other Ischemic Heart Disease	514	6,851	1,370	316	4,195	839	198	2,656	531
Hypertension	58	641	128	27	315	63	31	326	65
Cerebrovascular Disease	264	3,366	673	117	1,551	310	147	1,816	363
Atherosclerosis	12	144	29	6	81	16	6	63	13
Cancer	1,191	18,665	3,733	659	9,600	1,920	532	9,065	1,813
Colon, Rectum, and Anus	91	1,436	287	50	737	147	41	698	140
Trachea, Bronchus, and Lung	353	5,621	1,124	202	2,948	590	151	2,672	534
Breast (Female Only)	74	1,368	274	N/A	N/A	N/A	74	1,368	274
Prostate	55	546	109	55	546	109	N/A	N/A	N/A
Diabetes Mellitus	174	2,689	538	89	1,359	272	85	1,330	266
Pneumonia and Influenza	103	1,351	270	50	690	138	53	661	132
Chronic Lower Respiratory Diseases	300	3,842	768	148	1,592	318	152	2,250	450
Chronic Liver Disease and Cirrhosis	54	1,123	225	30	510	102	24	612	122
Septicemia	78	1,084	217	34	395	79	44	689	138
Nephritis, Nephrosis, & Nephrotic Syndrome	105	1,391	278	49	576	115	56	815	163
Alzheimer's disease	177	1,561	312	55	458	92	122	1,103	221
HIV disease	13	330	66	10	218	44	3	112	22
Unintentional Motor Vehicle Injuries	80	2,779	556	59	2,013	403	21	765	153
All Other Unintentional Injuries	215	5,594	1,119	136	3,684	737	79	1,910	382
Suicide	70	2,338	468	46	1,471	294	24	867	173
Homicide	29	1,373	275	23	1,056	211	6	317	63
Remaining Causes	1,272	20,868	4,174	591	9,658	1,932	681	11,210	2,242
Total Deaths - All Causes	5,255	83,981	16,796	2,733	43,570	8,714	2,522	40,411	8,082

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Cumberland County

Cause of Death	Total			Sex					
				Male			Female		
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	2,642	41,524	8,305	1,426	22,757	4,551	1,216	18,767	3,753
Acute Myocardial Infarction	419	5,795	1,159	202	3,001	600	217	2,794	559
Other Ischemic Heart Disease	1,172	17,251	3,450	682	10,165	2,033	490	7,086	1,417
Hypertension	162	2,441	488	54	804	161	108	1,638	328
Cerebrovascular Disease	548	7,484	1,497	240	3,360	672	308	4,124	825
Atherosclerosis	21	233	47	9	113	23	12	120	24
Cancer	2,602	45,554	9,111	1,348	22,174	4,435	1,254	23,380	4,676
Colon, Rectum, and Anus	208	3,679	736	116	1,994	399	92	1,685	337
Trachea, Bronchus, and Lung	765	12,413	2,483	438	6,820	1,364	327	5,593	1,119
Breast (Female Only)	200	4,525	905	N/A	N/A	N/A	200	4,525	905
Prostate	99	1,124	225	99	1,124	225	N/A	N/A	N/A
Diabetes Mellitus	412	6,937	1,387	213	3,467	693	199	3,470	694
Pneumonia and Influenza	285	4,483	897	133	2,209	442	152	2,274	455
Chronic Lower Respiratory Diseases	695	9,435	1,887	298	4,001	800	397	5,435	1,087
Chronic Liver Disease and Cirrhosis	162	3,580	716	106	2,204	441	56	1,375	275
Septicemia	278	4,531	906	115	1,813	363	163	2,718	544
Nephritis, Nephrosis, & Nephrotic Syndrome	251	4,006	801	127	1,950	390	124	2,055	411
Alzheimer's disease	340	2,993	599	116	956	191	224	2,037	407
HIV disease	60	1,715	343	42	1,101	220	18	614	123
Unintentional Motor Vehicle Injuries	277	11,180	2,236	212	8,217	1,643	65	2,963	593
All Other Unintentional Injuries	497	15,644	3,129	296	9,665	1,933	201	5,979	1,196
Suicide	235	8,741	1,748	173	6,350	1,270	62	2,391	478
Homicide	190	8,168	1,634	157	6,635	1,327	33	1,533	307
Remaining Causes	2,470	54,551	10,910	1,114	26,028	5,206	1,356	28,523	5,705
Total Deaths - All Causes	12,127	233,200	46,640	6,179	123,803	24,761	5,948	109,398	21,880

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Currituck County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	271	3,877	775	147	2,297	459	124	1,580	316
Acute Myocardial Infarction	51	623	125	30	338	68	21	285	57
Other Ischemic Heart Disease	143	2,154	431	80	1,273	255	63	881	176
Hypertension	10	152	30	5	81	16	5	71	14
Cerebrovascular Disease	35	467	93	11	175	35	24	292	58
Atherosclerosis	2	13	3	1	6	1	1	8	2
Cancer	259	4,231	846	151	2,485	497	108	1,746	349
Colon, Rectum, and Anus	17	295	59	6	96	19	11	199	40
Trachea, Bronchus, and Lung	92	1,530	306	56	934	187	36	596	119
Breast (Female Only)	12	222	44	N/A	N/A	N/A	12	222	44
Prostate	10	99	20	10	99	20	N/A	N/A	N/A
Diabetes Mellitus	21	356	71	14	248	50	7	108	22
Pneumonia and Influenza	106	1,050	210	36	372	74	70	678	136
Chronic Lower Respiratory Diseases	66	826	165	30	358	72	36	468	94
Chronic Liver Disease and Cirrhosis	12	257	51	9	178	36	3	79	16
Septicemia	16	191	38	10	127	25	6	63	13
Nephritis, Nephrosis, & Nephrotic Syndrome	13	172	34	8	128	26	5	43	9
Alzheimer's disease	29	206	41	8	51	10	21	155	31
HIV disease		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	13	394	79	9	320	64	4	74	15
All Other Unintentional Injuries	44	1,288	258	26	926	185	18	362	72
Suicide	25	802	160	18	550	110	7	253	51
Homicide	1	40	8	N/A	N/A	N/A	1	40	8
Remaining Causes	187	2,993	599	86	1,425	285	101	1,567	313
Total Deaths - All Causes	1,110	17,314	3,463	569	9,728	1,946	541	7,586	1,517

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Dare County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	357	5,385	1,077	209	3,136	627	148	2,249	450
Acute Myocardial Infarction	51	599	120	26	336	67	25	263	53
Other Ischemic Heart Disease	205	3,342	668	135	2,192	438	70	1,150	230
Hypertension	12	112	22	3	21	4	9	92	18
Cerebrovascular Disease	65	934	187	36	493	99	29	441	88
Atherosclerosis	3	46	9	1	17	3	2	29	6
Cancer	394	6,917	1,383	229	3,801	760	165	3,116	623
Colon, Rectum, and Anus	29	630	126	17	361	72	12	269	54
Trachea, Bronchus, and Lung	133	2,231	446	75	1,203	241	58	1,028	206
Breast (Female Only)	17	413	83	N/A	N/A	N/A	17	413	83
Prostate	19	242	48	19	242	48	N/A	N/A	N/A
Diabetes Mellitus	17	257	51	14	222	44	3	35	7
Pneumonia and Influenza	96	1,189	238	32	425	85	64	764	153
Chronic Lower Respiratory Diseases	81	1,059	212	30	340	68	51	719	144
Chronic Liver Disease and Cirrhosis	38	948	190	24	538	108	14	410	82
Septicemia	27	364	73	11	132	26	16	232	46
Nephritis, Nephrosis, & Nephrotic Syndrome	30	428	86	13	194	39	17	234	47
Alzheimer's disease	43	407	81	21	202	40	22	205	41
HIV disease	1	34	7	N/A	N/A	N/A	1	34	7
Unintentional Motor Vehicle Injuries	17	745	149	14	578	116	3	167	33
All Other Unintentional Injuries	63	1,846	369	40	1,307	261	23	539	108
Suicide	36	1,305	261	32	1,183	237	4	122	24
Homicide	4	134	27	3	109	22	1	26	5
Remaining Causes	264	4,509	902	131	2,174	435	133	2,336	467
Total Deaths - All Causes	1,548	26,620	5,324	843	14,871	2,974	705	11,749	2,350

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Davidson County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	1,764	23,866	4,773	977	13,787	2,757	787	10,079	2,016
Acute Myocardial Infarction	357	5,008	1,002	199	2,855	571	158	2,153	431
Other Ischemic Heart Disease	735	9,952	1,990	457	6,533	1,307	278	3,419	684
Hypertension	65	741	148	31	415	83	34	325	65
Cerebrovascular Disease	499	5,823	1,165	214	2,608	522	285	3,215	643
Atherosclerosis	9	94	19	4	48	10	5	46	9
Cancer	1,915	30,043	6,009	1,019	15,531	3,106	896	14,512	2,902
Colon, Rectum, and Anus	152	2,685	537	92	1,682	336	60	1,004	201
Trachea, Bronchus, and Lung	658	10,130	2,026	350	5,274	1,055	308	4,856	971
Breast (Female Only)	127	2,346	469	N/A	N/A	N/A	127	2,346	469
Prostate	66	727	145	66	727	145	N/A	N/A	N/A
Diabetes Mellitus	292	4,684	937	160	2,566	513	132	2,118	424
Pneumonia and Influenza	206	2,540	508	91	1,183	237	115	1,357	271
Chronic Lower Respiratory Diseases	645	8,468	1,694	302	3,670	734	343	4,799	960
Chronic Liver Disease and Cirrhosis	122	2,525	505	87	1,854	371	35	671	134
Septicemia	151	2,261	452	71	1,054	211	80	1,207	241
Nephritis, Nephrosis, & Nephrotic Syndrome	168	2,172	434	92	1,101	220	76	1,072	214
Alzheimer's disease	370	2,951	590	99	792	158	271	2,159	432
HIV disease	16	464	93	12	313	63	4	151	30
Unintentional Motor Vehicle Injuries	151	5,541	1,108	104	3,765	753	47	1,777	355
All Other Unintentional Injuries	314	8,821	1,764	185	5,535	1,107	129	3,286	657
Suicide	127	3,884	777	101	2,946	589	26	939	188
Homicide	21	809	162	15	515	103	6	294	59
Remaining Causes	1,825	28,448	5,690	798	13,592	2,718	1,027	14,856	2,971
Total Deaths - All Causes	8,660	134,137	26,827	4,362	71,274	14,255	4,298	62,862	12,572

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Davie County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	423	5,461	1,092	216	3,005	601	207	2,456	491
Acute Myocardial Infarction	122	1,731	346	69	1,015	203	53	717	143
Other Ischemic Heart Disease	133	1,756	351	75	1,056	211	58	699	140
Hypertension	15	188	38	5	74	15	10	114	23
Cerebrovascular Disease	134	1,641	328	56	759	152	78	882	176
Atherosclerosis	7	111	22	1	23	5	6	88	18
Cancer	540	8,694	1,739	280	4,240	848	260	4,454	891
Colon, Rectum, and Anus	40	555	111	23	342	68	17	213	43
Trachea, Bronchus, and Lung	157	2,376	475	90	1,335	267	67	1,041	208
Breast (Female Only)	29	611	122	N/A	N/A	N/A	29	611	122
Prostate	22	253	51	22	253	51	N/A	N/A	N/A
Diabetes Mellitus	52	840	168	31	500	100	21	340	68
Pneumonia and Influenza	72	853	171	34	436	87	38	416	83
Chronic Lower Respiratory Diseases	134	1,742	348	55	701	140	79	1,041	208
Chronic Liver Disease and Cirrhosis	37	807	161	23	444	89	14	363	73
Septicemia	45	624	125	26	311	62	19	313	63
Nephritis, Nephrosis, & Nephrotic Syndrome	35	482	96	20	267	53	15	215	43
Alzheimer's disease	102	884	177	23	191	38	79	693	139
HIV disease	2	28	6	2	28	6	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	32	1,017	203	21	742	148	11	274	55
All Other Unintentional Injuries	92	2,151	430	50	1,127	225	42	1,024	205
Suicide	41	1,315	263	34	1,088	218	7	228	46
Homicide	7	249	50	5	190	38	2	59	12
Remaining Causes	501	7,397	1,479	234	3,825	765	267	3,572	714
Total Deaths - All Causes	2,271	34,482	6,896	1,116	17,950	3,590	1,155	16,532	3,306

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Duplin County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	604	9,151	1,830	334	5,396	1,079	270	3,755	751
Acute Myocardial Infarction	125	1,901	380	64	1,029	206	61	872	174
Other Ischemic Heart Disease	239	3,474	695	147	2,161	432	92	1,313	263
Hypertension	39	554	111	18	276	55	21	278	56
Cerebrovascular Disease	188	2,506	501	75	1,068	214	113	1,438	288
Atherosclerosis	4	34	7	1	8	2	3	26	5
Cancer	602	10,181	2,036	331	5,328	1,066	271	4,852	970
Colon, Rectum, and Anus	53	882	176	27	402	80	26	480	96
Trachea, Bronchus, and Lung	186	3,104	621	125	1,999	400	61	1,105	221
Breast (Female Only)	44	809	162	N/A	N/A	N/A	44	809	162
Prostate	23	278	56	23	278	56	N/A	N/A	N/A
Diabetes Mellitus	102	1,652	330	62	1,018	204	40	634	127
Pneumonia and Influenza	52	771	154	22	300	60	30	471	94
Chronic Lower Respiratory Diseases	164	2,586	517	91	1,370	274	73	1,216	243
Chronic Liver Disease and Cirrhosis	39	829	166	22	497	99	17	332	66
Septicemia	59	1,000	200	29	487	97	30	513	103
Nephritis, Nephrosis, & Nephrotic Syndrome	68	996	199	36	560	112	32	436	87
Alzheimer's disease	44	424	85	12	127	25	32	297	59
HIV disease	8	247	49	4	137	27	4	109	22
Unintentional Motor Vehicle Injuries	73	2,513	503	51	1,773	355	22	740	148
All Other Unintentional Injuries	81	2,092	418	55	1,505	301	26	586	117
Suicide	28	969	194	20	728	146	8	242	48
Homicide	17	723	145	16	699	140	1	23	5
Remaining Causes	530	9,289	1,858	237	4,444	889	293	4,845	969
Total Deaths - All Causes	2,702	46,516	9,303	1,416	25,722	5,144	1,286	20,794	4,159

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Durham County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	1,775	26,372	5,274	931	14,623	2,925	844	11,750	2,350
Acute Myocardial Infarction	334	4,723	945	195	2,862	572	139	1,861	372
Other Ischemic Heart Disease	550	8,460	1,692	351	5,528	1,106	199	2,932	586
Hypertension	128	1,853	371	61	949	190	67	904	181
Cerebrovascular Disease	489	6,609	1,322	202	3,013	603	287	3,596	719
Atherosclerosis	22	435	87	12	260	52	10	175	35
Cancer	2,198	38,235	7,647	1,073	17,888	3,578	1,125	20,347	4,069
Colon, Rectum, and Anus	204	3,666	733	94	1,664	333	110	2,002	400
Trachea, Bronchus, and Lung	511	8,340	1,668	282	4,422	884	229	3,918	784
Breast (Female Only)	198	3,853	771	N/A	N/A	N/A	198	3,853	771
Prostate	110	1,251	250	110	1,251	250	N/A	N/A	N/A
Diabetes Mellitus	289	5,190	1,038	161	2,864	573	128	2,326	465
Pneumonia and Influenza	182	2,587	517	86	1,212	242	96	1,374	275
Chronic Lower Respiratory Diseases	362	5,010	1,002	162	2,049	410	200	2,961	592
Chronic Liver Disease and Cirrhosis	101	2,273	455	64	1,436	287	37	837	167
Septicemia	130	2,058	412	49	710	142	81	1,347	269
Nephritis, Nephrosis, & Nephrotic Syndrome	242	3,670	734	109	1,599	320	133	2,071	414
Alzheimer's disease	350	3,085	617	99	831	166	251	2,254	451
HIV disease	55	1,614	323	40	1,116	223	15	498	100
Unintentional Motor Vehicle Injuries	121	4,828	966	83	3,249	650	38	1,578	316
All Other Unintentional Injuries	334	9,037	1,807	189	5,542	1,108	145	3,496	699
Suicide	122	4,547	909	82	3,056	611	40	1,492	298
Homicide	167	8,034	1,607	138	6,581	1,316	29	1,453	291
Remaining Causes	2,384	44,963	8,993	1,076	22,914	4,583	1,308	22,049	4,410
Total Deaths - All Causes	9,451	170,400	34,080	4,617	89,892	17,978	4,834	80,509	16,102

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Edgecombe County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	689	10,698	2,140	361	5,828	1,166	328	4,869	974
Acute Myocardial Infarction	214	3,230	646	121	1,922	384	93	1,309	262
Other Ischemic Heart Disease	240	3,191	638	136	1,892	378	104	1,298	260
Hypertension	45	571	114	18	176	35	27	395	79
Cerebrovascular Disease	320	3,741	748	119	1,458	292	201	2,284	457
Atherosclerosis	2	59	12	2	59	12	N/A	N/A	N/A
Cancer	670	10,909	2,182	346	5,401	1,080	324	5,507	1,101
Colon, Rectum, and Anus	66	986	197	40	633	127	26	353	71
Trachea, Bronchus, and Lung	177	2,709	542	104	1,530	306	73	1,179	236
Breast (Female Only)	59	1,087	217	N/A	N/A	N/A	59	1,087	217
Prostate	33	372	74	33	372	74	N/A	N/A	N/A
Diabetes Mellitus	105	1,651	330	48	762	152	57	889	178
Pneumonia and Influenza	58	899	180	27	490	98	31	409	82
Chronic Lower Respiratory Diseases	130	1,888	378	73	992	198	57	896	179
Chronic Liver Disease and Cirrhosis	52	1,069	214	32	659	132	20	410	82
Septicemia	80	1,232	246	35	523	105	45	709	142
Nephritis, Nephrosis, & Nephrotic Syndrome	68	1,038	208	33	437	87	35	602	120
Alzheimer's disease	57	473	95	17	162	32	40	311	62
HIV disease	21	606	121	13	350	70	8	256	51
Unintentional Motor Vehicle Injuries	55	1,998	400	31	1,108	222	24	890	178
All Other Unintentional Injuries	118	3,258	652	64	1,936	387	54	1,322	264
Suicide	25	776	155	20	629	126	5	146	29
Homicide	36	1,638	328	29	1,307	261	7	331	66
Remaining Causes	590	10,208	2,042	265	5,065	1,013	325	5,143	1,029
Total Deaths - All Causes	3,121	52,712	10,542	1,533	27,343	5,469	1,588	25,370	5,074

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Forsyth County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	3,011	39,745	7,949	1,553	21,575	4,315	1,458	18,170	3,634
Acute Myocardial Infarction	532	7,114	1,423	309	4,313	863	223	2,801	560
Other Ischemic Heart Disease	1,087	14,477	2,895	638	8,817	1,763	449	5,660	1,132
Hypertension	161	2,052	410	64	870	174	97	1,182	236
Cerebrovascular Disease	880	9,984	1,997	343	4,197	839	537	5,786	1,157
Atherosclerosis	40	378	76	21	193	39	19	185	37
Cancer	3,518	56,084	11,217	1,750	26,344	5,269	1,768	29,740	5,948
Colon, Rectum, and Anus	274	4,551	910	125	2,083	417	149	2,468	494
Trachea, Bronchus, and Lung	1,034	15,729	3,146	559	8,117	1,623	475	7,612	1,522
Breast (Female Only)	273	5,228	1,046	N/A	N/A	N/A	273	5,228	1,046
Prostate	152	1,720	344	152	1,720	344	N/A	N/A	N/A
Diabetes Mellitus	454	7,230	1,446	242	3,839	768	212	3,391	678
Pneumonia and Influenza	424	5,468	1,094	211	2,682	536	213	2,786	557
Chronic Lower Respiratory Diseases	965	12,588	2,518	410	4,873	975	555	7,715	1,543
Chronic Liver Disease and Cirrhosis	190	4,043	809	121	2,559	512	69	1,483	297
Septicemia	319	4,755	951	143	2,010	402	176	2,744	549
Nephritis, Nephrosis, & Nephrotic Syndrome	318	4,443	889	150	2,028	406	168	2,415	483
Alzheimer's disease	648	5,087	1,017	185	1,440	288	463	3,647	729
HIV disease	71	2,161	432	59	1,743	349	12	418	84
Unintentional Motor Vehicle Injuries	219	8,102	1,620	154	5,617	1,123	65	2,485	497
All Other Unintentional Injuries	647	15,687	3,137	376	9,646	1,929	271	6,041	1,208
Suicide	208	6,920	1,384	153	5,028	1,006	55	1,891	378
Homicide	93	4,049	810	80	3,603	721	13	446	89
Remaining Causes	3,844	62,997	12,599	1,658	29,383	5,877	2,186	33,614	6,723
Total Deaths - All Causes	16,010	251,772	50,354	7,673	127,630	25,526	8,337	124,142	24,828

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Franklin County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	592	8,713	1,743	329	5,120	1,024	263	3,593	719
Acute Myocardial Infarction	115	1,685	337	62	1,022	204	53	663	133
Other Ischemic Heart Disease	223	3,260	652	138	2,143	429	85	1,117	223
Hypertension	37	535	107	18	267	53	19	268	54
Cerebrovascular Disease	139	1,881	376	60	859	172	79	1,022	204
Atherosclerosis	3	26	5	2	18	4	1	8	2
Cancer	655	11,215	2,243	362	5,760	1,152	293	5,455	1,091
Colon, Rectum, and Anus	55	942	188	33	590	118	22	352	70
Trachea, Bronchus, and Lung	202	3,289	658	120	1,822	364	82	1,468	294
Breast (Female Only)	52	1,143	229	N/A	N/A	N/A	52	1,143	229
Prostate	33	491	98	33	491	98	N/A	N/A	N/A
Diabetes Mellitus	90	1,638	328	47	870	174	43	768	154
Pneumonia and Influenza	61	784	157	26	382	76	35	402	80
Chronic Lower Respiratory Diseases	169	2,358	472	79	966	193	90	1,392	278
Chronic Liver Disease and Cirrhosis	43	966	193	23	447	89	20	519	104
Septicemia	48	739	148	19	303	61	29	435	87
Nephritis, Nephrosis, & Nephrotic Syndrome	59	948	190	29	434	87	30	515	103
Alzheimer's disease	53	512	102	19	188	38	34	325	65
HIV disease	7	193	39	6	153	31	1	40	8
Unintentional Motor Vehicle Injuries	59	2,235	447	49	1,905	381	10	330	66
All Other Unintentional Injuries	93	2,584	517	55	1,621	324	38	964	193
Suicide	49	1,746	349	40	1,427	285	9	318	64
Homicide	17	712	142	9	329	66	8	383	77
Remaining Causes	584	10,328	2,066	249	4,782	956	335	5,546	1,109
Total Deaths - All Causes	2,758	48,114	9,623	1,421	25,832	5,166	1,337	22,283	4,457

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Gaston County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	2,248	29,918	5,984	1,212	17,091	3,418	1,036	12,827	2,565
Acute Myocardial Infarction	430	5,875	1,175	242	3,495	699	188	2,380	476
Other Ischemic Heart Disease	938	12,469	2,494	557	7,612	1,522	381	4,857	971
Hypertension	111	1,446	289	50	678	136	61	768	154
Cerebrovascular Disease	538	6,653	1,331	236	3,190	638	302	3,463	693
Atherosclerosis	8	106	21	6	78	16	2	29	6
Cancer	2,334	36,527	7,305	1,256	18,973	3,795	1,078	17,554	3,511
Colon, Rectum, and Anus	207	3,001	600	100	1,484	297	107	1,516	303
Trachea, Bronchus, and Lung	785	11,707	2,341	447	6,385	1,277	338	5,322	1,064
Breast (Female Only)	122	2,347	469	N/A	N/A	N/A	122	2,347	469
Prostate	64	662	132	64	662	132	N/A	N/A	N/A
Diabetes Mellitus	321	5,086	1,017	159	2,557	511	162	2,530	506
Pneumonia and Influenza	339	3,773	755	129	1,498	300	210	2,275	455
Chronic Lower Respiratory Diseases	877	11,878	2,376	396	4,916	983	481	6,962	1,392
Chronic Liver Disease and Cirrhosis	165	3,671	734	114	2,498	500	51	1,173	235
Septicemia	304	4,201	840	141	1,939	388	163	2,262	452
Nephritis, Nephrosis, & Nephrotic Syndrome	174	2,314	463	71	1,003	201	103	1,311	262
Alzheimer's disease	564	4,326	865	155	1,189	238	409	3,138	628
HIV disease	31	843	169	21	580	116	10	262	52
Unintentional Motor Vehicle Injuries	172	5,722	1,144	109	3,587	717	63	2,135	427
All Other Unintentional Injuries	452	12,468	2,494	268	7,544	1,509	184	4,924	985
Suicide	172	5,418	1,084	117	3,511	702	55	1,906	381
Homicide	62	2,397	479	50	1,883	377	12	514	103
Remaining Causes	2,308	36,072	7,214	990	17,770	3,554	1,318	18,302	3,660
Total Deaths - All Causes	11,180	172,819	34,564	5,480	90,483	18,097	5,700	82,335	16,467

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Gates County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	128	1,914	383	72	1,154	231	56	760	152
Acute Myocardial Infarction	24	386	77	14	234	47	10	153	31
Other Ischemic Heart Disease	49	680	136	29	447	89	20	234	47
Hypertension	12	179	36	5	47	9	7	132	26
Cerebrovascular Disease	23	282	56	12	151	30	11	131	26
Atherosclerosis	1	10	2	N/A	N/A	N/A	1	10	2
Cancer	121	2,123	425	66	1,110	222	55	1,013	203
Colon, Rectum, and Anus	10	187	37	6	114	23	4	73	15
Trachea, Bronchus, and Lung	36	650	130	21	356	71	15	293	59
Breast (Female Only)	13	248	50	N/A	N/A	N/A	13	248	50
Prostate	10	132	26	10	132	26	N/A	N/A	N/A
Diabetes Mellitus	30	463	93	17	261	52	13	202	40
Pneumonia and Influenza	12	134	27	8	98	20	4	35	7
Chronic Lower Respiratory Diseases	35	526	105	24	324	65	11	202	40
Chronic Liver Disease and Cirrhosis	11	215	43	7	135	27	4	80	16
Septicemia	9	125	25	6	96	19	3	29	6
Nephritis, Nephrosis, & Nephrotic Syndrome	7	106	21	3	58	12	4	48	10
Alzheimer's disease	28	273	55	4	35	7	24	238	48
HIV disease	3	87	17	2	62	12	1	24	5
Unintentional Motor Vehicle Injuries	20	609	122	14	435	87	6	174	35
All Other Unintentional Injuries	24	596	119	20	497	99	4	99	20
Suicide	5	120	24	2	27	5	3	93	19
Homicide	2	52	10	2	52	10	N/A	N/A	N/A
Remaining Causes	99	1,650	330	47	825	165	52	825	165
Total Deaths - All Causes	570	9,463	1,893	311	5,368	1,074	259	4,095	819

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Graham County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	132	1,683	337	74	1,025	205	58	658	132
Acute Myocardial Infarction	23	356	71	16	259	52	7	97	19
Other Ischemic Heart Disease	84	1,047	209	41	574	115	43	473	95
Hypertension	3	45	9	N/A	N/A	N/A	3	45	9
Cerebrovascular Disease	22	327	65	10	106	21	12	221	44
Atherosclerosis	1	22	4	1	22	4	N/A	N/A	N/A
Cancer	122	1,934	387	71	1,082	216	51	852	170
Colon, Rectum, and Anus	9	134	27	8	122	24	1	12	2
Trachea, Bronchus, and Lung	44	623	125	28	400	80	16	223	45
Breast (Female Only)	11	251	50	N/A	N/A	N/A	11	251	50
Prostate	3	30	6	3	30	6	N/A	N/A	N/A
Diabetes Mellitus	17	320	64	11	172	34	6	148	30
Pneumonia and Influenza	10	88	18	5	42	8	5	45	9
Chronic Lower Respiratory Diseases	39	520	104	15	157	31	24	362	72
Chronic Liver Disease and Cirrhosis	9	192	38	6	126	25	3	65	13
Septicemia	1	40	8	N/A	N/A	N/A	1	40	8
Nephritis, Nephrosis, & Nephrotic Syndrome	18	245	49	8	112	22	10	133	27
Alzheimer's disease	14	121	24	5	40	8	9	81	16
HIV disease		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	5	181	36	4	130	26	1	51	10
All Other Unintentional Injuries	35	836	167	21	541	108	14	295	59
Suicide	12	389	78	9	275	55	3	114	23
Homicide	3	105	21	2	48	10	1	57	11
Remaining Causes	91	1,364	273	47	686	137	44	677	135
Total Deaths - All Causes	534	8,411	1,682	289	4,566	913	245	3,845	769

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Granville County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	512	7,405	1,481	268	4,037	807	244	3,368	674
Acute Myocardial Infarction	117	1,782	356	66	1,098	220	51	685	137
Other Ischemic Heart Disease	211	2,864	573	115	1,556	311	96	1,309	262
Hypertension	19	306	61	9	168	34	10	137	27
Cerebrovascular Disease	105	1,365	273	41	552	110	64	813	163
Atherosclerosis	3	35	7	2	27	5	1	9	2
Cancer	611	10,221	2,044	328	5,265	1,053	283	4,956	991
Colon, Rectum, and Anus	56	1,011	202	26	528	106	30	484	97
Trachea, Bronchus, and Lung	198	3,116	623	109	1,618	324	89	1,498	300
Breast (Female Only)	34	706	141	N/A	N/A	N/A	34	706	141
Prostate	28	348	70	28	348	70	N/A	N/A	N/A
Diabetes Mellitus	93	1,459	292	54	892	178	39	567	113
Pneumonia and Influenza	41	624	125	17	312	62	24	312	62
Chronic Lower Respiratory Diseases	138	1,806	361	68	862	172	70	944	189
Chronic Liver Disease and Cirrhosis	37	777	155	27	575	115	10	202	40
Septicemia	37	579	116	16	212	42	21	367	73
Nephritis, Nephrosis, & Nephrotic Syndrome	53	739	148	31	500	100	22	239	48
Alzheimer's disease	133	1,091	218	39	281	56	94	810	162
HIV disease	9	292	58	7	220	44	2	72	14
Unintentional Motor Vehicle Injuries	56	1,761	352	41	1,335	267	15	426	85
All Other Unintentional Injuries	86	2,245	449	41	1,321	264	45	924	185
Suicide	46	1,563	313	37	1,276	255	9	287	57
Homicide	13	494	99	11	447	89	2	47	9
Remaining Causes	566	10,231	2,046	255	5,112	1,022	311	5,119	1,024
Total Deaths - All Causes	2,558	42,993	8,599	1,292	23,394	4,679	1,266	19,600	3,920

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Greene County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	224	3,020	604	138	1,960	392	86	1,060	212
Acute Myocardial Infarction	48	643	129	36	520	104	12	122	24
Other Ischemic Heart Disease	74	964	193	51	673	135	23	292	58
Hypertension	11	138	28	4	55	11	7	83	17
Cerebrovascular Disease	69	768	154	25	241	48	44	527	105
Atherosclerosis		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Cancer	202	3,120	624	117	1,592	318	85	1,528	306
Colon, Rectum, and Anus	19	341	68	11	190	38	8	151	30
Trachea, Bronchus, and Lung	62	945	189	37	450	90	25	496	99
Breast (Female Only)	12	160	32	N/A	N/A	N/A	12	160	32
Prostate	18	183	37	18	183	37	N/A	N/A	N/A
Diabetes Mellitus	37	523	105	19	230	46	18	293	59
Pneumonia and Influenza	13	160	32	5	61	12	8	98	20
Chronic Lower Respiratory Diseases	60	922	184	27	359	72	33	563	113
Chronic Liver Disease and Cirrhosis	14	281	56	9	150	30	5	131	26
Septicemia	18	248	50	10	94	19	8	154	31
Nephritis, Nephrosis, & Nephrotic Syndrome	11	123	25	6	69	14	5	54	11
Alzheimer's disease	39	353	71	15	111	22	24	241	48
HIV disease	5	128	26	3	63	13	2	65	13
Unintentional Motor Vehicle Injuries	24	830	166	15	493	99	9	337	67
All Other Unintentional Injuries	28	598	120	19	352	70	9	246	49
Suicide	8	171	34	6	115	23	2	56	11
Homicide	8	282	56	7	257	51	1	25	5
Remaining Causes	193	3,134	627	91	1,340	268	102	1,794	359
Total Deaths - All Causes	964	14,798	2,960	516	7,542	1,508	448	7,256	1,451

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Guilford County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	3,959	55,474	11,095	2,046	30,394	6,079	1,913	25,080	5,016
Acute Myocardial Infarction	741	10,297	2,059	408	6,006	1,201	333	4,290	858
Other Ischemic Heart Disease	1,442	21,007	4,201	849	12,710	2,542	593	8,297	1,659
Hypertension	202	3,043	609	80	1,246	249	122	1,797	359
Cerebrovascular Disease	1,186	14,688	2,938	489	6,495	1,299	697	8,192	1,638
Atherosclerosis	14	207	41	4	77	15	10	130	26
Cancer	4,519	73,393	14,679	2,350	35,739	7,148	2,169	37,654	7,531
Colon, Rectum, and Anus	360	5,997	1,199	175	2,918	584	185	3,079	616
Trachea, Bronchus, and Lung	1,255	19,336	3,867	703	10,575	2,115	552	8,761	1,752
Breast (Female Only)	326	6,773	1,355	N/A	N/A	N/A	326	6,773	1,355
Prostate	236	2,703	541	236	2,703	541	N/A	N/A	N/A
Diabetes Mellitus	566	9,550	1,910	298	5,193	1,039	268	4,357	871
Pneumonia and Influenza	443	5,762	1,152	219	3,035	607	224	2,727	545
Chronic Lower Respiratory Diseases	1,023	13,689	2,738	450	5,635	1,127	573	8,054	1,611
Chronic Liver Disease and Cirrhosis	295	6,578	1,316	186	4,010	802	109	2,568	514
Septicemia	314	5,153	1,031	158	2,613	523	156	2,540	508
Nephritis, Nephrosis, & Nephrotic Syndrome	506	6,846	1,369	238	3,154	631	268	3,692	738
Alzheimer's disease	992	8,355	1,671	287	2,396	479	705	5,959	1,192
HIV disease	73	2,125	425	57	1,628	326	16	497	99
Unintentional Motor Vehicle Injuries	253	9,398	1,880	195	7,198	1,440	58	2,200	440
All Other Unintentional Injuries	886	21,667	4,333	483	12,878	2,576	403	8,789	1,758
Suicide	285	10,133	2,027	205	7,251	1,450	80	2,882	576
Homicide	176	7,921	1,584	138	6,272	1,254	38	1,649	330
Remaining Causes	5,067	84,845	16,969	2,225	40,191	8,038	2,842	44,654	8,931
Total Deaths - All Causes	20,759	338,828	67,766	10,108	175,404	35,081	10,651	163,424	32,685

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Halifax County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	677	9,008	1,802	336	4,766	953	341	4,242	848
Acute Myocardial Infarction	147	1,983	397	75	1,041	208	72	942	188
Other Ischemic Heart Disease	269	3,418	684	148	1,995	399	121	1,423	285
Hypertension	83	1,094	219	27	360	72	56	734	147
Cerebrovascular Disease	186	2,327	465	75	1,005	201	111	1,322	264
Atherosclerosis	5	36	7	N/A	N/A	N/A	5	36	7
Cancer	725	11,094	2,219	408	5,894	1,179	317	5,200	1,040
Colon, Rectum, and Anus	73	1,188	238	43	655	131	30	532	106
Trachea, Bronchus, and Lung	190	2,878	576	119	1,777	355	71	1,101	220
Breast (Female Only)	38	734	147	N/A	N/A	N/A	38	734	147
Prostate	50	512	102	50	512	102	N/A	N/A	N/A
Diabetes Mellitus	160	2,266	453	79	1,143	229	81	1,123	225
Pneumonia and Influenza	69	838	168	30	364	73	39	475	95
Chronic Lower Respiratory Diseases	194	2,546	509	91	1,097	219	103	1,448	290
Chronic Liver Disease and Cirrhosis	32	649	130	22	451	90	10	199	40
Septicemia	66	937	187	35	498	100	31	439	88
Nephritis, Nephrosis, & Nephrotic Syndrome	96	1,365	273	39	542	108	57	824	165
Alzheimer's disease	79	671	134	20	160	32	59	511	102
HIV disease	13	391	78	10	274	55	3	117	23
Unintentional Motor Vehicle Injuries	59	2,409	482	40	1,479	296	19	930	186
All Other Unintentional Injuries	108	2,870	574	71	2,137	427	37	733	147
Suicide	27	831	166	20	646	129	7	185	37
Homicide	27	1,136	227	24	959	192	3	176	35
Remaining Causes	672	11,680	2,336	295	5,524	1,105	377	6,157	1,231
Total Deaths - All Causes	3,278	52,150	10,430	1,622	27,300	5,460	1,656	24,850	4,970

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Harnett County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	1,052	14,829	2,966	554	8,254	1,651	498	6,575	1,315
Acute Myocardial Infarction	158	2,231	446	99	1,473	295	59	758	152
Other Ischemic Heart Disease	490	6,853	1,371	282	3,989	798	208	2,864	573
Hypertension	49	650	130	20	306	61	29	344	69
Cerebrovascular Disease	244	3,054	611	112	1,393	279	132	1,661	332
Atherosclerosis	2	24	5	1	6	1	1	18	4
Cancer	1,076	17,538	3,508	605	9,563	1,913	471	7,975	1,595
Colon, Rectum, and Anus	92	1,524	305	58	980	196	34	544	109
Trachea, Bronchus, and Lung	338	5,290	1,058	199	2,928	586	139	2,361	472
Breast (Female Only)	58	1,105	221	N/A	N/A	N/A	58	1,105	221
Prostate	48	584	117	48	584	117	N/A	N/A	N/A
Diabetes Mellitus	166	3,006	601	76	1,199	240	90	1,807	361
Pneumonia and Influenza	80	1,240	248	35	611	122	45	629	126
Chronic Lower Respiratory Diseases	289	3,841	768	150	1,909	382	139	1,932	386
Chronic Liver Disease and Cirrhosis	59	1,149	230	30	600	120	29	549	110
Septicemia	68	1,173	235	35	578	116	33	594	119
Nephritis, Nephrosis, & Nephrotic Syndrome	78	1,011	202	36	513	103	42	497	99
Alzheimer's disease	118	978	196	35	280	56	83	698	140
HIV disease	13	366	73	9	242	48	4	124	25
Unintentional Motor Vehicle Injuries	126	5,065	1,013	92	3,523	705	34	1,542	308
All Other Unintentional Injuries	176	5,011	1,002	107	3,266	653	69	1,746	349
Suicide	85	2,970	594	69	2,336	467	16	634	127
Homicide	38	1,698	340	34	1,467	293	4	231	46
Remaining Causes	1,018	18,928	3,786	465	9,211	1,842	553	9,717	1,943
Total Deaths - All Causes	4,737	82,532	16,506	2,465	45,258	9,052	2,272	37,274	7,455

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Haywood County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	943	12,671	2,534	503	7,412	1,482	440	5,259	1,052
Acute Myocardial Infarction	104	1,544	309	67	1,075	215	37	469	94
Other Ischemic Heart Disease	460	6,916	1,383	283	4,433	887	177	2,483	497
Hypertension	23	301	60	10	157	31	13	145	29
Cerebrovascular Disease	205	2,367	473	86	979	196	119	1,388	278
Atherosclerosis	3	25	5	1	8	2	2	16	3
Cancer	758	11,714	2,343	426	6,199	1,240	332	5,515	1,103
Colon, Rectum, and Anus	48	828	166	23	358	72	25	469	94
Trachea, Bronchus, and Lung	234	3,447	689	123	1,773	355	111	1,674	335
Breast (Female Only)	35	729	146	N/A	N/A	N/A	35	729	146
Prostate	43	470	94	43	470	94	N/A	N/A	N/A
Diabetes Mellitus	61	1,034	207	23	385	77	38	649	130
Pneumonia and Influenza	99	1,198	240	41	523	105	58	675	135
Chronic Lower Respiratory Diseases	261	3,436	687	111	1,401	280	150	2,035	407
Chronic Liver Disease and Cirrhosis	59	1,469	294	39	967	193	20	502	100
Septicemia	41	575	115	21	247	49	20	328	66
Nephritis, Nephrosis, & Nephrotic Syndrome	74	833	167	31	340	68	43	493	99
Alzheimer's disease	103	905	181	28	260	52	75	645	129
HIV disease		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	46	1,232	246	35	1,019	204	11	212	42
All Other Unintentional Injuries	164	4,139	828	107	2,861	572	57	1,278	256
Suicide	54	1,666	333	43	1,327	265	11	339	68
Homicide	11	467	93	10	435	87	1	32	6
Remaining Causes	800	11,736	2,347	336	5,289	1,058	464	6,448	1,290
Total Deaths - All Causes	3,705	55,766	11,153	1,851	29,807	5,961	1,854	25,959	5,192

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Henderson County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	1,392	17,475	3,495	764	10,031	2,006	628	7,444	1,489
Acute Myocardial Infarction	206	2,660	532	118	1,555	311	88	1,105	221
Other Ischemic Heart Disease	548	7,143	1,429	321	4,251	850	227	2,892	578
Hypertension	38	485	97	15	244	49	23	241	48
Cerebrovascular Disease	364	3,983	797	161	1,863	373	203	2,120	424
Atherosclerosis	2	15	3	N/A	N/A	N/A	2	15	3
Cancer	1,518	23,433	4,687	805	11,785	2,357	713	11,648	2,330
Colon, Rectum, and Anus	126	2,016	403	62	1,019	204	64	997	199
Trachea, Bronchus, and Lung	425	6,758	1,352	241	3,554	711	184	3,204	641
Breast (Female Only)	100	1,759	352	N/A	N/A	N/A	100	1,759	352
Prostate	65	753	151	65	753	151	N/A	N/A	N/A
Diabetes Mellitus	103	1,710	342	64	1,079	216	39	631	126
Pneumonia and Influenza	172	1,963	393	100	1,140	228	72	823	165
Chronic Lower Respiratory Diseases	376	5,127	1,025	174	2,282	456	202	2,844	569
Chronic Liver Disease and Cirrhosis	88	2,193	439	47	1,129	226	41	1,064	213
Septicemia	58	802	160	26	371	74	32	431	86
Nephritis, Nephrosis, & Nephrotic Syndrome	111	1,454	291	61	753	151	50	701	140
Alzheimer's disease	338	2,883	577	88	743	149	250	2,140	428
HIV disease	2	52	10	1	25	5	1	27	5
Unintentional Motor Vehicle Injuries	82	2,836	567	57	2,047	409	25	789	158
All Other Unintentional Injuries	341	6,695	1,339	170	3,883	777	171	2,812	562
Suicide	118	3,457	691	87	2,465	493	31	992	198
Homicide	17	633	127	11	446	89	6	187	37
Remaining Causes	1,668	22,770	4,554	725	10,592	2,118	943	12,178	2,436
Total Deaths - All Causes	6,788	97,968	19,594	3,356	50,879	10,176	3,432	47,089	9,418

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Hertford County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	288	4,079	816	161	2,262	452	127	1,817	363
Acute Myocardial Infarction	49	667	133	27	412	82	22	255	51
Other Ischemic Heart Disease	149	1,990	398	88	1,157	231	61	832	166
Hypertension	50	570	114	23	267	53	27	302	60
Cerebrovascular Disease	66	868	174	24	289	58	42	580	116
Atherosclerosis	2	24	5	1	15	3	1	9	2
Cancer	262	4,407	881	146	2,157	431	116	2,250	450
Colon, Rectum, and Anus	32	514	103	20	335	67	12	179	36
Trachea, Bronchus, and Lung	66	1,080	216	50	765	153	16	315	63
Breast (Female Only)	21	449	90	N/A	N/A	N/A	21	449	90
Prostate	15	179	36	15	179	36	N/A	N/A	N/A
Diabetes Mellitus	90	1,349	270	51	688	138	39	660	132
Pneumonia and Influenza	26	282	56	12	105	21	14	177	35
Chronic Lower Respiratory Diseases	47	668	134	22	227	45	25	441	88
Chronic Liver Disease and Cirrhosis	12	277	55	7	133	27	5	144	29
Septicemia	23	291	58	9	110	22	14	181	36
Nephritis, Nephrosis, & Nephrotic Syndrome	24	323	65	11	123	25	13	200	40
Alzheimer's disease	56	578	116	19	194	39	37	384	77
HIV disease	3	87	17	1	31	6	2	56	11
Unintentional Motor Vehicle Injuries	25	1,044	209	17	663	133	8	381	76
All Other Unintentional Injuries	35	769	154	20	390	78	15	379	76
Suicide	18	576	115	16	490	98	2	86	17
Homicide	12	540	108	8	384	77	4	156	31
Remaining Causes	251	4,993	999	116	2,481	496	135	2,512	502
Total Deaths - All Causes	1,290	21,724	4,345	664	11,011	2,202	626	10,714	2,143

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Hoke County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	319	5,120	1,024	172	2,855	571	147	2,265	453
Acute Myocardial Infarction	54	795	159	30	467	93	24	328	66
Other Ischemic Heart Disease	138	2,294	459	83	1,422	284	55	872	174
Hypertension	22	391	78	11	185	37	11	206	41
Cerebrovascular Disease	55	828	166	25	374	75	30	453	91
Atherosclerosis		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Cancer	326	5,973	1,195	174	2,941	588	152	3,032	606
Colon, Rectum, and Anus	20	401	80	11	237	47	9	165	33
Trachea, Bronchus, and Lung	105	1,778	356	60	909	182	45	870	174
Breast (Female Only)	18	377	75	N/A	N/A	N/A	18	377	75
Prostate	22	293	59	22	293	59	N/A	N/A	N/A
Diabetes Mellitus	54	1,018	204	34	714	143	20	305	61
Pneumonia and Influenza	31	611	122	18	347	69	13	264	53
Chronic Lower Respiratory Diseases	80	1,084	217	39	499	100	41	586	117
Chronic Liver Disease and Cirrhosis	22	536	107	15	411	82	7	125	25
Septicemia	31	474	95	14	202	40	17	272	54
Nephritis, Nephrosis, & Nephrotic Syndrome	37	521	104	14	258	52	23	263	53
Alzheimer's disease	56	529	106	13	130	26	43	400	80
HIV disease	10	273	55	9	260	52	1	13	3
Unintentional Motor Vehicle Injuries	50	1,659	332	35	1,120	224	15	539	108
All Other Unintentional Injuries	43	1,282	256	25	788	158	18	494	99
Suicide	28	1,044	209	25	975	195	3	70	14
Homicide	24	1,142	228	18	860	172	6	283	57
Remaining Causes	296	6,488	1,298	131	3,001	600	165	3,487	697
Total Deaths - All Causes	1,484	28,974	5,795	772	15,918	3,184	712	13,056	2,611

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Hyde County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	68	829	166	28	377	75	40	453	91
Acute Myocardial Infarction	13	187	37	3	59	12	10	128	26
Other Ischemic Heart Disease	28	326	65	18	231	46	10	96	19
Hypertension	8	73	15	3	34	7	5	39	8
Cerebrovascular Disease	15	185	37	8	103	21	7	82	16
Atherosclerosis	2	25	5	1	13	3	1	12	2
Cancer	80	1,249	250	45	672	134	35	577	115
Colon, Rectum, and Anus	9	107	21	4	55	11	5	53	11
Trachea, Bronchus, and Lung	24	407	81	14	259	52	10	147	29
Breast (Female Only)	3	64	13	N/A	N/A	N/A	3	64	13
Prostate	6	47	9	6	47	9	N/A	N/A	N/A
Diabetes Mellitus	20	312	62	6	125	25	14	187	37
Pneumonia and Influenza	2	16	3	N/A	N/A	N/A	2	16	3
Chronic Lower Respiratory Diseases	22	297	59	14	175	35	8	122	24
Chronic Liver Disease and Cirrhosis	1	13	3	1	13	3	N/A	N/A	N/A
Septicemia	2	31	6	N/A	N/A	N/A	2	31	6
Nephritis, Nephrosis, & Nephrotic Syndrome	6	54	11	4	37	7	2	18	4
Alzheimer's disease	10	74	15	3	20	4	7	54	11
HIV disease		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	2	55	11	2	55	11	N/A	N/A	N/A
All Other Unintentional Injuries	6	151	30	4	95	19	2	56	11
Suicide	1	11	2	1	11	2	N/A	N/A	N/A
Homicide	1	41	8	1	41	8	N/A	N/A	N/A
Remaining Causes	47	759	152	25	307	61	22	452	90
Total Deaths - All Causes	293	4,175	835	146	2,077	415	147	2,098	420

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Iredell County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	1,473	19,059	3,812	763	10,691	2,138	710	8,369	1,674
Acute Myocardial Infarction	393	5,094	1,019	204	2,997	599	189	2,097	419
Other Ischemic Heart Disease	480	6,272	1,254	305	4,271	854	175	2,001	400
Hypertension	69	841	168	26	372	74	43	469	94
Cerebrovascular Disease	458	5,117	1,023	153	1,924	385	305	3,193	639
Atherosclerosis	14	179	36	8	124	25	6	55	11
Cancer	1,613	24,848	4,970	859	12,577	2,515	754	12,271	2,454
Colon, Rectum, and Anus	158	2,401	480	72	1,248	250	86	1,153	231
Trachea, Bronchus, and Lung	461	7,027	1,405	261	3,776	755	200	3,251	650
Breast (Female Only)	117	2,134	427	N/A	N/A	N/A	117	2,134	427
Prostate	67	727	145	67	727	145	N/A	N/A	N/A
Diabetes Mellitus	218	3,383	677	112	1,675	335	106	1,708	342
Pneumonia and Influenza	200	2,467	493	94	1,218	244	106	1,249	250
Chronic Lower Respiratory Diseases	506	6,300	1,260	233	2,732	546	273	3,568	714
Chronic Liver Disease and Cirrhosis	96	2,123	425	52	1,135	227	44	988	198
Septicemia	144	2,130	426	76	1,039	208	68	1,091	218
Nephritis, Nephrosis, & Nephrotic Syndrome	145	1,731	346	77	895	179	68	836	167
Alzheimer's disease	327	2,436	487	98	739	148	229	1,697	339
HIV disease	14	474	95	12	424	85	2	50	10
Unintentional Motor Vehicle Injuries	143	4,718	944	108	3,530	706	35	1,188	238
All Other Unintentional Injuries	291	7,838	1,568	172	5,111	1,022	119	2,727	545
Suicide	108	3,714	743	81	2,559	512	27	1,156	231
Homicide	29	1,344	269	23	1,066	213	6	278	56
Remaining Causes	1,637	24,991	4,998	692	11,942	2,388	945	13,049	2,610
Total Deaths - All Causes	7,485	113,693	22,739	3,639	59,752	11,950	3,846	53,941	10,788

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Jackson County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	363	5,559	1,112	209	3,516	703	154	2,043	409
Acute Myocardial Infarction	78	1,335	267	57	1,045	209	21	290	58
Other Ischemic Heart Disease	127	1,913	383	80	1,280	256	47	633	127
Hypertension	13	178	36	5	64	13	8	114	23
Cerebrovascular Disease	65	825	165	27	329	66	38	496	99
Atherosclerosis	2	28	6	1	20	4	1	7	1
Cancer	414	6,925	1,385	233	3,890	778	181	3,036	607
Colon, Rectum, and Anus	39	815	163	23	494	99	16	321	64
Trachea, Bronchus, and Lung	113	1,837	367	67	1,078	216	46	758	152
Breast (Female Only)	23	432	86	N/A	N/A	N/A	23	432	86
Prostate	22	271	54	22	271	54	N/A	N/A	N/A
Diabetes Mellitus	69	1,257	251	27	501	100	42	755	151
Pneumonia and Influenza	34	400	80	14	141	28	20	259	52
Chronic Lower Respiratory Diseases	125	1,628	326	64	830	166	61	797	159
Chronic Liver Disease and Cirrhosis	40	951	190	27	639	128	13	312	62
Septicemia	22	282	56	9	126	25	13	156	31
Nephritis, Nephrosis, & Nephrotic Syndrome	36	584	117	19	341	68	17	243	49
Alzheimer's disease	63	570	114	14	130	26	49	441	88
HIV disease	2	56	11	1	30	6	1	26	5
Unintentional Motor Vehicle Injuries	19	694	139	14	504	101	5	189	38
All Other Unintentional Injuries	91	2,499	500	59	1,668	334	32	831	166
Suicide	39	1,241	248	34	1,094	219	5	147	29
Homicide	6	197	39	3	116	23	3	81	16
Remaining Causes	397	6,410	1,282	180	3,112	622	217	3,298	660
Total Deaths - All Causes	1,800	30,284	6,057	940	17,052	3,410	860	13,232	2,646

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Johnston County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	1,613	22,878	4,576	841	12,795	2,559	772	10,082	2,016
Acute Myocardial Infarction	205	3,032	606	116	1,844	369	89	1,188	238
Other Ischemic Heart Disease	839	12,229	2,446	464	7,086	1,417	375	5,143	1,029
Hypertension	57	656	131	25	297	59	32	358	72
Cerebrovascular Disease	328	4,364	873	139	1,853	371	189	2,511	502
Atherosclerosis	7	81	16	1	9	2	6	72	14
Cancer	1,590	27,344	5,469	838	13,621	2,724	752	13,723	2,745
Colon, Rectum, and Anus	140	2,467	493	71	1,198	240	69	1,269	254
Trachea, Bronchus, and Lung	531	8,742	1,748	296	4,497	899	235	4,244	849
Breast (Female Only)	99	2,099	420	N/A	N/A	N/A	99	2,099	420
Prostate	58	694	139	58	694	139	N/A	N/A	N/A
Diabetes Mellitus	165	2,865	573	85	1,470	294	80	1,395	279
Pneumonia and Influenza	126	1,786	357	58	799	160	68	987	197
Chronic Lower Respiratory Diseases	397	5,481	1,096	193	2,524	505	204	2,957	591
Chronic Liver Disease and Cirrhosis	84	1,665	333	54	1,078	216	30	587	117
Septicemia	115	1,930	386	48	787	157	67	1,143	229
Nephritis, Nephrosis, & Nephrotic Syndrome	165	2,196	439	86	1,181	236	79	1,014	203
Alzheimer's disease	152	1,247	249	52	418	84	100	829	166
HIV disease	14	383	77	11	296	59	3	87	17
Unintentional Motor Vehicle Injuries	148	5,573	1,115	104	3,728	746	44	1,844	369
All Other Unintentional Injuries	250	6,550	1,310	153	4,108	822	97	2,442	488
Suicide	112	3,511	702	84	2,561	512	28	950	190
Homicide	34	1,455	291	29	1,188	238	5	268	54
Remaining Causes	1,326	24,318	4,864	577	11,373	2,275	749	12,944	2,589
Total Deaths - All Causes	6,683	114,282	22,856	3,378	60,087	12,017	3,305	54,195	10,839

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Jones County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	149	2,033	407	73	1,087	217	76	946	189
Acute Myocardial Infarction	28	381	76	11	158	32	17	223	45
Other Ischemic Heart Disease	77	1,058	212	43	615	123	34	443	89
Hypertension	15	194	39	10	130	26	5	64	13
Cerebrovascular Disease	40	622	124	19	331	66	21	291	58
Atherosclerosis	1	20	4	1	20	4	N/A	N/A	N/A
Cancer	128	2,150	430	67	1,136	227	61	1,014	203
Colon, Rectum, and Anus	13	268	54	6	163	33	7	105	21
Trachea, Bronchus, and Lung	47	793	159	25	408	82	22	384	77
Breast (Female Only)	3	73	15	N/A	N/A	N/A	3	73	15
Prostate	6	63	13	6	63	13	N/A	N/A	N/A
Diabetes Mellitus	12	192	38	7	104	21	5	88	18
Pneumonia and Influenza	15	202	40	8	113	23	7	89	18
Chronic Lower Respiratory Diseases	34	517	103	16	246	49	18	270	54
Chronic Liver Disease and Cirrhosis	9	198	40	7	154	31	2	44	9
Septicemia	13	251	50	6	101	20	7	150	30
Nephritis, Nephrosis, & Nephrotic Syndrome	7	67	13	3	27	5	4	41	8
Alzheimer's disease	13	102	20	1	9	2	12	93	19
HIV disease	3	54	11	2	36	7	1	19	4
Unintentional Motor Vehicle Injuries	7	238	48	5	206	41	2	31	6
All Other Unintentional Injuries	20	505	101	12	281	56	8	224	45
Suicide	6	200	40	3	124	25	3	76	15
Homicide	2	95	19	2	95	19	N/A	N/A	N/A
Remaining Causes	126	1,670	334	53	789	158	73	881	176
Total Deaths - All Causes	600	9,308	1,862	295	4,988	998	305	4,320	864

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Lee County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	582	7,982	1,596	308	4,527	905	274	3,455	691
Acute Myocardial Infarction	129	1,891	378	74	1,140	228	55	751	150
Other Ischemic Heart Disease	244	3,138	628	131	1,790	358	113	1,349	270
Hypertension	34	595	119	14	250	50	20	345	69
Cerebrovascular Disease	142	1,864	373	61	847	169	81	1,018	204
Atherosclerosis	5	53	11	3	37	7	2	16	3
Cancer	618	9,919	1,984	340	5,300	1,060	278	4,618	924
Colon, Rectum, and Anus	61	1,099	220	34	663	133	27	436	87
Trachea, Bronchus, and Lung	175	2,703	541	98	1,535	307	77	1,169	234
Breast (Female Only)	39	743	149	N/A	N/A	N/A	39	743	149
Prostate	31	331	66	31	331	66	N/A	N/A	N/A
Diabetes Mellitus	84	1,385	277	42	630	126	42	755	151
Pneumonia and Influenza	57	769	154	33	432	86	24	337	67
Chronic Lower Respiratory Diseases	151	2,171	434	68	919	184	83	1,253	251
Chronic Liver Disease and Cirrhosis	41	1,016	203	22	475	95	19	541	108
Septicemia	45	743	149	18	238	48	27	505	101
Nephritis, Nephrosis, & Nephrotic Syndrome	59	724	145	31	395	79	28	329	66
Alzheimer's disease	118	1,047	209	32	266	53	86	781	156
HIV disease	13	411	82	10	297	59	3	114	23
Unintentional Motor Vehicle Injuries	71	2,554	511	54	1,853	371	17	701	140
All Other Unintentional Injuries	83	2,609	522	56	1,827	365	27	782	156
Suicide	37	1,102	220	31	963	193	6	140	28
Homicide	30	1,357	271	25	1,142	228	5	215	43
Remaining Causes	572	10,626	2,125	255	5,116	1,023	317	5,510	1,102
Total Deaths - All Causes	2,742	46,927	9,385	1,403	25,511	5,102	1,339	21,415	4,283

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Lenoir County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	791	10,291	2,058	422	5,835	1,167	369	4,456	891
Acute Myocardial Infarction	123	1,679	336	74	1,048	210	49	631	126
Other Ischemic Heart Disease	357	4,569	914	206	2,819	564	151	1,750	350
Hypertension	81	1,040	208	33	512	102	48	528	106
Cerebrovascular Disease	244	2,692	538	115	1,305	261	129	1,387	277
Atherosclerosis	6	84	17	4	49	10	2	35	7
Cancer	748	11,499	2,300	376	5,235	1,047	372	6,264	1,253
Colon, Rectum, and Anus	78	1,099	220	45	558	112	33	541	108
Trachea, Bronchus, and Lung	186	2,712	542	104	1,361	272	82	1,351	270
Breast (Female Only)	54	1,059	212	N/A	N/A	N/A	54	1,059	212
Prostate	30	304	61	30	304	61	N/A	N/A	N/A
Diabetes Mellitus	148	2,076	415	65	848	170	83	1,228	246
Pneumonia and Influenza	71	1,051	210	27	399	80	44	652	130
Chronic Lower Respiratory Diseases	210	2,619	524	105	1,204	241	105	1,416	283
Chronic Liver Disease and Cirrhosis	59	1,182	236	33	619	124	26	563	113
Septicemia	66	917	183	29	327	65	37	590	118
Nephritis, Nephrosis, & Nephrotic Syndrome	65	786	157	29	345	69	36	441	88
Alzheimer's disease	71	631	126	19	168	34	52	464	93
HIV disease	24	803	161	14	442	88	10	361	72
Unintentional Motor Vehicle Injuries	48	1,400	280	37	1,076	215	11	324	65
All Other Unintentional Injuries	89	2,026	405	57	1,280	256	32	746	149
Suicide	33	834	167	26	621	124	7	213	43
Homicide	38	1,682	336	29	1,352	270	9	330	66
Remaining Causes	795	12,470	2,494	342	5,671	1,134	453	6,800	1,360
Total Deaths - All Causes	3,587	54,085	10,817	1,762	27,287	5,457	1,825	26,798	5,360

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Lincoln County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	821	11,424	2,285	430	6,743	1,349	391	4,681	936
Acute Myocardial Infarction	211	3,502	700	130	2,398	480	81	1,104	221
Other Ischemic Heart Disease	314	4,027	805	173	2,432	486	141	1,595	319
Hypertension	33	427	85	11	154	31	22	273	55
Cerebrovascular Disease	194	2,360	472	96	1,327	265	98	1,033	207
Atherosclerosis	1	16	3	1	16	3	N/A	N/A	N/A
Cancer	821	13,056	2,611	434	6,678	1,336	387	6,378	1,276
Colon, Rectum, and Anus	64	922	184	38	585	117	26	337	67
Trachea, Bronchus, and Lung	250	3,823	765	134	1,968	394	116	1,855	371
Breast (Female Only)	58	1,050	210	N/A	N/A	N/A	58	1,050	210
Prostate	21	232	46	21	232	46	N/A	N/A	N/A
Diabetes Mellitus	107	1,612	322	55	887	177	52	724	145
Pneumonia and Influenza	78	995	199	40	544	109	38	451	90
Chronic Lower Respiratory Diseases	289	3,743	749	137	1,834	367	152	1,909	382
Chronic Liver Disease and Cirrhosis	55	1,179	236	36	772	154	19	407	81
Septicemia	55	767	153	24	347	69	31	420	84
Nephritis, Nephrosis, & Nephrotic Syndrome	85	1,068	214	48	636	127	37	432	86
Alzheimer's disease	133	1,027	205	29	260	52	104	767	153
HIV disease	4	108	22	2	45	9	2	64	13
Unintentional Motor Vehicle Injuries	74	2,607	521	47	1,558	312	27	1,049	210
All Other Unintentional Injuries	138	3,700	740	81	2,375	475	57	1,325	265
Suicide	59	1,739	348	42	1,240	248	17	499	100
Homicide	12	381	76	6	193	39	6	188	38
Remaining Causes	823	12,057	2,411	354	6,260	1,252	469	5,797	1,159
Total Deaths - All Causes	3,782	58,264	11,653	1,873	31,869	6,374	1,909	26,395	5,279

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = McDowell County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	542	6,968	1,394	315	4,432	886	227	2,536	507
Acute Myocardial Infarction	105	1,439	288	72	1,032	206	33	407	81
Other Ischemic Heart Disease	235	3,139	628	145	2,065	413	90	1,074	215
Hypertension	24	277	55	13	157	31	11	120	24
Cerebrovascular Disease	131	1,730	346	64	871	174	67	860	172
Atherosclerosis	11	95	19	6	58	12	5	37	7
Cancer	575	8,944	1,789	316	4,614	923	259	4,330	866
Colon, Rectum, and Anus	55	903	181	24	435	87	31	468	94
Trachea, Bronchus, and Lung	185	2,711	542	125	1,684	337	60	1,027	205
Breast (Female Only)	31	594	119	N/A	N/A	N/A	31	594	119
Prostate	19	189	38	19	189	38	N/A	N/A	N/A
Diabetes Mellitus	78	1,312	262	31	577	115	47	735	147
Pneumonia and Influenza	59	718	144	30	319	64	29	399	80
Chronic Lower Respiratory Diseases	208	2,830	566	108	1,377	275	100	1,453	291
Chronic Liver Disease and Cirrhosis	36	753	151	23	502	100	13	251	50
Septicemia	40	696	139	16	317	63	24	380	76
Nephritis, Nephrosis, & Nephrotic Syndrome	40	549	110	22	273	55	18	275	55
Alzheimer's disease	131	1,142	228	38	338	68	93	804	161
HIV disease	1	20	4	N/A	N/A	N/A	1	20	4
Unintentional Motor Vehicle Injuries	34	1,061	212	26	802	160	8	259	52
All Other Unintentional Injuries	111	2,721	544	57	1,337	267	54	1,384	277
Suicide	42	1,322	264	34	1,047	209	8	276	55
Homicide	15	505	101	13	438	88	2	66	13
Remaining Causes	497	7,980	1,596	223	4,033	807	274	3,947	789
Total Deaths - All Causes	2,575	39,623	7,925	1,335	21,490	4,298	1,240	18,132	3,626

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Macon County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	485	6,077	1,215	275	3,699	740	210	2,378	476
Acute Myocardial Infarction	81	1,174	235	58	832	166	23	342	68
Other Ischemic Heart Disease	218	2,834	567	132	1,883	377	86	951	190
Hypertension	20	204	41	8	89	18	12	115	23
Cerebrovascular Disease	104	1,300	260	47	626	125	57	674	135
Atherosclerosis	5	47	9	3	21	4	2	26	5
Cancer	491	7,472	1,494	271	3,940	788	220	3,532	706
Colon, Rectum, and Anus	49	817	163	25	419	84	24	397	79
Trachea, Bronchus, and Lung	144	2,247	449	78	1,094	219	66	1,153	231
Breast (Female Only)	34	622	124	N/A	N/A	N/A	34	622	124
Prostate	31	365	73	31	365	73	N/A	N/A	N/A
Diabetes Mellitus	69	987	197	34	490	98	35	496	99
Pneumonia and Influenza	44	519	104	13	184	37	31	335	67
Chronic Lower Respiratory Diseases	163	2,086	417	86	1,053	211	77	1,033	207
Chronic Liver Disease and Cirrhosis	35	855	171	18	409	82	17	447	89
Septicemia	17	186	37	11	132	26	6	54	11
Nephritis, Nephrosis, & Nephrotic Syndrome	41	501	100	23	279	56	18	222	44
Alzheimer's disease	93	776	155	31	256	51	62	519	104
HIV disease	5	151	30	4	111	22	1	40	8
Unintentional Motor Vehicle Injuries	44	1,236	247	29	924	185	15	312	62
All Other Unintentional Injuries	91	1,736	347	49	980	196	42	756	151
Suicide	43	1,227	245	33	938	188	10	289	58
Homicide	6	218	44	5	201	40	1	17	3
Remaining Causes	469	6,787	1,357	211	3,254	651	258	3,533	707
Total Deaths - All Causes	2,225	32,365	6,473	1,151	17,586	3,517	1,074	14,779	2,956

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Madison County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	266	3,192	638	137	1,761	352	129	1,431	286
Acute Myocardial Infarction	57	726	145	24	328	66	33	399	80
Other Ischemic Heart Disease	104	1,275	255	64	787	157	40	487	97
Hypertension	4	50	10	1	11	2	3	40	8
Cerebrovascular Disease	76	731	146	32	351	70	44	380	76
Atherosclerosis	3	20	4	1	6	1	2	14	3
Cancer	244	3,727	745	136	1,978	396	108	1,750	350
Colon, Rectum, and Anus	14	277	55	10	186	37	4	91	18
Trachea, Bronchus, and Lung	89	1,309	262	51	738	148	38	571	114
Breast (Female Only)	17	359	72	N/A	N/A	N/A	17	359	72
Prostate	14	155	31	14	155	31	N/A	N/A	N/A
Diabetes Mellitus	24	442	88	16	344	69	8	99	20
Pneumonia and Influenza	30	288	58	11	136	27	19	152	30
Chronic Lower Respiratory Diseases	94	1,135	227	47	547	109	47	589	118
Chronic Liver Disease and Cirrhosis	16	281	56	11	214	43	5	67	13
Septicemia	17	248	50	7	141	28	10	107	21
Nephritis, Nephrosis, & Nephrotic Syndrome	22	311	62	17	251	50	5	60	12
Alzheimer's disease	38	317	63	11	88	18	27	230	46
HIV disease		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	14	615	123	9	383	77	5	232	46
All Other Unintentional Injuries	51	1,115	223	31	723	145	20	392	78
Suicide	19	508	102	13	354	71	6	154	31
Homicide	6	174	35	4	141	28	2	33	7
Remaining Causes	238	3,455	691	118	1,828	366	120	1,626	325
Total Deaths - All Causes	1,162	16,610	3,322	602	9,256	1,851	560	7,354	1,471

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Martin County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	386	5,001	1,000	211	2,933	587	175	2,068	414
Acute Myocardial Infarction	71	795	159	37	490	98	34	305	61
Other Ischemic Heart Disease	187	2,416	483	117	1,628	326	70	788	158
Hypertension	20	202	40	7	63	13	13	138	28
Cerebrovascular Disease	81	922	184	39	431	86	42	491	98
Atherosclerosis		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Cancer	347	5,250	1,050	177	2,530	506	170	2,720	544
Colon, Rectum, and Anus	30	462	92	14	228	46	16	234	47
Trachea, Bronchus, and Lung	85	1,251	250	53	810	162	32	441	88
Breast (Female Only)	31	608	122	N/A	N/A	N/A	31	608	122
Prostate	20	239	48	20	239	48	N/A	N/A	N/A
Diabetes Mellitus	69	1,082	216	36	566	113	33	516	103
Pneumonia and Influenza	25	266	53	11	109	22	14	157	31
Chronic Lower Respiratory Diseases	56	699	140	30	357	71	26	342	68
Chronic Liver Disease and Cirrhosis	15	278	56	11	216	43	4	61	12
Septicemia	32	391	78	16	241	48	16	151	30
Nephritis, Nephrosis, & Nephrotic Syndrome	35	459	92	14	156	31	21	303	61
Alzheimer's disease	83	663	133	19	157	31	64	506	101
HIV disease	5	114	23	4	96	19	1	18	4
Unintentional Motor Vehicle Injuries	21	626	125	11	405	81	10	221	44
All Other Unintentional Injuries	41	969	194	23	605	121	18	364	73
Suicide	19	531	106	13	331	66	6	200	40
Homicide	7	333	67	5	229	46	2	104	21
Remaining Causes	333	4,715	943	135	2,018	404	198	2,697	539
Total Deaths - All Causes	1,575	22,501	4,500	762	11,444	2,289	813	11,057	2,211

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Mecklenburg County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	5,531	82,474	16,495	2,930	46,676	9,335	2,601	35,798	7,160
Acute Myocardial Infarction	810	12,353	2,471	456	7,539	1,508	354	4,814	963
Other Ischemic Heart Disease	1,756	25,274	5,055	1,063	16,169	3,234	693	9,104	1,821
Hypertension	247	4,072	814	103	1,670	334	144	2,403	481
Cerebrovascular Disease	1,550	21,596	4,319	611	9,010	1,802	939	12,586	2,517
Atherosclerosis	17	211	42	10	104	21	7	107	21
Cancer	6,414	117,551	23,510	3,229	55,114	11,023	3,185	62,437	12,487
Colon, Rectum, and Anus	517	9,834	1,967	264	4,628	926	253	5,206	1,041
Trachea, Bronchus, and Lung	1,533	26,240	5,248	797	13,026	2,605	736	13,215	2,643
Breast (Female Only)	543	12,558	2,512	N/A	N/A	N/A	543	12,558	2,512
Prostate	332	4,162	832	332	4,162	832	N/A	N/A	N/A
Diabetes Mellitus	750	14,138	2,828	404	7,607	1,521	346	6,530	1,306
Pneumonia and Influenza	603	8,727	1,745	281	4,138	828	322	4,590	918
Chronic Lower Respiratory Diseases	1,234	16,584	3,317	552	7,428	1,486	682	9,156	1,831
Chronic Liver Disease and Cirrhosis	392	9,416	1,883	248	5,845	1,169	144	3,571	714
Septicemia	583	9,476	1,895	286	4,556	911	297	4,920	984
Nephritis, Nephrosis, & Nephrotic Syndrome	719	11,430	2,286	337	5,216	1,043	382	6,215	1,243
Alzheimer's disease	1,557	14,175	2,835	431	3,703	741	1,126	10,471	2,094
HIV disease	192	5,966	1,193	143	4,240	848	49	1,726	345
Unintentional Motor Vehicle Injuries	418	17,215	3,443	306	12,580	2,516	112	4,635	927
All Other Unintentional Injuries	1,038	31,267	6,253	656	21,379	4,276	382	9,888	1,978
Suicide	483	17,794	3,559	347	12,582	2,516	136	5,212	1,042
Homicide	319	15,289	3,058	265	12,748	2,550	54	2,540	508
Remaining Causes	6,732	130,588	26,118	2,953	61,789	12,358	3,779	68,799	13,760
Total Deaths - All Causes	28,779	527,970	105,594	14,092	276,385	55,277	14,687	251,585	50,317

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Mitchell County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	221	2,868	574	127	1,789	358	94	1,079	216
Acute Myocardial Infarction	54	721	144	36	520	104	18	201	40
Other Ischemic Heart Disease	81	1,055	211	56	786	157	25	269	54
Hypertension	5	56	11	3	36	7	2	20	4
Cerebrovascular Disease	39	453	91	11	152	30	28	300	60
Atherosclerosis	2	16	3	1	6	1	1	10	2
Cancer	227	3,315	663	130	1,715	343	97	1,600	320
Colon, Rectum, and Anus	16	210	42	9	85	17	7	125	25
Trachea, Bronchus, and Lung	75	1,062	212	46	637	127	29	425	85
Breast (Female Only)	20	384	77	N/A	N/A	N/A	20	384	77
Prostate	7	56	11	7	56	11	N/A	N/A	N/A
Diabetes Mellitus	30	486	97	17	217	43	13	269	54
Pneumonia and Influenza	24	300	60	7	58	12	17	242	48
Chronic Lower Respiratory Diseases	98	1,290	258	44	524	105	54	766	153
Chronic Liver Disease and Cirrhosis	8	207	41	7	177	35	1	30	6
Septicemia	10	138	28	4	65	13	6	73	15
Nephritis, Nephrosis, & Nephrotic Syndrome	18	199	40	12	136	27	6	63	13
Alzheimer's disease	64	502	100	15	125	25	49	377	75
HIV disease	1	21	4	1	21	4	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	11	340	68	10	293	59	1	47	9
All Other Unintentional Injuries	58	1,271	254	29	684	137	29	587	117
Suicide	18	489	98	16	458	92	2	31	6
Homicide	1	49	10	N/A	N/A	N/A	1	49	10
Remaining Causes	244	2,973	595	111	1,536	307	133	1,436	287
Total Deaths - All Causes	1,079	14,974	2,995	545	7,994	1,599	534	6,979	1,396

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Montgomery County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	287	4,204	841	160	2,550	510	127	1,654	331
Acute Myocardial Infarction	76	1,183	237	46	764	153	30	419	84
Other Ischemic Heart Disease	99	1,383	277	62	885	177	37	497	99
Hypertension	10	151	30	5	112	22	5	40	8
Cerebrovascular Disease	72	931	186	36	538	108	36	392	78
Atherosclerosis		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Cancer	298	4,820	964	164	2,437	487	134	2,383	477
Colon, Rectum, and Anus	27	449	90	11	173	35	16	276	55
Trachea, Bronchus, and Lung	92	1,422	284	64	944	189	28	478	96
Breast (Female Only)	19	364	73	N/A	N/A	N/A	19	364	73
Prostate	16	172	34	16	172	34	N/A	N/A	N/A
Diabetes Mellitus	55	895	179	30	503	101	25	393	79
Pneumonia and Influenza	38	563	113	14	178	36	24	385	77
Chronic Lower Respiratory Diseases	103	1,377	275	52	646	129	51	731	146
Chronic Liver Disease and Cirrhosis	23	549	110	12	286	57	11	263	53
Septicemia	23	315	63	13	188	38	10	127	25
Nephritis, Nephrosis, & Nephrotic Syndrome	27	416	83	10	165	33	17	251	50
Alzheimer's disease	79	647	129	30	230	46	49	417	83
HIV disease	1	43	9	1	43	9	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	22	668	134	15	461	92	7	206	41
All Other Unintentional Injuries	40	806	161	26	588	118	14	218	44
Suicide	13	397	79	9	268	54	4	129	26
Homicide	9	389	78	9	389	78	N/A	N/A	N/A
Remaining Causes	314	5,081	1,016	115	2,111	422	199	2,970	594
Total Deaths - All Causes	1,414	22,251	4,450	701	11,693	2,339	713	10,558	2,112

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Moore County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	1,142	15,058	3,012	624	8,433	1,687	518	6,625	1,325
Acute Myocardial Infarction	236	3,280	656	128	1,819	364	108	1,461	292
Other Ischemic Heart Disease	456	6,144	1,229	288	3,880	776	168	2,264	453
Hypertension	43	664	133	21	372	74	22	292	58
Cerebrovascular Disease	324	3,891	778	128	1,546	309	196	2,344	469
Atherosclerosis	10	86	17	7	60	12	3	26	5
Cancer	1,229	19,928	3,986	661	10,077	2,015	568	9,850	1,970
Colon, Rectum, and Anus	84	1,380	276	38	590	118	46	790	158
Trachea, Bronchus, and Lung	343	5,697	1,139	185	3,040	608	158	2,657	531
Breast (Female Only)	72	1,414	283	N/A	N/A	N/A	72	1,414	283
Prostate	64	758	152	64	758	152	N/A	N/A	N/A
Diabetes Mellitus	98	1,558	312	64	907	181	34	651	130
Pneumonia and Influenza	95	1,234	247	41	545	109	54	689	138
Chronic Lower Respiratory Diseases	283	3,875	775	134	1,704	341	149	2,171	434
Chronic Liver Disease and Cirrhosis	60	1,463	293	40	962	192	20	501	100
Septicemia	78	1,215	243	47	658	132	31	557	111
Nephritis, Nephrosis, & Nephrotic Syndrome	97	1,184	237	52	628	126	45	555	111
Alzheimer's disease	421	3,858	772	153	1,342	268	268	2,516	503
HIV disease	12	364	73	11	352	70	1	13	3
Unintentional Motor Vehicle Injuries	91	3,515	703	69	2,530	506	22	986	197
All Other Unintentional Injuries	157	3,985	797	99	2,672	534	58	1,314	263
Suicide	70	2,300	460	58	1,914	383	12	386	77
Homicide	25	1,097	219	19	852	170	6	245	49
Remaining Causes	1,224	17,795	3,559	569	8,838	1,768	655	8,957	1,791
Total Deaths - All Causes	5,459	83,070	16,614	2,797	44,392	8,878	2,662	38,678	7,736

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Nash County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	1,042	14,338	2,868	551	7,991	1,598	491	6,346	1,269
Acute Myocardial Infarction	215	2,879	576	129	1,765	353	86	1,114	223
Other Ischemic Heart Disease	396	5,601	1,120	230	3,517	703	166	2,083	417
Hypertension	69	936	187	23	366	73	46	571	114
Cerebrovascular Disease	295	3,622	724	139	1,814	363	156	1,809	362
Atherosclerosis	9	76	15	1	6	1	8	70	14
Cancer	1,094	17,029	3,406	587	8,619	1,724	507	8,410	1,682
Colon, Rectum, and Anus	99	1,661	332	53	862	172	46	800	160
Trachea, Bronchus, and Lung	315	4,795	959	187	2,721	544	128	2,074	415
Breast (Female Only)	99	1,966	393	N/A	N/A	N/A	99	1,966	393
Prostate	50	515	103	50	515	103	N/A	N/A	N/A
Diabetes Mellitus	160	2,643	529	82	1,319	264	78	1,323	265
Pneumonia and Influenza	127	1,493	299	62	769	154	65	724	145
Chronic Lower Respiratory Diseases	280	3,648	730	160	2,025	405	120	1,622	324
Chronic Liver Disease and Cirrhosis	85	1,817	363	51	1,069	214	34	748	150
Septicemia	90	1,316	263	42	580	116	48	735	147
Nephritis, Nephrosis, & Nephrotic Syndrome	117	1,458	292	55	664	133	62	794	159
Alzheimer's disease	144	1,228	246	44	361	72	100	867	173
HIV disease	15	401	80	11	284	57	4	117	23
Unintentional Motor Vehicle Injuries	96	3,351	670	66	2,076	415	30	1,275	255
All Other Unintentional Injuries	145	3,842	768	74	2,171	434	71	1,671	334
Suicide	53	1,594	319	42	1,224	245	11	370	74
Homicide	40	1,689	338	35	1,470	294	5	220	44
Remaining Causes	1,152	18,271	3,654	485	8,723	1,745	667	9,548	1,910
Total Deaths - All Causes	5,013	78,753	15,751	2,510	41,532	8,306	2,503	37,221	7,444

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = New Hanover County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	1,999	26,622	5,324	1,006	14,510	2,902	993	12,112	2,422
Acute Myocardial Infarction	277	4,206	841	144	2,337	467	133	1,869	374
Other Ischemic Heart Disease	809	10,819	2,164	444	6,472	1,294	365	4,347	869
Hypertension	61	814	163	17	266	53	44	549	110
Cerebrovascular Disease	684	7,704	1,541	287	3,522	704	397	4,182	836
Atherosclerosis	31	316	63	10	130	26	21	187	37
Cancer	2,066	33,173	6,635	1,077	16,360	3,272	989	16,814	3,363
Colon, Rectum, and Anus	121	2,025	405	71	1,293	259	50	732	146
Trachea, Bronchus, and Lung	637	10,054	2,011	320	4,665	933	317	5,389	1,078
Breast (Female Only)	146	2,726	545	N/A	N/A	N/A	146	2,726	545
Prostate	104	1,184	237	104	1,184	237	N/A	N/A	N/A
Diabetes Mellitus	206	3,465	693	103	1,735	347	103	1,730	346
Pneumonia and Influenza	145	1,869	374	77	969	194	68	900	180
Chronic Lower Respiratory Diseases	459	6,274	1,255	203	2,593	519	256	3,680	736
Chronic Liver Disease and Cirrhosis	110	2,716	543	67	1,570	314	43	1,146	229
Septicemia	138	2,191	438	71	1,125	225	67	1,066	213
Nephritis, Nephrosis, & Nephrotic Syndrome	185	2,664	533	104	1,391	278	81	1,274	255
Alzheimer's disease	236	2,066	413	70	573	115	166	1,493	299
HIV disease	24	765	153	17	493	99	7	272	54
Unintentional Motor Vehicle Injuries	121	4,607	921	87	3,257	651	34	1,350	270
All Other Unintentional Injuries	387	12,612	2,522	253	8,419	1,684	134	4,193	839
Suicide	161	5,512	1,102	117	3,917	783	44	1,596	319
Homicide	66	2,970	594	56	2,527	505	10	443	89
Remaining Causes	2,132	34,132	6,826	952	16,832	3,366	1,180	17,299	3,460
Total Deaths - All Causes	9,211	150,473	30,095	4,574	80,188	16,038	4,637	70,285	14,057

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Northampton County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	289	3,768	754	130	1,938	388	159	1,830	366
Acute Myocardial Infarction	50	683	137	25	393	79	25	290	58
Other Ischemic Heart Disease	108	1,275	255	51	691	138	57	584	117
Hypertension	44	620	124	17	243	49	27	377	75
Cerebrovascular Disease	81	1,001	200	30	404	81	51	597	119
Atherosclerosis	2	15	3	N/A	N/A	N/A	2	15	3
Cancer	301	4,879	976	168	2,559	512	133	2,320	464
Colon, Rectum, and Anus	24	362	72	11	181	36	13	181	36
Trachea, Bronchus, and Lung	92	1,490	298	60	927	185	32	563	113
Breast (Female Only)	23	453	91	N/A	N/A	N/A	23	453	91
Prostate	15	172	34	15	172	34	N/A	N/A	N/A
Diabetes Mellitus	72	1,252	250	35	613	123	37	639	128
Pneumonia and Influenza	24	308	62	9	109	22	15	199	40
Chronic Lower Respiratory Diseases	76	1,033	207	41	570	114	35	463	93
Chronic Liver Disease and Cirrhosis	18	390	78	14	291	58	4	99	20
Septicemia	21	292	58	10	156	31	11	136	27
Nephritis, Nephrosis, & Nephrotic Syndrome	31	335	67	18	216	43	13	119	24
Alzheimer's disease	42	387	77	12	107	21	30	280	56
HIV disease	7	173	35	7	173	35	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	24	934	187	20	718	144	4	217	43
All Other Unintentional Injuries	33	1,041	208	16	541	108	17	500	100
Suicide	13	453	91	10	284	57	3	169	34
Homicide	10	389	78	10	389	78	N/A	N/A	N/A
Remaining Causes	296	4,780	956	126	2,301	460	170	2,479	496
Total Deaths - All Causes	1,384	22,049	4,410	673	11,611	2,322	711	10,438	2,088

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Onslow County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	978	15,296	3,059	531	8,704	1,741	447	6,591	1,318
Acute Myocardial Infarction	186	2,679	536	92	1,400	280	94	1,278	256
Other Ischemic Heart Disease	375	5,911	1,182	243	3,951	790	132	1,960	392
Hypertension	56	788	158	22	328	66	34	461	92
Cerebrovascular Disease	257	3,512	702	103	1,470	294	154	2,043	409
Atherosclerosis	4	54	11	3	45	9	1	8	2
Cancer	1,247	21,576	4,315	653	10,518	2,104	594	11,058	2,212
Colon, Rectum, and Anus	80	1,343	269	38	629	126	42	714	143
Trachea, Bronchus, and Lung	394	6,569	1,314	214	3,353	671	180	3,216	643
Breast (Female Only)	85	1,802	360	N/A	N/A	N/A	85	1,802	360
Prostate	39	393	79	39	393	79	N/A	N/A	N/A
Diabetes Mellitus	184	3,017	603	95	1,579	316	89	1,438	288
Pneumonia and Influenza	89	1,346	269	41	690	138	48	656	131
Chronic Lower Respiratory Diseases	339	4,859	972	160	2,285	457	179	2,574	515
Chronic Liver Disease and Cirrhosis	88	2,046	409	59	1,385	277	29	661	132
Septicemia	96	1,531	306	40	579	116	56	952	190
Nephritis, Nephrosis, & Nephrotic Syndrome	96	1,400	280	53	798	160	43	602	120
Alzheimer's disease	110	1,015	203	41	376	75	69	640	128
HIV disease	12	351	70	9	273	55	3	78	16
Unintentional Motor Vehicle Injuries	117	4,701	940	86	3,411	682	31	1,290	258
All Other Unintentional Injuries	218	7,682	1,536	133	4,777	955	85	2,905	581
Suicide	175	6,636	1,327	138	5,069	1,014	37	1,567	313
Homicide	52	2,277	455	37	1,689	338	15	589	118
Remaining Causes	1,041	26,115	5,223	490	13,291	2,658	551	12,825	2,565
Total Deaths - All Causes	5,159	104,204	20,841	2,694	57,265	11,453	2,465	46,939	9,388

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Orange County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	712	9,843	1,969	376	5,301	1,060	336	4,542	908
Acute Myocardial Infarction	133	2,028	406	68	1,089	218	65	939	188
Other Ischemic Heart Disease	271	3,766	753	161	2,236	447	110	1,531	306
Hypertension	39	569	114	19	288	58	20	281	56
Cerebrovascular Disease	186	2,323	465	77	904	181	109	1,419	284
Atherosclerosis	2	15	3	1	7	1	1	8	2
Cancer	935	16,375	3,275	471	7,633	1,527	464	8,743	1,749
Colon, Rectum, and Anus	65	1,147	229	32	512	102	33	635	127
Trachea, Bronchus, and Lung	263	4,310	862	131	2,003	401	132	2,306	461
Breast (Female Only)	58	1,225	245	N/A	N/A	N/A	58	1,225	245
Prostate	42	473	95	42	473	95	N/A	N/A	N/A
Diabetes Mellitus	101	1,634	327	50	787	157	51	847	169
Pneumonia and Influenza	61	722	144	22	214	43	39	507	101
Chronic Lower Respiratory Diseases	160	2,211	442	74	1,026	205	86	1,185	237
Chronic Liver Disease and Cirrhosis	54	1,385	277	38	1,001	200	16	384	77
Septicemia	76	1,233	247	31	543	109	45	690	138
Nephritis, Nephrosis, & Nephrotic Syndrome	65	889	178	36	496	99	29	393	79
Alzheimer's disease	149	1,313	263	46	413	83	103	900	180
HIV disease	5	214	43	5	214	43	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	55	2,239	448	31	1,328	266	24	911	182
All Other Unintentional Injuries	154	3,651	730	84	2,114	423	70	1,538	308
Suicide	64	2,308	462	47	1,654	331	17	654	131
Homicide	11	531	106	8	352	70	3	179	36
Remaining Causes	976	16,387	3,277	444	7,760	1,552	532	8,627	1,725
Total Deaths - All Causes	3,805	63,842	12,768	1,860	32,035	6,407	1,945	31,807	6,361

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Pamlico County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	179	2,196	439	95	1,291	258	84	905	181
Acute Myocardial Infarction	20	255	51	9	119	24	11	136	27
Other Ischemic Heart Disease	104	1,184	237	59	790	158	45	393	79
Hypertension	16	221	44	5	77	15	11	143	29
Cerebrovascular Disease	36	454	91	9	136	27	27	318	64
Atherosclerosis	1	10	2	1	10	2	N/A	N/A	N/A
Cancer	186	2,950	590	108	1,673	335	78	1,277	255
Colon, Rectum, and Anus	12	191	38	3	29	6	9	162	32
Trachea, Bronchus, and Lung	60	1,005	201	42	655	131	18	351	70
Breast (Female Only)	11	161	32	N/A	N/A	N/A	11	161	32
Prostate	12	123	25	12	123	25	N/A	N/A	N/A
Diabetes Mellitus	29	490	98	18	303	61	11	187	37
Pneumonia and Influenza	16	220	44	6	86	17	10	134	27
Chronic Lower Respiratory Diseases	47	600	120	22	316	63	25	284	57
Chronic Liver Disease and Cirrhosis	12	269	54	8	184	37	4	85	17
Septicemia	10	152	30	4	62	12	6	90	18
Nephritis, Nephrosis, & Nephrotic Syndrome	17	183	37	8	93	19	9	90	18
Alzheimer's disease	15	142	28	4	43	9	11	99	20
HIV disease	2	121	24	2	121	24	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	13	407	81	10	256	51	3	151	30
All Other Unintentional Injuries	35	824	165	23	566	113	12	258	52
Suicide	16	534	107	14	450	90	2	83	17
Homicide	5	199	40	4	187	37	1	12	2
Remaining Causes	157	2,304	461	70	1,158	232	87	1,146	229
Total Deaths - All Causes	792	12,277	2,455	411	7,012	1,402	381	5,265	1,053

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Pasquotank County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	593	7,098	1,420	296	3,901	780	297	3,197	639
Acute Myocardial Infarction	248	2,470	494	113	1,252	250	135	1,218	244
Other Ischemic Heart Disease	199	2,648	530	110	1,634	327	89	1,014	203
Hypertension	16	211	42	5	78	16	11	133	27
Cerebrovascular Disease	108	1,244	249	45	509	102	63	736	147
Atherosclerosis	1	6	1	N/A	N/A	N/A	1	6	1
Cancer	440	6,741	1,348	229	3,448	690	211	3,293	659
Colon, Rectum, and Anus	46	804	161	28	500	100	18	303	61
Trachea, Bronchus, and Lung	121	1,799	360	63	968	194	58	831	166
Breast (Female Only)	38	657	131	N/A	N/A	N/A	38	657	131
Prostate	31	368	74	31	368	74	N/A	N/A	N/A
Diabetes Mellitus	57	742	148	24	348	70	33	394	79
Pneumonia and Influenza	45	607	121	21	303	61	24	304	61
Chronic Lower Respiratory Diseases	109	1,265	253	55	660	132	54	605	121
Chronic Liver Disease and Cirrhosis	27	508	102	17	349	70	10	159	32
Septicemia	32	554	111	15	190	38	17	364	73
Nephritis, Nephrosis, & Nephrotic Syndrome	19	358	72	10	173	35	9	185	37
Alzheimer's disease	77	563	113	23	185	37	54	378	76
HIV disease	4	108	22	4	108	22	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	21	690	138	12	410	82	9	280	56
All Other Unintentional Injuries	51	1,233	247	33	801	160	18	432	86
Suicide	27	845	169	19	593	119	8	252	50
Homicide	12	538	108	9	418	84	3	120	24
Remaining Causes	418	6,287	1,257	163	2,349	470	255	3,938	788
Total Deaths - All Causes	2,057	29,596	5,919	980	14,821	2,964	1,077	14,775	2,955

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Pender County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	523	6,987	1,397	275	3,982	796	248	3,004	601
Acute Myocardial Infarction	90	1,346	269	51	797	159	39	549	110
Other Ischemic Heart Disease	218	3,039	608	124	1,820	364	94	1,219	244
Hypertension	29	383	77	9	157	31	20	226	45
Cerebrovascular Disease	174	2,000	400	81	995	199	93	1,004	201
Atherosclerosis	9	123	25	4	49	10	5	74	15
Cancer	645	10,238	2,048	356	5,259	1,052	289	4,979	996
Colon, Rectum, and Anus	54	876	175	31	485	97	23	391	78
Trachea, Bronchus, and Lung	203	3,329	666	117	1,837	367	86	1,492	298
Breast (Female Only)	41	793	159	N/A	N/A	N/A	41	793	159
Prostate	35	358	72	35	358	72	N/A	N/A	N/A
Diabetes Mellitus	61	984	197	33	541	108	28	443	89
Pneumonia and Influenza	42	618	124	24	367	73	18	251	50
Chronic Lower Respiratory Diseases	159	2,155	431	77	1,041	208	82	1,114	223
Chronic Liver Disease and Cirrhosis	29	681	136	19	388	78	10	293	59
Septicemia	60	855	171	31	482	96	29	373	75
Nephritis, Nephrosis, & Nephrotic Syndrome	74	1,034	207	41	642	128	33	392	78
Alzheimer's disease	54	465	93	17	155	31	37	309	62
HIV disease	5	128	26	4	94	19	1	34	7
Unintentional Motor Vehicle Injuries	65	2,584	517	47	1,788	358	18	797	159
All Other Unintentional Injuries	97	2,995	599	60	1,963	393	37	1,032	206
Suicide	56	1,990	398	42	1,485	297	14	505	101
Homicide	9	261	52	6	207	41	3	54	11
Remaining Causes	581	9,641	1,928	292	5,436	1,087	289	4,204	841
Total Deaths - All Causes	2,672	44,121	8,824	1,418	25,031	5,006	1,254	19,090	3,818

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Perquimans County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	207	2,789	558	119	1,513	303	88	1,276	255
Acute Myocardial Infarction	62	808	162	34	446	89	28	362	72
Other Ischemic Heart Disease	71	945	189	47	557	111	24	388	78
Hypertension	10	109	22	3	33	7	7	76	15
Cerebrovascular Disease	51	690	138	27	341	68	24	349	70
Atherosclerosis	1	11	2	1	11	2	N/A	N/A	N/A
Cancer	186	3,024	605	98	1,385	277	88	1,638	328
Colon, Rectum, and Anus	13	191	38	9	86	17	4	105	21
Trachea, Bronchus, and Lung	47	747	149	26	386	77	21	361	72
Breast (Female Only)	7	186	37	N/A	N/A	N/A	7	186	37
Prostate	7	82	16	7	82	16	N/A	N/A	N/A
Diabetes Mellitus	20	235	47	13	154	31	7	81	16
Pneumonia and Influenza	26	254	51	15	154	31	11	100	20
Chronic Lower Respiratory Diseases	37	484	97	19	236	47	18	249	50
Chronic Liver Disease and Cirrhosis	6	101	20	4	59	12	2	42	8
Septicemia	11	138	28	4	31	6	7	107	21
Nephritis, Nephrosis, & Nephrotic Syndrome	13	169	34	6	88	18	7	82	16
Alzheimer's disease	20	174	35	7	62	12	13	113	23
HIV disease	3	94	19	1	28	6	2	66	13
Unintentional Motor Vehicle Injuries	19	643	129	11	365	73	8	278	56
All Other Unintentional Injuries	24	625	125	16	402	80	8	223	45
Suicide	11	362	72	8	244	49	3	118	24
Homicide	6	302	60	6	302	60	N/A	N/A	N/A
Remaining Causes	157	2,014	403	75	924	185	82	1,089	218
Total Deaths - All Causes	808	12,217	2,443	433	6,329	1,266	375	5,888	1,178

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Person County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	424	5,552	1,110	225	3,219	644	199	2,333	467
Acute Myocardial Infarction	128	1,509	302	67	849	170	61	660	132
Other Ischemic Heart Disease	128	1,828	366	82	1,213	243	46	615	123
Hypertension	17	151	30	7	59	12	10	92	18
Cerebrovascular Disease	119	1,241	248	37	393	79	82	848	170
Atherosclerosis	3	31	6	1	18	4	2	14	3
Cancer	515	8,293	1,659	268	4,235	847	247	4,058	812
Colon, Rectum, and Anus	54	893	179	25	417	83	29	476	95
Trachea, Bronchus, and Lung	155	2,463	493	88	1,269	254	67	1,194	239
Breast (Female Only)	29	591	118	N/A	N/A	N/A	29	591	118
Prostate	18	228	46	18	228	46	N/A	N/A	N/A
Diabetes Mellitus	84	1,442	288	45	825	165	39	617	123
Pneumonia and Influenza	54	619	124	35	356	71	19	263	53
Chronic Lower Respiratory Diseases	106	1,306	261	55	657	131	51	649	130
Chronic Liver Disease and Cirrhosis	27	578	116	13	263	53	14	314	63
Septicemia	40	687	137	9	122	24	31	565	113
Nephritis, Nephrosis, & Nephrotic Syndrome	37	442	88	14	145	29	23	298	60
Alzheimer's disease	57	457	91	14	100	20	43	357	71
HIV disease	5	158	32	3	94	19	2	64	13
Unintentional Motor Vehicle Injuries	40	1,716	343	25	999	200	15	717	143
All Other Unintentional Injuries	59	1,211	242	42	819	164	17	392	78
Suicide	33	868	174	29	758	152	4	111	22
Homicide	8	333	67	7	285	57	1	48	10
Remaining Causes	486	7,535	1,507	207	3,533	707	279	4,002	800
Total Deaths - All Causes	2,114	32,621	6,524	1,036	16,881	3,376	1,078	15,741	3,148

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Pitt County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	1,343	19,766	3,953	729	10,882	2,176	614	8,884	1,777
Acute Myocardial Infarction	309	4,154	831	181	2,473	495	128	1,681	336
Other Ischemic Heart Disease	456	6,584	1,317	281	4,124	825	175	2,460	492
Hypertension	78	1,064	213	31	474	95	47	591	118
Cerebrovascular Disease	363	4,946	989	147	1,987	397	216	2,959	592
Atherosclerosis		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Cancer	1,307	22,186	4,437	695	10,695	2,139	612	11,491	2,298
Colon, Rectum, and Anus	102	1,736	347	50	842	168	52	894	179
Trachea, Bronchus, and Lung	344	5,552	1,110	220	3,182	636	124	2,370	474
Breast (Female Only)	117	2,697	539	N/A	N/A	N/A	117	2,697	539
Prostate	57	578	116	57	578	116	N/A	N/A	N/A
Diabetes Mellitus	222	3,716	743	117	1,951	390	105	1,765	353
Pneumonia and Influenza	81	1,163	233	40	509	102	41	653	131
Chronic Lower Respiratory Diseases	279	3,881	776	142	1,751	350	137	2,130	426
Chronic Liver Disease and Cirrhosis	81	1,805	361	52	1,101	220	29	705	141
Septicemia	119	1,800	360	64	897	179	55	902	180
Nephritis, Nephrosis, & Nephrotic Syndrome	84	1,197	239	46	619	124	38	578	116
Alzheimer's disease	232	2,051	410	71	554	111	161	1,497	299
HIV disease	20	658	132	12	377	75	8	281	56
Unintentional Motor Vehicle Injuries	120	4,403	881	76	2,774	555	44	1,630	326
All Other Unintentional Injuries	266	6,840	1,368	143	3,908	782	123	2,931	586
Suicide	90	3,004	601	69	2,149	430	21	854	171
Homicide	59	2,759	552	45	1,983	397	14	776	155
Remaining Causes	1,348	27,371	5,474	580	12,182	2,436	768	15,190	3,038
Total Deaths - All Causes	6,092	108,611	21,722	3,059	54,792	10,958	3,033	53,818	10,764

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Polk County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	278	3,672	734	142	1,968	394	136	1,704	341
Acute Myocardial Infarction	46	668	134	26	415	83	20	253	51
Other Ischemic Heart Disease	101	1,284	257	63	793	159	38	490	98
Hypertension	6	76	15	1	36	7	5	40	8
Cerebrovascular Disease	91	1,068	214	38	508	102	53	560	112
Atherosclerosis	1	8	2	N/A	N/A	N/A	1	8	2
Cancer	287	4,848	970	136	2,230	446	151	2,618	524
Colon, Rectum, and Anus	28	491	98	12	225	45	16	266	53
Trachea, Bronchus, and Lung	71	1,239	248	33	607	121	38	632	126
Breast (Female Only)	25	445	89	N/A	N/A	N/A	25	445	89
Prostate	16	169	34	16	169	34	N/A	N/A	N/A
Diabetes Mellitus	28	382	76	14	184	37	14	198	40
Pneumonia and Influenza	41	499	100	20	271	54	21	228	46
Chronic Lower Respiratory Diseases	89	1,246	249	42	601	120	47	645	129
Chronic Liver Disease and Cirrhosis	12	289	58	10	212	42	2	78	16
Septicemia	19	204	41	12	146	29	7	58	12
Nephritis, Nephrosis, & Nephrotic Syndrome	24	378	76	11	165	33	13	213	43
Alzheimer's disease	76	716	143	19	179	36	57	537	107
HIV disease	1	31	6	1	31	6	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	9	346	69	6	282	56	3	65	13
All Other Unintentional Injuries	50	1,306	261	24	678	136	26	628	126
Suicide	25	673	135	17	422	84	8	251	50
Homicide	1	78	16	1	78	16	N/A	N/A	N/A
Remaining Causes	369	4,502	900	138	1,713	343	231	2,789	558
Total Deaths - All Causes	1,407	20,323	4,065	632	9,703	1,941	775	10,619	2,124

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Randolph County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	1,567	21,302	4,260	858	12,574	2,515	709	8,728	1,746
Acute Myocardial Infarction	268	4,047	809	165	2,521	504	103	1,527	305
Other Ischemic Heart Disease	560	7,632	1,526	351	5,017	1,003	209	2,615	523
Hypertension	51	636	127	23	326	65	28	310	62
Cerebrovascular Disease	385	4,557	911	134	1,699	340	251	2,857	571
Atherosclerosis	4	39	8	2	19	4	2	20	4
Cancer	1,545	24,001	4,800	835	12,405	2,481	710	11,596	2,319
Colon, Rectum, and Anus	114	1,876	375	48	772	154	66	1,104	221
Trachea, Bronchus, and Lung	545	8,564	1,713	334	4,943	989	211	3,621	724
Breast (Female Only)	95	1,541	308	N/A	N/A	N/A	95	1,541	308
Prostate	63	661	132	63	661	132	N/A	N/A	N/A
Diabetes Mellitus	199	3,053	611	108	1,693	339	91	1,360	272
Pneumonia and Influenza	155	1,868	374	75	837	167	80	1,031	206
Chronic Lower Respiratory Diseases	547	7,276	1,455	248	3,195	639	299	4,081	816
Chronic Liver Disease and Cirrhosis	116	2,343	469	80	1,617	323	36	726	145
Septicemia	102	1,519	304	44	631	126	58	889	178
Nephritis, Nephrosis, & Nephrotic Syndrome	168	1,819	364	84	945	189	84	874	175
Alzheimer's disease	269	2,139	428	79	678	136	190	1,461	292
HIV disease	11	335	67	7	209	42	4	126	25
Unintentional Motor Vehicle Injuries	132	4,569	914	84	2,861	572	48	1,709	342
All Other Unintentional Injuries	293	7,335	1,467	167	4,314	863	126	3,020	604
Suicide	128	4,277	855	106	3,415	683	22	862	172
Homicide	25	992	198	18	683	137	7	308	62
Remaining Causes	1,546	23,580	4,716	657	10,901	2,180	889	12,679	2,536
Total Deaths - All Causes	7,243	111,639	22,328	3,609	59,001	11,800	3,634	52,637	10,527

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Richmond County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	656	8,625	1,725	362	4,728	946	294	3,897	779
Acute Myocardial Infarction	143	1,886	377	73	1,024	205	70	862	172
Other Ischemic Heart Disease	261	3,408	682	168	2,134	427	93	1,274	255
Hypertension	59	689	138	23	284	57	36	405	81
Cerebrovascular Disease	168	2,199	440	72	900	180	96	1,299	260
Atherosclerosis	2	31	6	1	24	5	1	7	1
Cancer	534	8,029	1,606	315	4,346	869	219	3,683	737
Colon, Rectum, and Anus	45	699	140	28	420	84	17	279	56
Trachea, Bronchus, and Lung	158	2,402	480	108	1,534	307	50	868	174
Breast (Female Only)	32	585	117	N/A	N/A	N/A	32	585	117
Prostate	28	293	59	28	293	59	N/A	N/A	N/A
Diabetes Mellitus	147	2,242	448	77	1,187	237	70	1,055	211
Pneumonia and Influenza	40	499	100	17	232	46	23	267	53
Chronic Lower Respiratory Diseases	187	2,303	461	77	926	185	110	1,377	275
Chronic Liver Disease and Cirrhosis	38	750	150	19	349	70	19	401	80
Septicemia	26	403	81	11	144	29	15	259	52
Nephritis, Nephrosis, & Nephrotic Syndrome	72	818	164	41	501	100	31	317	63
Alzheimer's disease	90	735	147	31	273	55	59	462	92
HIV disease	5	150	30	3	85	17	2	65	13
Unintentional Motor Vehicle Injuries	43	1,521	304	30	982	196	13	539	108
All Other Unintentional Injuries	91	2,501	500	55	1,604	321	36	896	179
Suicide	30	910	182	19	557	111	11	353	71
Homicide	23	843	169	19	703	141	4	140	28
Remaining Causes	515	8,476	1,695	224	3,886	777	291	4,590	918
Total Deaths - All Causes	2,726	41,725	8,345	1,396	21,711	4,342	1,330	20,014	4,003

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Robeson County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	1,457	22,132	4,426	781	12,313	2,463	676	9,819	1,964
Acute Myocardial Infarction	383	5,459	1,092	211	3,140	628	172	2,320	464
Other Ischemic Heart Disease	520	8,425	1,685	308	5,014	1,003	212	3,412	682
Hypertension	74	1,100	220	34	574	115	40	526	105
Cerebrovascular Disease	288	3,646	729	136	1,740	348	152	1,906	381
Atherosclerosis	8	139	28	5	94	19	3	45	9
Cancer	1,363	22,906	4,581	760	11,781	2,356	603	11,125	2,225
Colon, Rectum, and Anus	137	2,442	488	74	1,215	243	63	1,227	245
Trachea, Bronchus, and Lung	415	6,606	1,321	253	3,611	722	162	2,995	599
Breast (Female Only)	87	1,654	331	N/A	N/A	N/A	87	1,654	331
Prostate	87	1,007	201	87	1,007	201	N/A	N/A	N/A
Diabetes Mellitus	319	4,938	988	160	2,496	499	159	2,442	488
Pneumonia and Influenza	106	1,630	326	39	493	99	67	1,137	227
Chronic Lower Respiratory Diseases	325	4,837	967	160	2,173	435	165	2,665	533
Chronic Liver Disease and Cirrhosis	90	1,934	387	56	1,159	232	34	775	155
Septicemia	113	1,807	361	48	681	136	65	1,127	225
Nephritis, Nephrosis, & Nephrotic Syndrome	151	2,160	432	78	1,138	228	73	1,022	204
Alzheimer's disease	306	2,607	521	82	657	131	224	1,950	390
HIV disease	19	586	117	13	339	68	6	247	49
Unintentional Motor Vehicle Injuries	228	8,534	1,707	153	5,393	1,079	75	3,141	628
All Other Unintentional Injuries	252	7,130	1,426	148	4,133	827	104	2,997	599
Suicide	81	2,576	515	66	2,003	401	15	573	115
Homicide	158	6,417	1,283	134	5,382	1,076	24	1,035	207
Remaining Causes	1,242	25,578	5,116	565	12,593	2,519	677	12,985	2,597
Total Deaths - All Causes	6,580	120,659	24,132	3,418	65,143	13,029	3,162	55,517	11,103

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Rockingham County

Cause of Death	Total			Sex					
				Male			Female		
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	1,185	15,838	3,168	587	8,138	1,628	598	7,700	1,540
Acute Myocardial Infarction	356	4,829	966	181	2,512	502	175	2,317	463
Other Ischemic Heart Disease	349	5,012	1,002	203	2,944	589	146	2,068	414
Hypertension	112	1,233	247	40	509	102	72	723	145
Cerebrovascular Disease	282	3,261	652	111	1,343	269	171	1,918	384
Atherosclerosis	4	46	9	2	32	6	2	14	3
Cancer	1,267	19,591	3,918	696	9,947	1,989	571	9,645	1,929
Colon, Rectum, and Anus	116	1,828	366	58	913	183	58	915	183
Trachea, Bronchus, and Lung	370	5,846	1,169	214	3,163	633	156	2,682	536
Breast (Female Only)	78	1,404	281	N/A	N/A	N/A	78	1,404	281
Prostate	66	677	135	66	677	135	N/A	N/A	N/A
Diabetes Mellitus	223	3,321	664	109	1,635	327	114	1,686	337
Pneumonia and Influenza	199	2,287	457	80	993	199	119	1,294	259
Chronic Lower Respiratory Diseases	421	5,546	1,109	210	2,646	529	211	2,900	580
Chronic Liver Disease and Cirrhosis	85	1,586	317	55	943	189	30	644	129
Septicemia	106	1,458	292	43	587	117	63	871	174
Nephritis, Nephrosis, & Nephrotic Syndrome	133	1,585	317	59	635	127	74	950	190
Alzheimer's disease	132	1,083	217	33	291	58	99	792	158
HIV disease	11	378	76	6	206	41	5	172	34
Unintentional Motor Vehicle Injuries	79	2,759	552	55	1,959	392	24	800	160
All Other Unintentional Injuries	218	4,503	901	115	2,677	535	103	1,826	365
Suicide	70	2,095	419	52	1,538	308	18	557	111
Homicide	33	1,431	286	28	1,131	226	5	300	60
Remaining Causes	1,118	18,207	3,641	490	8,530	1,706	628	9,677	1,935
Total Deaths - All Causes	5,678	86,208	17,242	2,771	43,740	8,748	2,907	42,468	8,494

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Rowan County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	1,561	20,072	4,014	832	11,267	2,253	729	8,805	1,761
Acute Myocardial Infarction	354	4,674	935	195	2,602	520	159	2,071	414
Other Ischemic Heart Disease	584	7,711	1,542	365	5,021	1,004	219	2,690	538
Hypertension	78	1,106	221	44	634	127	34	472	94
Cerebrovascular Disease	422	4,850	970	178	2,167	433	244	2,682	536
Atherosclerosis	51	823	165	33	543	109	18	280	56
Cancer	1,696	25,415	5,083	892	12,530	2,506	804	12,886	2,577
Colon, Rectum, and Anus	146	2,066	413	66	951	190	80	1,114	223
Trachea, Bronchus, and Lung	513	7,863	1,573	298	4,294	859	215	3,569	714
Breast (Female Only)	94	1,649	330	N/A	N/A	N/A	94	1,649	330
Prostate	63	675	135	63	675	135	N/A	N/A	N/A
Diabetes Mellitus	249	3,911	782	151	2,339	468	98	1,573	315
Pneumonia and Influenza	294	3,348	670	131	1,412	282	163	1,936	387
Chronic Lower Respiratory Diseases	535	6,827	1,365	248	2,962	592	287	3,864	773
Chronic Liver Disease and Cirrhosis	111	2,444	489	80	1,690	338	31	753	151
Septicemia	164	2,317	463	69	889	178	95	1,428	286
Nephritis, Nephrosis, & Nephrotic Syndrome	168	2,258	452	89	1,144	229	79	1,114	223
Alzheimer's disease	307	2,281	456	88	658	132	219	1,623	325
HIV disease	7	194	39	3	69	14	4	125	25
Unintentional Motor Vehicle Injuries	139	4,924	985	102	3,358	672	37	1,565	313
All Other Unintentional Injuries	336	8,647	1,729	190	5,170	1,034	146	3,477	695
Suicide	130	4,075	815	95	2,868	574	35	1,207	241
Homicide	55	2,367	473	36	1,525	305	19	841	168
Remaining Causes	1,633	24,692	4,938	724	11,300	2,260	909	13,392	2,678
Total Deaths - All Causes	7,936	120,550	24,110	3,985	62,525	12,505	3,951	58,025	11,605

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Rutherford County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	932	11,659	2,332	496	6,331	1,266	436	5,328	1,066
Acute Myocardial Infarction	178	2,192	438	95	1,193	239	83	999	200
Other Ischemic Heart Disease	379	5,017	1,003	227	3,071	614	152	1,945	389
Hypertension	31	331	66	16	185	37	15	146	29
Cerebrovascular Disease	269	2,933	587	107	1,167	233	162	1,766	353
Atherosclerosis	58	578	116	22	245	49	36	332	66
Cancer	827	12,595	2,519	472	6,824	1,365	355	5,772	1,154
Colon, Rectum, and Anus	87	1,323	265	55	828	166	32	494	99
Trachea, Bronchus, and Lung	248	3,756	751	148	2,048	410	100	1,708	342
Breast (Female Only)	46	844	169	N/A	N/A	N/A	46	844	169
Prostate	28	298	60	28	298	60	N/A	N/A	N/A
Diabetes Mellitus	139	2,267	453	72	1,193	239	67	1,074	215
Pneumonia and Influenza	67	928	186	34	539	108	33	389	78
Chronic Lower Respiratory Diseases	343	4,759	952	161	2,014	403	182	2,746	549
Chronic Liver Disease and Cirrhosis	60	1,177	235	34	681	136	26	496	99
Septicemia	72	1,024	205	26	370	74	46	654	131
Nephritis, Nephrosis, & Nephrotic Syndrome	85	1,158	232	50	693	139	35	465	93
Alzheimer's disease	108	835	167	39	279	56	69	556	111
HIV disease	4	128	26	4	128	26	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	54	1,814	363	37	1,178	236	17	635	127
All Other Unintentional Injuries	159	3,673	735	105	2,401	480	54	1,273	255
Suicide	69	2,065	413	56	1,653	331	13	412	82
Homicide	14	539	108	10	396	79	4	143	29
Remaining Causes	966	13,245	2,649	398	5,723	1,145	568	7,522	1,504
Total Deaths - All Causes	4,257	61,709	12,342	2,139	32,000	6,400	2,118	29,709	5,942

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Sampson County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	693	9,543	1,909	374	5,491	1,098	319	4,052	810
Acute Myocardial Infarction	170	2,427	485	90	1,423	285	80	1,004	201
Other Ischemic Heart Disease	279	3,819	764	164	2,306	461	115	1,513	303
Hypertension	35	444	89	20	273	55	15	171	34
Cerebrovascular Disease	206	2,511	502	103	1,300	260	103	1,212	242
Atherosclerosis	7	78	16	1	7	1	6	71	14
Cancer	760	12,613	2,523	409	6,363	1,273	351	6,250	1,250
Colon, Rectum, and Anus	66	1,036	207	37	552	110	29	484	97
Trachea, Bronchus, and Lung	218	3,455	691	131	1,909	382	87	1,546	309
Breast (Female Only)	49	832	166	N/A	N/A	N/A	49	832	166
Prostate	40	455	91	40	455	91	N/A	N/A	N/A
Diabetes Mellitus	198	2,879	576	93	1,413	283	105	1,465	293
Pneumonia and Influenza	62	914	183	32	477	95	30	437	87
Chronic Lower Respiratory Diseases	184	2,523	505	87	1,180	236	97	1,343	269
Chronic Liver Disease and Cirrhosis	38	783	157	20	364	73	18	419	84
Septicemia	38	592	118	14	198	40	24	394	79
Nephritis, Nephrosis, & Nephrotic Syndrome	70	1,034	207	28	417	83	42	617	123
Alzheimer's disease	91	809	162	29	237	47	62	572	114
HIV disease	5	159	32	4	125	25	1	34	7
Unintentional Motor Vehicle Injuries	92	3,421	684	62	2,274	455	30	1,147	229
All Other Unintentional Injuries	132	3,819	764	88	2,447	489	44	1,372	274
Suicide	33	999	200	27	788	158	6	211	42
Homicide	30	1,340	268	21	865	173	9	475	95
Remaining Causes	661	11,088	2,218	287	5,234	1,047	374	5,854	1,171
Total Deaths - All Causes	3,335	55,550	11,110	1,699	29,455	5,891	1,636	26,095	5,219

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Scotland County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	421	6,432	1,286	244	3,640	728	177	2,792	558
Acute Myocardial Infarction	95	1,507	301	58	976	195	37	531	106
Other Ischemic Heart Disease	173	2,492	498	107	1,442	288	66	1,050	210
Hypertension	27	432	86	12	195	39	15	236	47
Cerebrovascular Disease	111	1,485	297	43	565	113	68	920	184
Atherosclerosis		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Cancer	439	7,525	1,505	230	3,577	715	209	3,949	790
Colon, Rectum, and Anus	35	601	120	22	395	79	13	206	41
Trachea, Bronchus, and Lung	155	2,676	535	97	1,524	305	58	1,153	231
Breast (Female Only)	32	720	144	N/A	N/A	N/A	32	720	144
Prostate	17	183	37	17	183	37	N/A	N/A	N/A
Diabetes Mellitus	70	1,176	235	38	603	121	32	573	115
Pneumonia and Influenza	32	393	79	20	225	45	12	168	34
Chronic Lower Respiratory Diseases	103	1,626	325	46	630	126	57	995	199
Chronic Liver Disease and Cirrhosis	25	528	106	17	313	63	8	215	43
Septicemia	33	583	117	16	307	61	17	276	55
Nephritis, Nephrosis, & Nephrotic Syndrome	40	624	125	18	279	56	22	345	69
Alzheimer's disease	75	691	138	21	162	32	54	529	106
HIV disease	6	180	36	3	65	13	3	116	23
Unintentional Motor Vehicle Injuries	42	1,688	338	28	1,024	205	14	664	133
All Other Unintentional Injuries	68	1,931	386	41	1,115	223	27	815	163
Suicide	15	461	92	15	461	92	N/A	N/A	N/A
Homicide	26	1,153	231	19	885	177	7	269	54
Remaining Causes	423	7,409	1,482	171	3,001	600	252	4,408	882
Total Deaths - All Causes	1,956	34,318	6,864	982	17,047	3,409	974	17,271	3,454

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Stanly County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	888	10,185	2,037	466	5,528	1,106	422	4,658	932
Acute Myocardial Infarction	185	2,458	492	99	1,350	270	86	1,107	221
Other Ischemic Heart Disease	417	4,405	881	232	2,540	508	185	1,865	373
Hypertension	18	257	51	5	80	16	13	177	35
Cerebrovascular Disease	180	1,943	389	64	766	153	116	1,177	235
Atherosclerosis	3	44	9	1	26	5	2	18	4
Cancer	701	10,068	2,014	396	5,520	1,104	305	4,548	910
Colon, Rectum, and Anus	58	704	141	32	384	77	26	320	64
Trachea, Bronchus, and Lung	211	3,062	612	128	1,724	345	83	1,338	268
Breast (Female Only)	42	716	143	N/A	N/A	N/A	42	716	143
Prostate	25	285	57	25	285	57	N/A	N/A	N/A
Diabetes Mellitus	92	1,327	265	56	883	177	36	443	89
Pneumonia and Influenza	91	1,075	215	33	338	68	58	736	147
Chronic Lower Respiratory Diseases	187	2,177	435	99	1,021	204	88	1,156	231
Chronic Liver Disease and Cirrhosis	47	960	192	34	703	141	13	258	52
Septicemia	67	975	195	27	295	59	40	680	136
Nephritis, Nephrosis, & Nephrotic Syndrome	66	817	163	39	469	94	27	348	70
Alzheimer's disease	159	1,277	255	51	388	78	108	888	178
HIV disease	3	89	18	1	21	4	2	67	13
Unintentional Motor Vehicle Injuries	52	1,779	356	34	1,158	232	18	621	124
All Other Unintentional Injuries	107	2,592	518	64	1,697	339	43	896	179
Suicide	60	1,980	396	47	1,516	303	13	465	93
Homicide	13	349	70	9	251	50	4	98	20
Remaining Causes	708	10,222	2,044	313	4,820	964	395	5,402	1,080
Total Deaths - All Causes	3,442	48,118	9,624	1,739	25,481	5,096	1,703	22,636	4,527

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Stokes County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	501	7,123	1,425	254	3,859	772	247	3,265	653
Acute Myocardial Infarction	79	1,237	247	46	730	146	33	507	101
Other Ischemic Heart Disease	196	2,848	570	113	1,783	357	83	1,065	213
Hypertension	20	234	47	10	126	25	10	108	22
Cerebrovascular Disease	195	2,029	406	68	723	145	127	1,306	261
Atherosclerosis	44	425	85	16	167	33	28	258	52
Cancer	574	9,311	1,862	306	4,827	965	268	4,484	897
Colon, Rectum, and Anus	47	649	130	25	325	65	22	324	65
Trachea, Bronchus, and Lung	199	3,179	636	102	1,503	301	97	1,676	335
Breast (Female Only)	32	697	139	N/A	N/A	N/A	32	697	139
Prostate	23	251	50	23	251	50	N/A	N/A	N/A
Diabetes Mellitus	67	1,168	234	38	725	145	29	444	89
Pneumonia and Influenza	75	980	196	38	589	118	37	391	78
Chronic Lower Respiratory Diseases	182	2,424	485	97	1,187	237	85	1,237	247
Chronic Liver Disease and Cirrhosis	44	1,054	211	27	635	127	17	419	84
Septicemia	42	592	118	15	160	32	27	432	86
Nephritis, Nephrosis, & Nephrotic Syndrome	50	652	130	26	323	65	24	330	66
Alzheimer's disease	57	475	95	10	75	15	47	400	80
HIV disease		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	47	1,591	318	27	897	179	20	695	139
All Other Unintentional Injuries	101	2,773	555	53	1,497	299	48	1,276	255
Suicide	56	1,757	351	40	1,165	233	16	592	118
Homicide	8	381	76	6	292	58	2	89	18
Remaining Causes	522	7,891	1,578	244	4,071	814	278	3,819	764
Total Deaths - All Causes	2,585	40,862	8,172	1,275	21,318	4,264	1,310	19,543	3,909

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Surry County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	859	11,071	2,214	436	5,973	1,195	423	5,099	1,020
Acute Myocardial Infarction	171	2,280	456	85	1,164	233	86	1,116	223
Other Ischemic Heart Disease	285	3,484	697	164	2,111	422	121	1,373	275
Hypertension	52	542	108	27	341	68	25	202	40
Cerebrovascular Disease	218	2,277	455	87	1,002	200	131	1,275	255
Atherosclerosis	9	87	17	5	57	11	4	30	6
Cancer	950	14,046	2,809	532	7,374	1,475	418	6,672	1,334
Colon, Rectum, and Anus	72	1,173	235	44	662	132	28	511	102
Trachea, Bronchus, and Lung	309	4,380	876	193	2,578	516	116	1,802	360
Breast (Female Only)	62	994	199	N/A	N/A	N/A	62	994	199
Prostate	41	423	85	41	423	85	N/A	N/A	N/A
Diabetes Mellitus	126	1,954	391	67	1,071	214	59	883	177
Pneumonia and Influenza	125	1,685	337	63	826	165	62	859	172
Chronic Lower Respiratory Diseases	315	3,974	795	151	1,767	353	164	2,208	442
Chronic Liver Disease and Cirrhosis	68	1,392	278	40	870	174	28	522	104
Septicemia	84	1,293	259	37	466	93	47	827	165
Nephritis, Nephrosis, & Nephrotic Syndrome	106	1,305	261	57	718	144	49	587	117
Alzheimer's disease	166	1,357	271	39	296	59	127	1,061	212
HIV disease	5	128	26	4	91	18	1	37	7
Unintentional Motor Vehicle Injuries	71	2,414	483	51	1,713	343	20	701	140
All Other Unintentional Injuries	139	3,364	673	90	2,305	461	49	1,059	212
Suicide	72	2,198	440	52	1,454	291	20	744	149
Homicide	13	427	85	9	258	52	4	169	34
Remaining Causes	958	13,328	2,666	384	5,810	1,162	574	7,518	1,504
Total Deaths - All Causes	4,336	62,840	12,568	2,131	32,388	6,478	2,205	30,452	6,090

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Swain County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	181	2,428	486	93	1,329	266	88	1,099	220
Acute Myocardial Infarction	52	775	155	31	474	95	21	301	60
Other Ischemic Heart Disease	61	831	166	36	490	98	25	341	68
Hypertension	6	71	14	1	21	4	5	49	10
Cerebrovascular Disease	50	780	156	19	304	61	31	477	95
Atherosclerosis		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Cancer	176	2,644	529	107	1,527	305	69	1,116	223
Colon, Rectum, and Anus	18	306	61	11	149	30	7	157	31
Trachea, Bronchus, and Lung	51	735	147	28	417	83	23	318	64
Breast (Female Only)	8	172	34	N/A	N/A	N/A	8	172	34
Prostate	12	133	27	12	133	27	N/A	N/A	N/A
Diabetes Mellitus	47	757	151	19	365	73	28	392	78
Pneumonia and Influenza	22	280	56	10	99	20	12	181	36
Chronic Lower Respiratory Diseases	64	864	173	34	422	84	30	442	88
Chronic Liver Disease and Cirrhosis	21	491	98	16	368	74	5	123	25
Septicemia	15	168	34	11	134	27	4	33	7
Nephritis, Nephrosis, & Nephrotic Syndrome	21	295	59	9	102	20	12	193	39
Alzheimer's disease	37	303	61	9	70	14	28	233	47
HIV disease		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	12	511	102	10	384	77	2	126	25
All Other Unintentional Injuries	35	855	171	23	547	109	12	308	62
Suicide	10	291	58	7	223	45	3	68	14
Homicide	3	101	20	3	101	20	N/A	N/A	N/A
Remaining Causes	188	3,297	659	96	1,768	354	92	1,529	306
Total Deaths - All Causes	888	14,134	2,827	467	7,765	1,553	421	6,369	1,274

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Transylvania County

Cause of Death	Total			Sex					
				Male			Female		
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	419	5,739	1,148	226	3,164	633	193	2,575	515
Acute Myocardial Infarction	65	921	184	34	515	103	31	406	81
Other Ischemic Heart Disease	174	2,433	487	113	1,605	321	61	828	166
Hypertension	15	255	51	8	154	31	7	100	20
Cerebrovascular Disease	109	1,452	290	38	522	104	71	930	186
Atherosclerosis	1	12	2	1	12	2	N/A	N/A	N/A
Cancer	443	7,377	1,475	252	4,036	807	191	3,341	668
Colon, Rectum, and Anus	33	639	128	20	336	67	13	303	61
Trachea, Bronchus, and Lung	122	1,930	386	72	1,153	231	50	776	155
Breast (Female Only)	27	404	81	N/A	N/A	N/A	27	404	81
Prostate	22	248	50	22	248	50	N/A	N/A	N/A
Diabetes Mellitus	45	711	142	29	442	88	16	269	54
Pneumonia and Influenza	48	668	134	19	245	49	29	424	85
Chronic Lower Respiratory Diseases	127	1,739	348	50	615	123	77	1,124	225
Chronic Liver Disease and Cirrhosis	34	821	164	23	591	118	11	230	46
Septicemia	24	342	68	12	210	42	12	132	26
Nephritis, Nephrosis, & Nephrotic Syndrome	45	634	127	22	351	70	23	283	57
Alzheimer's disease	83	821	164	27	250	50	56	570	114
HIV disease	1	35	7	1	35	7	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	18	529	106	11	275	55	7	254	51
All Other Unintentional Injuries	91	2,360	472	51	1,390	278	40	970	194
Suicide	39	1,382	276	26	893	179	13	488	98
Homicide	5	195	39	5	195	39	N/A	N/A	N/A
Remaining Causes	480	6,529	1,306	218	2,988	598	262	3,541	708
Total Deaths - All Causes	2,027	31,599	6,320	1,019	16,368	3,274	1,008	15,231	3,046

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Tyrrell County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	46	738	148	24	408	82	22	330	66
Acute Myocardial Infarction	6	67	13	3	30	6	3	37	7
Other Ischemic Heart Disease	20	342	68	12	215	43	8	127	25
Hypertension	5	49	10	2	16	3	3	33	7
Cerebrovascular Disease	12	182	36	6	98	20	6	84	17
Atherosclerosis		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Cancer	54	1,014	203	24	395	79	30	619	124
Colon, Rectum, and Anus	4	66	13	3	38	8	1	27	5
Trachea, Bronchus, and Lung	15	292	58	7	117	23	8	175	35
Breast (Female Only)	6	135	27	N/A	N/A	N/A	6	135	27
Prostate	3	47	9	3	47	9	N/A	N/A	N/A
Diabetes Mellitus	10	155	31	6	104	21	4	51	10
Pneumonia and Influenza	4	55	11	1	8	2	3	47	9
Chronic Lower Respiratory Diseases	12	213	43	4	68	14	8	145	29
Chronic Liver Disease and Cirrhosis	4	90	18	2	38	8	2	52	10
Septicemia	2	38	8	N/A	N/A	N/A	2	38	8
Nephritis, Nephrosis, & Nephrotic Syndrome	6	115	23	3	73	15	3	43	9
Alzheimer's disease	5	54	11	1	13	3	4	41	8
HIV disease		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	1	53	11	N/A	N/A	N/A	1	53	11
All Other Unintentional Injuries	10	213	43	7	147	29	3	66	13
Suicide	1	36	7	N/A	N/A	N/A	1	36	7
Homicide		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Remaining Causes	37	834	167	13	213	43	24	620	124
Total Deaths - All Causes	209	3,839	768	93	1,581	316	116	2,258	452

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Union County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	1,418	19,757	3,951	715	10,687	2,137	703	9,070	1,814
Acute Myocardial Infarction	251	3,919	784	140	2,324	465	111	1,595	319
Other Ischemic Heart Disease	480	6,757	1,351	282	4,372	874	198	2,386	477
Hypertension	44	632	126	25	444	89	19	187	37
Cerebrovascular Disease	324	4,123	825	139	1,922	384	185	2,200	440
Atherosclerosis	3	40	8	2	33	7	1	7	1
Cancer	1,495	26,303	5,261	798	13,495	2,699	697	12,807	2,561
Colon, Rectum, and Anus	126	2,198	440	60	1,057	211	66	1,141	228
Trachea, Bronchus, and Lung	422	6,652	1,330	242	3,699	740	180	2,952	590
Breast (Female Only)	114	2,408	482	N/A	N/A	N/A	114	2,408	482
Prostate	76	826	165	76	826	165	N/A	N/A	N/A
Diabetes Mellitus	172	2,930	586	101	1,732	346	71	1,198	240
Pneumonia and Influenza	158	1,907	381	76	987	197	82	920	184
Chronic Lower Respiratory Diseases	368	4,679	936	189	2,309	462	179	2,370	474
Chronic Liver Disease and Cirrhosis	97	2,258	452	67	1,518	304	30	740	148
Septicemia	121	1,827	365	64	1,023	205	57	804	161
Nephritis, Nephrosis, & Nephrotic Syndrome	166	2,194	439	86	1,136	227	80	1,058	212
Alzheimer's disease	343	2,744	549	85	649	130	258	2,095	419
HIV disease	15	530	106	11	384	77	4	146	29
Unintentional Motor Vehicle Injuries	123	4,916	983	68	2,788	558	55	2,128	426
All Other Unintentional Injuries	196	6,350	1,270	126	4,645	929	70	1,705	341
Suicide	116	3,955	791	92	2,952	590	24	1,003	201
Homicide	36	1,433	287	28	1,134	227	8	300	60
Remaining Causes	1,423	24,499	4,900	633	12,003	2,401	790	12,496	2,499
Total Deaths - All Causes	6,618	111,079	22,216	3,305	59,843	11,969	3,313	51,236	10,247

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Vance County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	521	7,613	1,523	269	3,949	790	252	3,664	733
Acute Myocardial Infarction	111	1,682	336	60	915	183	51	767	153
Other Ischemic Heart Disease	223	3,371	674	126	1,893	379	97	1,478	296
Hypertension	33	540	108	17	325	65	16	215	43
Cerebrovascular Disease	120	1,508	302	53	657	131	67	851	170
Atherosclerosis	1	28	6	N/A	N/A	N/A	1	28	6
Cancer	573	9,489	1,898	303	4,503	901	270	4,986	997
Colon, Rectum, and Anus	57	955	191	29	496	99	28	459	92
Trachea, Bronchus, and Lung	180	2,724	545	115	1,600	320	65	1,123	225
Breast (Female Only)	46	859	172	N/A	N/A	N/A	46	859	172
Prostate	18	213	43	18	213	43	N/A	N/A	N/A
Diabetes Mellitus	77	1,461	292	28	480	96	49	980	196
Pneumonia and Influenza	87	1,072	214	43	481	96	44	590	118
Chronic Lower Respiratory Diseases	135	1,742	348	65	789	158	70	954	191
Chronic Liver Disease and Cirrhosis	37	803	161	25	569	114	12	234	47
Septicemia	64	999	200	31	399	80	33	601	120
Nephritis, Nephrosis, & Nephrotic Syndrome	76	1,115	223	30	417	83	46	699	140
Alzheimer's disease	54	453	91	17	117	23	37	336	67
HIV disease	10	305	61	6	136	27	4	169	34
Unintentional Motor Vehicle Injuries	60	2,193	439	48	1,666	333	12	527	105
All Other Unintentional Injuries	64	1,854	371	35	939	188	29	915	183
Suicide	37	1,079	216	29	765	153	8	314	63
Homicide	41	1,671	334	36	1,442	288	5	229	46
Remaining Causes	527	8,852	1,770	230	3,933	787	297	4,919	984
Total Deaths - All Causes	2,517	42,775	8,555	1,265	21,565	4,313	1,252	21,210	4,242

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Wake County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	4,845	69,432	13,886	2,453	38,786	7,757	2,392	30,647	6,129
Acute Myocardial Infarction	753	11,463	2,293	440	7,167	1,433	313	4,296	859
Other Ischemic Heart Disease	1,847	26,962	5,392	1,081	17,088	3,418	766	9,874	1,975
Hypertension	334	4,650	930	146	2,351	470	188	2,299	460
Cerebrovascular Disease	1,445	18,382	3,676	622	8,442	1,688	823	9,939	1,988
Atherosclerosis	85	1,139	228	44	615	123	41	524	105
Cancer	6,126	108,528	21,706	3,131	53,046	10,609	2,995	55,483	11,097
Colon, Rectum, and Anus	505	9,439	1,888	275	5,093	1,019	230	4,346	869
Trachea, Bronchus, and Lung	1,418	22,842	4,568	777	12,344	2,469	641	10,497	2,099
Breast (Female Only)	518	11,476	2,295	N/A	N/A	N/A	518	11,476	2,295
Prostate	318	3,795	759	318	3,795	759	N/A	N/A	N/A
Diabetes Mellitus	729	12,465	2,493	390	6,875	1,375	339	5,590	1,118
Pneumonia and Influenza	399	5,683	1,137	173	2,707	541	226	2,976	595
Chronic Lower Respiratory Diseases	1,103	14,072	2,814	446	5,674	1,135	657	8,397	1,679
Chronic Liver Disease and Cirrhosis	302	7,359	1,472	185	4,449	890	117	2,910	582
Septicemia	295	4,834	967	140	2,274	455	155	2,560	512
Nephritis, Nephrosis, & Nephrotic Syndrome	474	6,743	1,349	227	3,148	630	247	3,595	719
Alzheimer's disease	788	6,915	1,383	206	1,773	355	582	5,142	1,028
HIV disease	85	2,837	567	59	1,999	400	26	838	168
Unintentional Motor Vehicle Injuries	401	17,297	3,459	290	12,276	2,455	111	5,021	1,004
All Other Unintentional Injuries	1,010	28,377	5,675	612	19,142	3,828	398	9,235	1,847
Suicide	447	16,607	3,321	326	11,802	2,360	121	4,806	961
Homicide	145	6,990	1,398	103	4,900	980	42	2,091	418
Remaining Causes	6,399	112,859	22,572	2,839	55,899	11,180	3,560	56,960	11,392
Total Deaths - All Causes	25,412	445,168	89,034	12,392	236,156	47,231	13,020	209,012	41,802

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Warren County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	301	4,125	825	176	2,531	506	125	1,594	319
Acute Myocardial Infarction	37	534	107	26	381	76	11	153	31
Other Ischemic Heart Disease	175	2,407	481	102	1,506	301	73	900	180
Hypertension	20	277	55	10	141	28	10	136	27
Cerebrovascular Disease	66	916	183	23	338	68	43	578	116
Atherosclerosis	1	12	2	1	12	2	N/A	N/A	N/A
Cancer	272	4,482	896	143	2,074	415	129	2,408	482
Colon, Rectum, and Anus	28	433	87	13	206	41	15	227	45
Trachea, Bronchus, and Lung	88	1,444	289	51	762	152	37	682	136
Breast (Female Only)	20	448	90	N/A	N/A	N/A	20	448	90
Prostate	13	128	26	13	128	26	N/A	N/A	N/A
Diabetes Mellitus	36	589	118	23	340	68	13	249	50
Pneumonia and Influenza	38	362	72	13	129	26	25	233	47
Chronic Lower Respiratory Diseases	68	853	171	35	453	91	33	400	80
Chronic Liver Disease and Cirrhosis	19	493	99	15	358	72	4	135	27
Septicemia	19	338	68	11	145	29	8	194	39
Nephritis, Nephrosis, & Nephrotic Syndrome	41	664	133	21	261	52	20	402	80
Alzheimer's disease	24	223	45	6	55	11	18	168	34
HIV disease	1	31	6	1	31	6	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	14	685	137	14	685	137	N/A	N/A	N/A
All Other Unintentional Injuries	24	566	113	16	393	79	8	174	35
Suicide	11	331	66	10	304	61	1	26	5
Homicide	11	478	96	9	388	78	2	90	18
Remaining Causes	243	3,990	798	110	1,859	372	133	2,131	426
Total Deaths - All Causes	1,209	19,414	3,883	637	10,497	2,099	572	8,917	1,783

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Washington County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	194	2,575	515	113	1,584	317	81	991	198
Acute Myocardial Infarction	26	348	70	18	252	50	8	96	19
Other Ischemic Heart Disease	79	961	192	50	648	130	29	313	63
Hypertension	23	266	53	7	78	16	16	188	38
Cerebrovascular Disease	39	486	97	25	345	69	14	141	28
Atherosclerosis		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Cancer	182	2,875	575	96	1,415	283	86	1,460	292
Colon, Rectum, and Anus	23	360	72	12	183	37	11	177	35
Trachea, Bronchus, and Lung	46	726	145	28	446	89	18	281	56
Breast (Female Only)	11	223	45	N/A	N/A	N/A	11	223	45
Prostate	9	86	17	9	86	17	N/A	N/A	N/A
Diabetes Mellitus	20	359	72	10	191	38	10	168	34
Pneumonia and Influenza	15	149	30	9	90	18	6	59	12
Chronic Lower Respiratory Diseases	41	461	92	20	205	41	21	255	51
Chronic Liver Disease and Cirrhosis	8	183	37	5	111	22	3	72	14
Septicemia	15	264	53	4	36	7	11	228	46
Nephritis, Nephrosis, & Nephrotic Syndrome	16	179	36	8	107	21	8	72	14
Alzheimer's disease	32	267	53	9	66	13	23	201	40
HIV disease	1	29	6	1	29	6	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	10	253	51	6	147	29	4	106	21
All Other Unintentional Injuries	26	570	114	15	344	69	11	227	45
Suicide	4	124	25	4	124	25	N/A	N/A	N/A
Homicide	3	119	24	2	102	20	1	18	4
Remaining Causes	125	1,840	368	53	749	150	72	1,092	218
Total Deaths - All Causes	754	11,000	2,200	387	5,723	1,145	367	5,276	1,055

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Watauga County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	340	4,667	933	169	2,578	516	171	2,089	418
Acute Myocardial Infarction	72	1,053	211	39	617	123	33	436	87
Other Ischemic Heart Disease	133	1,733	347	70	1,026	205	63	707	141
Hypertension	12	150	30	3	28	6	9	121	24
Cerebrovascular Disease	71	1,043	209	29	405	81	42	637	127
Atherosclerosis	1	35	7	1	35	7	N/A	N/A	N/A
Cancer	338	5,676	1,135	186	3,083	617	152	2,592	518
Colon, Rectum, and Anus	14	226	45	9	173	35	5	53	11
Trachea, Bronchus, and Lung	86	1,444	289	46	773	155	40	670	134
Breast (Female Only)	18	349	70	N/A	N/A	N/A	18	349	70
Prostate	22	300	60	22	300	60	N/A	N/A	N/A
Diabetes Mellitus	43	638	128	24	432	86	19	206	41
Pneumonia and Influenza	38	393	79	18	162	32	20	231	46
Chronic Lower Respiratory Diseases	111	1,529	306	57	795	159	54	734	147
Chronic Liver Disease and Cirrhosis	36	847	169	18	378	76	18	469	94
Septicemia	25	374	75	12	183	37	13	191	38
Nephritis, Nephrosis, & Nephrotic Syndrome	20	208	42	12	107	21	8	101	20
Alzheimer's disease	101	880	176	31	233	47	70	647	129
HIV disease	2	74	15	2	74	15	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	23	804	161	16	553	111	7	251	50
All Other Unintentional Injuries	97	2,556	511	57	1,685	337	40	870	174
Suicide	32	1,249	250	23	893	179	9	356	71
Homicide	3	137	27	3	137	27	N/A	N/A	N/A
Remaining Causes	307	5,067	1,013	139	2,469	494	168	2,598	520
Total Deaths - All Causes	1,600	26,326	5,265	800	14,232	2,846	800	12,094	2,419

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Wayne County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	1,156	16,930	3,386	625	9,678	1,936	531	7,252	1,450
Acute Myocardial Infarction	221	3,269	654	112	1,717	343	109	1,552	310
Other Ischemic Heart Disease	487	6,978	1,396	292	4,432	886	195	2,546	509
Hypertension	111	1,565	313	51	779	156	60	786	157
Cerebrovascular Disease	383	4,840	968	155	2,162	432	228	2,677	535
Atherosclerosis	4	44	9	4	44	9	N/A	N/A	N/A
Cancer	1,300	21,842	4,368	721	11,349	2,270	579	10,493	2,099
Colon, Rectum, and Anus	106	1,679	336	64	940	188	42	740	148
Trachea, Bronchus, and Lung	402	6,642	1,328	253	3,903	781	149	2,739	548
Breast (Female Only)	89	1,717	343	N/A	N/A	N/A	89	1,717	343
Prostate	52	540	108	52	540	108	N/A	N/A	N/A
Diabetes Mellitus	214	3,469	694	93	1,501	300	121	1,968	394
Pneumonia and Influenza	91	1,291	258	46	716	143	45	574	115
Chronic Lower Respiratory Diseases	328	4,588	918	140	1,898	380	188	2,690	538
Chronic Liver Disease and Cirrhosis	84	1,918	384	53	1,168	234	31	749	150
Septicemia	68	1,037	207	31	429	86	37	608	122
Nephritis, Nephrosis, & Nephrotic Syndrome	141	2,097	419	61	797	159	80	1,301	260
Alzheimer's disease	195	1,752	350	70	616	123	125	1,136	227
HIV disease	18	550	110	13	401	80	5	149	30
Unintentional Motor Vehicle Injuries	111	4,137	827	69	2,500	500	42	1,636	327
All Other Unintentional Injuries	168	4,650	930	103	3,019	604	65	1,631	326
Suicide	69	2,432	486	51	1,770	354	18	662	132
Homicide	63	2,866	573	54	2,406	481	9	460	92
Remaining Causes	1,214	21,872	4,374	553	9,944	1,989	661	11,929	2,386
Total Deaths - All Causes	5,718	97,881	19,576	2,893	51,180	10,236	2,825	46,701	9,340

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Wilkes County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	826	11,599	2,320	476	7,011	1,402	350	4,588	918
Acute Myocardial Infarction	163	2,027	405	91	1,147	229	72	880	176
Other Ischemic Heart Disease	361	5,300	1,060	229	3,516	703	132	1,783	357
Hypertension	34	444	89	14	219	44	20	224	45
Cerebrovascular Disease	178	2,032	406	83	1,009	202	95	1,023	205
Atherosclerosis	6	65	13	4	51	10	2	14	3
Cancer	872	13,796	2,759	489	7,320	1,464	383	6,477	1,295
Colon, Rectum, and Anus	83	1,242	248	43	631	126	40	611	122
Trachea, Bronchus, and Lung	289	4,457	891	172	2,571	514	117	1,886	377
Breast (Female Only)	43	786	157	N/A	N/A	N/A	43	786	157
Prostate	38	361	72	38	361	72	N/A	N/A	N/A
Diabetes Mellitus	120	1,884	377	71	1,084	217	49	800	160
Pneumonia and Influenza	158	2,045	409	69	926	185	89	1,120	224
Chronic Lower Respiratory Diseases	293	4,162	832	148	1,940	388	145	2,222	444
Chronic Liver Disease and Cirrhosis	68	1,511	302	42	969	194	26	541	108
Septicemia	78	1,192	238	36	521	104	42	670	134
Nephritis, Nephrosis, & Nephrotic Syndrome	81	1,123	225	49	647	129	32	476	95
Alzheimer's disease	158	1,369	274	39	331	66	119	1,038	208
HIV disease	2	71	14	1	36	7	1	35	7
Unintentional Motor Vehicle Injuries	73	2,214	443	56	1,645	329	17	569	114
All Other Unintentional Injuries	191	5,208	1,042	107	3,041	608	84	2,167	433
Suicide	62	1,843	369	43	1,197	239	19	645	129
Homicide	20	699	140	15	509	102	5	191	38
Remaining Causes	835	13,858	2,772	358	5,814	1,163	477	8,044	1,609
Total Deaths - All Causes	4,055	65,117	13,023	2,100	34,270	6,854	1,955	30,846	6,169

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Wilson County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	859	12,364	2,473	464	6,863	1,373	395	5,501	1,100
Acute Myocardial Infarction	140	2,062	412	73	1,200	240	67	862	172
Other Ischemic Heart Disease	369	5,143	1,029	227	3,167	633	142	1,976	395
Hypertension	60	874	175	33	550	110	27	324	65
Cerebrovascular Disease	232	2,890	578	101	1,336	267	131	1,554	311
Atherosclerosis	5	52	10	4	43	9	1	9	2
Cancer	922	14,848	2,970	489	7,290	1,458	433	7,557	1,511
Colon, Rectum, and Anus	72	1,126	225	32	477	95	40	650	130
Trachea, Bronchus, and Lung	262	4,002	800	154	2,282	456	108	1,720	344
Breast (Female Only)	64	1,234	247	N/A	N/A	N/A	64	1,234	247
Prostate	53	573	115	53	573	115	N/A	N/A	N/A
Diabetes Mellitus	135	2,229	446	81	1,240	248	54	989	198
Pneumonia and Influenza	94	1,142	228	44	562	112	50	581	116
Chronic Lower Respiratory Diseases	186	2,747	549	95	1,375	275	91	1,373	275
Chronic Liver Disease and Cirrhosis	66	1,284	257	41	755	151	25	529	106
Septicemia	72	1,043	209	36	598	120	36	445	89
Nephritis, Nephrosis, & Nephrotic Syndrome	85	1,138	228	42	619	124	43	518	104
Alzheimer's disease	122	1,054	211	36	279	56	86	776	155
HIV disease	18	538	108	13	325	65	5	213	43
Unintentional Motor Vehicle Injuries	73	2,737	547	52	1,796	359	21	940	188
All Other Unintentional Injuries	125	2,862	572	80	2,026	405	45	835	167
Suicide	47	1,368	274	36	1,026	205	11	342	68
Homicide	35	1,484	297	26	1,156	231	9	329	66
Remaining Causes	984	16,290	3,258	428	7,729	1,546	556	8,561	1,712
Total Deaths - All Causes	4,120	66,945	13,389	2,101	35,568	7,114	2,019	31,377	6,275

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Yadkin County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	468	5,688	1,138	254	3,245	649	214	2,443	489
Acute Myocardial Infarction	132	1,592	318	72	914	183	60	678	136
Other Ischemic Heart Disease	172	2,126	425	107	1,344	269	65	782	156
Hypertension	16	172	34	7	93	19	9	79	16
Cerebrovascular Disease	138	1,583	317	72	774	155	66	810	162
Atherosclerosis	2	19	4	2	19	4	N/A	N/A	N/A
Cancer	450	6,901	1,380	251	3,448	690	199	3,454	691
Colon, Rectum, and Anus	24	381	76	11	151	30	13	231	46
Trachea, Bronchus, and Lung	156	2,407	481	100	1,440	288	56	967	193
Breast (Female Only)	36	608	122	N/A	N/A	N/A	36	608	122
Prostate	18	138	28	18	138	28	N/A	N/A	N/A
Diabetes Mellitus	74	1,234	247	49	819	164	25	416	83
Pneumonia and Influenza	72	776	155	44	428	86	28	348	70
Chronic Lower Respiratory Diseases	146	1,837	367	68	759	152	78	1,078	216
Chronic Liver Disease and Cirrhosis	24	478	96	16	328	66	8	150	30
Septicemia	52	766	153	20	278	56	32	488	98
Nephritis, Nephrosis, & Nephrotic Syndrome	46	583	117	21	198	40	25	384	77
Alzheimer's disease	73	629	126	16	115	23	57	514	103
HIV disease	3	87	17	2	60	12	1	28	6
Unintentional Motor Vehicle Injuries	35	1,138	228	28	814	163	7	324	65
All Other Unintentional Injuries	89	2,411	482	55	1,501	300	34	910	182
Suicide	34	1,001	200	24	654	131	10	347	69
Homicide	5	96	19	3	68	14	2	28	6
Remaining Causes	398	5,971	1,194	200	3,075	615	198	2,896	579
Total Deaths - All Causes	2,125	31,372	6,274	1,132	16,677	3,335	993	14,695	2,939

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2012-2016 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Yancey County

Cause of Death	Total			Sex					
	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2012-2016	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	235	2,953	591	123	1,637	327	112	1,317	263
Acute Myocardial Infarction	57	955	191	33	615	123	24	340	68
Other Ischemic Heart Disease	76	1,009	202	46	584	117	30	424	85
Hypertension	6	55	11	N/A	N/A	N/A	6	55	11
Cerebrovascular Disease	47	478	96	14	148	30	33	330	66
Atherosclerosis	1	6	1	1	6	1	N/A	N/A	N/A
Cancer	253	3,772	754	153	2,210	442	100	1,562	312
Colon, Rectum, and Anus	18	318	64	11	171	34	7	146	29
Trachea, Bronchus, and Lung	90	1,304	261	55	803	161	35	500	100
Breast (Female Only)	9	221	44	N/A	N/A	N/A	9	221	44
Prostate	11	99	20	11	99	20	N/A	N/A	N/A
Diabetes Mellitus	30	612	122	12	222	44	18	390	78
Pneumonia and Influenza	29	260	52	12	114	23	17	145	29
Chronic Lower Respiratory Diseases	87	1,064	213	37	405	81	50	659	132
Chronic Liver Disease and Cirrhosis	12	241	48	8	146	29	4	96	19
Septicemia	10	134	27	2	52	10	8	82	16
Nephritis, Nephrosis, & Nephrotic Syndrome	12	136	27	9	115	23	3	20	4
Alzheimer's disease	77	522	104	17	113	23	60	409	82
HIV disease	1	48	10	1	48	10	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	16	544	109	14	456	91	2	89	18
All Other Unintentional Injuries	50	1,134	227	25	615	123	25	519	104
Suicide	16	502	100	12	347	69	4	154	31
Homicide	3	76	15	3	76	15	N/A	N/A	N/A
Remaining Causes	229	2,612	522	103	1,236	247	126	1,376	275
Total Deaths - All Causes	1,114	15,147	3,029	546	7,945	1,589	568	7,202	1,440

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases