

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = State of North Carolina

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	96,474	1,315,970	263,194	52,526	750,310	150,062	43,948	565,660	113,132
Acute Myocardial Infarction	16,403	233,136	46,627	9,511	140,809	28,162	6,892	92,328	18,466
Other Ischemic Heart Disease	35,684	491,423	98,285	21,862	310,648	62,130	13,822	180,775	36,155
Hypertension	5,231	71,496	14,299	2,314	34,875	6,975	2,917	36,621	7,324
Cerebrovascular Disease	26,050	319,748	63,950	11,157	143,911	28,782	14,893	175,837	35,167
Atherosclerosis	651	8,772	1,754	342	4,991	998	309	3,781	756
Cancer	98,674	1,577,200	315,440	52,155	779,105	155,821	46,519	798,095	159,619
Colon, Rectum, and Anus	8,072	135,650	27,130	4,209	69,774	13,955	3,863	65,876	13,175
Trachea, Bronchus, and Lung	26,199	401,181	80,236	14,576	211,121	42,224	11,623	190,060	38,012
Breast (Female Only)	6,927	133,905	26,781	N/A	N/A	N/A	6,927	133,905	26,781
Prostate	4,967	55,258	11,052	4,967	55,258	11,052	N/A	N/A	N/A
Diabetes Mellitus	15,434	256,243	51,249	8,651	142,755	28,551	6,783	113,487	22,697
Pneumonia and Influenza	9,582	128,441	25,688	4,559	61,091	12,218	5,023	67,350	13,470
Chronic Lower Respiratory Diseases	26,830	354,766	70,953	12,518	157,626	31,525	14,312	197,140	39,428
Chronic Liver Disease and Cirrhosis	6,936	152,605	30,521	4,320	92,093	18,419	2,616	60,512	12,102
Septicemia	7,745	119,194	23,839	3,675	54,839	10,968	4,070	64,354	12,871
Nephritis, Nephrosis, & Nephrotic Syndrome	10,174	139,466	27,893	5,091	68,408	13,682	5,083	71,058	14,212
Alzheimer's disease	22,177	188,028	37,606	6,468	53,122	10,624	15,709	134,906	26,981
HIV disease	960	26,921	5,384	667	17,817	3,563	293	9,104	1,821
Unintentional Motor Vehicle Injuries	8,039	286,729	57,346	5,740	200,565	40,113	2,299	86,164	17,233
All Other Unintentional Injuries	23,427	660,455	132,091	14,351	430,275	86,055	9,076	230,180	46,036
Suicide	7,214	243,116	48,623	5,565	182,702	36,540	1,649	60,414	12,083
Homicide	3,691	160,199	32,040	2,935	126,712	25,342	756	33,487	6,697
Remaining Causes	114,044	1,851,850	370,370	53,254	906,655	181,331	60,790	945,195	189,039
Total Deaths - All Causes	483,333	7,861,199	1,572,240	246,288	4,207,854	841,571	237,045	3,653,345	730,669

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Alamance County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	1,773	22,970	4,594	958	13,130	2,626	815	9,840	1,968
Acute Myocardial Infarction	260	3,510	702	149	2,093	419	111	1,418	284
Other Ischemic Heart Disease	669	9,441	1,888	411	6,147	1,229	258	3,293	659
Hypertension	101	1,134	227	31	322	64	70	813	163
Cerebrovascular Disease	458	5,304	1,061	176	2,305	461	282	2,999	600
Atherosclerosis	5	93	19	3	57	11	2	35	7
Cancer	1,827	28,046	5,609	962	13,776	2,755	865	14,270	2,854
Colon, Rectum, and Anus	124	1,975	395	65	1,110	222	59	864	173
Trachea, Bronchus, and Lung	515	7,777	1,555	279	3,985	797	236	3,792	758
Breast (Female Only)	127	2,376	475	N/A	N/A	N/A	127	2,376	475
Prostate	82	860	172	82	860	172	N/A	N/A	N/A
Diabetes Mellitus	277	4,092	818	154	2,342	468	123	1,750	350
Pneumonia and Influenza	170	2,135	427	81	1,084	217	89	1,051	210
Chronic Lower Respiratory Diseases	547	6,997	1,399	240	3,018	604	307	3,978	796
Chronic Liver Disease and Cirrhosis	145	3,051	610	87	1,704	341	58	1,347	269
Septicemia	161	2,350	470	77	1,001	200	84	1,349	270
Nephritis, Nephrosis, & Nephrotic Syndrome	206	2,810	562	81	1,152	230	125	1,658	332
Alzheimer's disease	402	3,202	640	118	894	179	284	2,308	462
HIV disease	8	216	43	4	103	21	4	113	23
Unintentional Motor Vehicle Injuries	114	3,873	775	88	2,990	598	26	883	177
All Other Unintentional Injuries	472	10,622	2,124	263	6,388	1,278	209	4,234	847
Suicide	121	4,041	808	92	2,990	598	29	1,051	210
Homicide	58	2,245	449	46	1,857	371	12	388	78
Remaining Causes	2,066	31,051	6,210	923	14,734	2,947	1,143	16,317	3,263
Total Deaths - All Causes	8,911	134,234	26,847	4,384	69,847	13,969	4,527	64,386	12,877

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Alexander County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	413	5,498	1,100	228	3,126	625	185	2,372	474
Acute Myocardial Infarction	104	1,388	278	60	818	164	44	569	114
Other Ischemic Heart Disease	143	1,959	392	93	1,253	251	50	706	141
Hypertension	12	166	33	6	88	18	6	79	16
Cerebrovascular Disease	91	1,125	225	43	586	117	48	539	108
Atherosclerosis	3	39	8	2	26	5	1	13	3
Cancer	433	6,844	1,369	236	3,543	709	197	3,301	660
Colon, Rectum, and Anus	39	625	125	22	377	75	17	248	50
Trachea, Bronchus, and Lung	115	1,735	347	67	963	193	48	772	154
Breast (Female Only)	31	592	118	N/A	N/A	N/A	31	592	118
Prostate	17	189	38	17	189	38	N/A	N/A	N/A
Diabetes Mellitus	63	1,103	221	30	541	108	33	562	112
Pneumonia and Influenza	59	760	152	23	293	59	36	467	93
Chronic Lower Respiratory Diseases	143	1,971	394	75	938	188	68	1,033	207
Chronic Liver Disease and Cirrhosis	37	820	164	22	478	96	15	342	68
Septicemia	28	439	88	16	243	49	12	196	39
Nephritis, Nephrosis, & Nephrotic Syndrome	38	491	98	19	240	48	19	251	50
Alzheimer's disease	135	1,189	238	44	360	72	91	829	166
HIV disease	1	50	10	1	50	10	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	37	1,372	274	27	1,004	201	10	369	74
All Other Unintentional Injuries	67	1,809	362	40	976	195	27	834	167
Suicide	37	1,265	253	28	941	188	9	324	65
Homicide	13	598	120	10	463	93	3	135	27
Remaining Causes	519	7,866	1,573	245	3,511	702	274	4,355	871
Total Deaths - All Causes	2,129	33,406	6,681	1,095	17,406	3,481	1,034	16,000	3,200

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Allegheny County

Cause of Death	Total			Sex					
				Male			Female		
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	155	2,104	421	86	1,272	254	69	832	166
Acute Myocardial Infarction	33	478	96	22	329	66	11	148	30
Other Ischemic Heart Disease	64	895	179	38	563	113	26	332	66
Hypertension	6	53	11	2	18	4	4	35	7
Cerebrovascular Disease	30	382	76	16	212	42	14	170	34
Atherosclerosis	1	16	3	1	16	3	N/A	N/A	N/A
Cancer	157	2,511	502	91	1,295	259	66	1,216	243
Colon, Rectum, and Anus	13	224	45	6	75	15	7	149	30
Trachea, Bronchus, and Lung	41	628	126	25	322	64	16	306	61
Breast (Female Only)	8	187	37	N/A	N/A	N/A	8	187	37
Prostate	12	159	32	12	159	32	N/A	N/A	N/A
Diabetes Mellitus	26	444	89	20	327	65	6	117	23
Pneumonia and Influenza	23	344	69	10	191	38	13	153	31
Chronic Lower Respiratory Diseases	55	789	158	28	379	76	27	410	82
Chronic Liver Disease and Cirrhosis	10	204	41	5	89	18	5	115	23
Septicemia	12	198	40	4	56	11	8	142	28
Nephritis, Nephrosis, & Nephrotic Syndrome	27	300	60	13	155	31	14	145	29
Alzheimer's disease	42	400	80	16	166	33	26	233	47
HIV disease		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	13	451	90	7	202	40	6	249	50
All Other Unintentional Injuries	31	671	134	17	473	95	14	198	40
Suicide	14	511	102	12	426	85	2	85	17
Homicide	3	130	26	1	27	5	2	103	21
Remaining Causes	146	2,295	459	70	1,095	219	76	1,200	240
Total Deaths - All Causes	751	11,802	2,360	399	6,397	1,279	352	5,405	1,081

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Anson County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	342	4,787	957	193	2,798	560	149	1,989	398
Acute Myocardial Infarction	71	1,064	213	46	669	134	25	395	79
Other Ischemic Heart Disease	109	1,424	285	63	867	173	46	557	111
Hypertension	22	284	57	10	139	28	12	145	29
Cerebrovascular Disease	86	1,049	210	43	548	110	43	501	100
Atherosclerosis	1	7	1	N/A	N/A	N/A	1	7	1
Cancer	289	4,632	926	148	2,211	442	141	2,421	484
Colon, Rectum, and Anus	39	652	130	23	328	66	16	324	65
Trachea, Bronchus, and Lung	59	878	176	36	514	103	23	364	73
Breast (Female Only)	29	517	103	N/A	N/A	N/A	29	517	103
Prostate	15	138	28	15	138	28	N/A	N/A	N/A
Diabetes Mellitus	56	837	167	23	301	60	33	536	107
Pneumonia and Influenza	42	605	121	21	331	66	21	274	55
Chronic Lower Respiratory Diseases	86	1,213	243	49	598	120	37	616	123
Chronic Liver Disease and Cirrhosis	20	397	79	12	190	38	8	206	41
Septicemia	48	758	152	19	248	50	29	510	102
Nephritis, Nephrosis, & Nephrotic Syndrome	36	491	98	24	325	65	12	166	33
Alzheimer's disease	60	502	100	15	114	23	45	388	78
HIV disease	3	88	18	1	17	3	2	71	14
Unintentional Motor Vehicle Injuries	32	995	199	21	595	119	11	400	80
All Other Unintentional Injuries	49	1,246	249	32	864	173	17	382	76
Suicide	21	607	121	14	368	74	7	240	48
Homicide	30	1,039	208	26	865	173	4	174	35
Remaining Causes	363	5,764	1,153	180	2,658	532	183	3,106	621
Total Deaths - All Causes	1,586	25,301	5,060	831	13,170	2,634	755	12,131	2,426

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Ashe County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	363	4,938	988	197	2,792	558	166	2,146	429
Acute Myocardial Infarction	76	941	188	39	556	111	37	385	77
Other Ischemic Heart Disease	130	1,785	357	83	1,161	232	47	624	125
Hypertension	13	134	27	10	96	19	3	39	8
Cerebrovascular Disease	92	1,074	215	36	449	90	56	625	125
Atherosclerosis	3	23	5	1	7	1	2	16	3
Cancer	380	5,635	1,127	215	2,913	583	165	2,722	544
Colon, Rectum, and Anus	29	480	96	14	226	45	15	254	51
Trachea, Bronchus, and Lung	111	1,597	319	69	910	182	42	686	137
Breast (Female Only)	12	254	51	N/A	N/A	N/A	12	254	51
Prostate	16	201	40	16	201	40	N/A	N/A	N/A
Diabetes Mellitus	35	610	122	22	349	70	13	260	52
Pneumonia and Influenza	44	554	111	25	335	67	19	218	44
Chronic Lower Respiratory Diseases	136	1,635	327	73	716	143	63	919	184
Chronic Liver Disease and Cirrhosis	22	535	107	16	384	77	6	151	30
Septicemia	11	173	35	5	53	11	6	121	24
Nephritis, Nephrosis, & Nephrotic Syndrome	17	202	40	12	128	26	5	74	15
Alzheimer's disease	64	515	103	20	136	27	44	379	76
HIV disease		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	25	740	148	19	568	114	6	171	34
All Other Unintentional Injuries	54	1,170	234	40	911	182	14	258	52
Suicide	33	1,072	214	24	737	147	9	334	67
Homicide	1	11	2	N/A	N/A	N/A	1	11	2
Remaining Causes	464	5,857	1,171	223	2,597	519	241	3,260	652
Total Deaths - All Causes	1,757	24,878	4,976	938	13,172	2,634	819	11,706	2,341

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Avery County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	244	3,129	626	119	1,622	324	125	1,508	302
Acute Myocardial Infarction	56	716	143	27	374	75	29	341	68
Other Ischemic Heart Disease	86	1,205	241	50	702	140	36	503	101
Hypertension	4	51	10	1	14	3	3	37	7
Cerebrovascular Disease	49	541	108	18	181	36	31	359	72
Atherosclerosis	2	19	4	1	8	2	1	11	2
Cancer	196	3,013	603	100	1,577	315	96	1,436	287
Colon, Rectum, and Anus	10	123	25	3	27	5	7	96	19
Trachea, Bronchus, and Lung	42	650	130	21	359	72	21	291	58
Breast (Female Only)	14	239	48	N/A	N/A	N/A	14	239	48
Prostate	9	125	25	9	125	25	N/A	N/A	N/A
Diabetes Mellitus	23	394	79	15	242	48	8	152	30
Pneumonia and Influenza	43	526	105	16	255	51	27	271	54
Chronic Lower Respiratory Diseases	98	1,420	284	49	707	141	49	713	143
Chronic Liver Disease and Cirrhosis	18	389	78	12	275	55	6	114	23
Septicemia	18	268	54	17	258	52	1	10	2
Nephritis, Nephrosis, & Nephrotic Syndrome	14	155	31	5	56	11	9	99	20
Alzheimer's disease	68	557	111	20	196	39	48	361	72
HIV disease		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	16	448	90	11	351	70	5	98	20
All Other Unintentional Injuries	43	980	196	24	540	108	19	439	88
Suicide	18	657	131	16	579	116	2	78	16
Homicide	2	67	13	N/A	N/A	N/A	2	67	13
Remaining Causes	249	3,459	692	117	1,802	360	132	1,657	331
Total Deaths - All Causes	1,105	16,073	3,215	541	8,663	1,733	564	7,410	1,482

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Beaufort County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	662	8,993	1,799	357	4,716	943	305	4,276	855
Acute Myocardial Infarction	107	1,485	297	63	818	164	44	666	133
Other Ischemic Heart Disease	233	3,001	600	153	1,972	394	80	1,028	206
Hypertension	45	693	139	20	302	60	25	391	78
Cerebrovascular Disease	173	2,207	441	79	1,029	206	94	1,178	236
Atherosclerosis	6	80	16	5	72	14	1	8	2
Cancer	620	9,717	1,943	349	4,960	992	271	4,758	952
Colon, Rectum, and Anus	55	947	189	30	511	102	25	435	87
Trachea, Bronchus, and Lung	189	2,710	542	109	1,477	295	80	1,234	247
Breast (Female Only)	33	640	128	N/A	N/A	N/A	33	640	128
Prostate	30	373	75	30	373	75	N/A	N/A	N/A
Diabetes Mellitus	105	1,712	342	59	951	190	46	761	152
Pneumonia and Influenza	45	535	107	22	265	53	23	270	54
Chronic Lower Respiratory Diseases	173	2,328	466	85	1,077	215	88	1,250	250
Chronic Liver Disease and Cirrhosis	36	717	143	19	361	72	17	356	71
Septicemia	48	743	149	24	330	66	24	413	83
Nephritis, Nephrosis, & Nephrotic Syndrome	70	996	199	31	418	84	39	578	116
Alzheimer's disease	152	1,405	281	36	305	61	116	1,100	220
HIV disease	8	246	49	6	184	37	2	61	12
Unintentional Motor Vehicle Injuries	48	1,621	324	35	1,175	235	13	446	89
All Other Unintentional Injuries	141	3,832	766	81	2,250	450	60	1,581	316
Suicide	43	1,313	263	33	991	198	10	321	64
Homicide	18	852	170	14	611	122	4	241	48
Remaining Causes	710	11,171	2,234	349	5,521	1,104	361	5,650	1,130
Total Deaths - All Causes	3,103	49,162	9,832	1,604	25,520	5,104	1,499	23,641	4,728

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Bertie County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	255	3,982	796	140	2,379	476	115	1,603	321
Acute Myocardial Infarction	30	556	111	12	231	46	18	324	65
Other Ischemic Heart Disease	94	1,401	280	63	1,010	202	31	391	78
Hypertension	30	395	79	12	152	30	18	243	49
Cerebrovascular Disease	79	1,078	216	38	563	113	41	516	103
Atherosclerosis		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Cancer	265	4,534	907	132	2,108	422	133	2,426	485
Colon, Rectum, and Anus	25	443	89	8	132	26	17	312	62
Trachea, Bronchus, and Lung	74	1,214	243	47	774	155	27	440	88
Breast (Female Only)	16	307	61	N/A	N/A	N/A	16	307	61
Prostate	14	191	38	14	191	38	N/A	N/A	N/A
Diabetes Mellitus	101	1,669	334	49	844	169	52	825	165
Pneumonia and Influenza	13	160	32	5	58	12	8	101	20
Chronic Lower Respiratory Diseases	58	860	172	30	419	84	28	440	88
Chronic Liver Disease and Cirrhosis	15	298	60	8	156	31	7	142	28
Septicemia	21	338	68	11	173	35	10	165	33
Nephritis, Nephrosis, & Nephrotic Syndrome	34	440	88	17	216	43	17	224	45
Alzheimer's disease	67	666	133	26	291	58	41	375	75
HIV disease	4	106	21	2	44	9	2	62	12
Unintentional Motor Vehicle Injuries	27	891	178	20	662	132	7	229	46
All Other Unintentional Injuries	44	1,136	227	24	634	127	20	502	100
Suicide	10	263	53	10	263	53	N/A	N/A	N/A
Homicide	15	617	123	11	449	90	4	168	34
Remaining Causes	264	4,236	847	127	1,956	391	137	2,280	456
Total Deaths - All Causes	1,302	21,670	4,334	662	11,367	2,273	640	10,303	2,061

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Bladen County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	508	7,501	1,500	257	3,960	792	251	3,540	708
Acute Myocardial Infarction	135	1,851	370	71	1,052	210	64	799	160
Other Ischemic Heart Disease	205	3,141	628	112	1,788	358	93	1,353	271
Hypertension	34	474	95	11	165	33	23	309	62
Cerebrovascular Disease	88	1,133	227	36	483	97	52	650	130
Atherosclerosis		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Cancer	429	7,126	1,425	239	3,656	731	190	3,470	694
Colon, Rectum, and Anus	42	651	130	25	386	77	17	265	53
Trachea, Bronchus, and Lung	126	2,021	404	84	1,294	259	42	727	145
Breast (Female Only)	29	615	123	N/A	N/A	N/A	29	615	123
Prostate	26	280	56	26	280	56	N/A	N/A	N/A
Diabetes Mellitus	97	1,496	299	45	651	130	52	845	169
Pneumonia and Influenza	43	578	116	18	248	50	25	330	66
Chronic Lower Respiratory Diseases	103	1,544	309	54	858	172	49	686	137
Chronic Liver Disease and Cirrhosis	23	437	87	14	265	53	9	172	34
Septicemia	39	571	114	21	301	60	18	270	54
Nephritis, Nephrosis, & Nephrotic Syndrome	59	836	167	29	401	80	30	435	87
Alzheimer's disease	91	935	187	25	263	53	66	671	134
HIV disease	3	49	10	3	49	10	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	76	2,515	503	51	1,678	336	25	837	167
All Other Unintentional Injuries	92	2,592	518	55	1,640	328	37	952	190
Suicide	17	508	102	10	268	54	7	241	48
Homicide	24	1,075	215	20	876	175	4	199	40
Remaining Causes	439	7,581	1,516	202	3,447	689	237	4,134	827
Total Deaths - All Causes	2,165	36,950	7,390	1,090	19,210	3,842	1,075	17,740	3,548

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Brunswick County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	1,682	24,740	4,948	990	15,091	3,018	692	9,649	1,930
Acute Myocardial Infarction	231	3,741	748	151	2,498	500	80	1,243	249
Other Ischemic Heart Disease	782	11,444	2,289	502	7,564	1,513	280	3,880	776
Hypertension	81	1,031	206	24	404	81	57	627	125
Cerebrovascular Disease	401	5,239	1,048	162	2,283	457	239	2,956	591
Atherosclerosis	6	83	17	3	40	8	3	43	9
Cancer	1,915	31,922	6,384	1,111	17,457	3,491	804	14,465	2,893
Colon, Rectum, and Anus	148	2,555	511	80	1,383	277	68	1,171	234
Trachea, Bronchus, and Lung	553	9,474	1,895	337	5,651	1,130	216	3,823	765
Breast (Female Only)	130	2,517	503	N/A	N/A	N/A	130	2,517	503
Prostate	104	1,280	256	104	1,280	256	N/A	N/A	N/A
Diabetes Mellitus	248	4,287	857	155	2,679	536	93	1,608	322
Pneumonia and Influenza	121	1,876	375	60	909	182	61	967	193
Chronic Lower Respiratory Diseases	466	6,765	1,353	227	3,195	639	239	3,570	714
Chronic Liver Disease and Cirrhosis	78	1,932	386	51	1,201	240	27	731	146
Septicemia	114	1,915	383	63	1,047	209	51	868	174
Nephritis, Nephrosis, & Nephrotic Syndrome	134	1,768	354	74	954	191	60	814	163
Alzheimer's disease	244	2,398	480	95	962	192	149	1,436	287
HIV disease	9	289	58	5	160	32	4	129	26
Unintentional Motor Vehicle Injuries	124	4,311	862	83	2,910	582	41	1,401	280
All Other Unintentional Injuries	381	11,405	2,281	245	7,458	1,492	136	3,947	789
Suicide	105	3,255	651	79	2,446	489	26	809	162
Homicide	29	1,118	224	23	861	172	6	257	51
Remaining Causes	1,711	28,638	5,728	883	15,411	3,082	828	13,227	2,645
Total Deaths - All Causes	7,849	132,972	26,594	4,333	75,468	15,094	3,516	57,504	11,501

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Buncombe County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	2,798	35,176	7,035	1,473	20,080	4,016	1,325	15,097	3,019
Acute Myocardial Infarction	404	5,967	1,193	247	3,887	777	157	2,080	416
Other Ischemic Heart Disease	1,145	13,805	2,761	668	8,644	1,729	477	5,161	1,032
Hypertension	101	1,092	218	47	494	99	54	598	120
Cerebrovascular Disease	767	8,455	1,691	311	3,650	730	456	4,805	961
Atherosclerosis	10	136	27	9	118	24	1	19	4
Cancer	2,753	43,336	8,667	1,399	20,735	4,147	1,354	22,601	4,520
Colon, Rectum, and Anus	230	3,629	726	114	1,737	347	116	1,893	379
Trachea, Bronchus, and Lung	710	10,950	2,190	375	5,471	1,094	335	5,478	1,096
Breast (Female Only)	190	3,590	718	N/A	N/A	N/A	190	3,590	718
Prostate	116	1,217	243	116	1,217	243	N/A	N/A	N/A
Diabetes Mellitus	298	5,344	1,069	188	3,327	665	110	2,017	403
Pneumonia and Influenza	290	3,571	714	135	1,629	326	155	1,942	388
Chronic Lower Respiratory Diseases	797	10,235	2,047	393	4,937	987	404	5,297	1,059
Chronic Liver Disease and Cirrhosis	208	5,036	1,007	135	3,197	639	73	1,839	368
Septicemia	144	2,202	440	73	1,132	226	71	1,070	214
Nephritis, Nephrosis, & Nephrotic Syndrome	250	3,120	624	143	1,754	351	107	1,366	273
Alzheimer's disease	582	4,873	975	163	1,296	259	419	3,577	715
HIV disease	14	382	76	14	382	76	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	165	5,501	1,100	129	4,301	860	36	1,200	240
All Other Unintentional Injuries	854	24,465	4,893	516	16,011	3,202	338	8,455	1,691
Suicide	263	8,777	1,755	190	6,040	1,208	73	2,737	547
Homicide	54	2,261	452	37	1,610	322	17	650	130
Remaining Causes	3,408	48,175	9,635	1,545	22,405	4,481	1,863	25,770	5,154
Total Deaths - All Causes	13,756	212,139	42,428	6,900	113,098	22,620	6,856	99,041	19,808

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Burke County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	1,158	16,382	3,276	622	9,398	1,880	536	6,984	1,397
Acute Myocardial Infarction	177	2,528	506	107	1,610	322	70	918	184
Other Ischemic Heart Disease	542	7,398	1,480	313	4,639	928	229	2,759	552
Hypertension	44	700	140	26	413	83	18	286	57
Cerebrovascular Disease	293	3,471	694	112	1,388	278	181	2,083	417
Atherosclerosis	14	276	55	9	190	38	5	85	17
Cancer	1,102	17,357	3,471	609	9,047	1,809	493	8,310	1,662
Colon, Rectum, and Anus	79	1,312	262	42	710	142	37	603	121
Trachea, Bronchus, and Lung	318	4,908	982	192	2,905	581	126	2,004	401
Breast (Female Only)	76	1,458	292	N/A	N/A	N/A	76	1,458	292
Prostate	51	544	109	51	544	109	N/A	N/A	N/A
Diabetes Mellitus	181	2,964	593	99	1,583	317	82	1,381	276
Pneumonia and Influenza	99	1,380	276	46	673	135	53	707	141
Chronic Lower Respiratory Diseases	390	5,251	1,050	190	2,377	475	200	2,874	575
Chronic Liver Disease and Cirrhosis	97	2,131	426	59	1,234	247	38	897	179
Septicemia	78	1,122	224	35	455	91	43	667	133
Nephritis, Nephrosis, & Nephrotic Syndrome	78	1,195	239	32	545	109	46	650	130
Alzheimer's disease	213	1,826	365	65	544	109	148	1,282	256
HIV disease	3	79	16	2	42	8	1	37	7
Unintentional Motor Vehicle Injuries	85	2,973	595	64	2,217	443	21	756	151
All Other Unintentional Injuries	256	7,161	1,432	157	4,678	936	99	2,484	497
Suicide	86	2,625	525	58	1,846	369	28	779	156
Homicide	25	1,063	213	19	792	158	6	271	54
Remaining Causes	1,215	19,928	3,986	532	9,573	1,915	683	10,355	2,071
Total Deaths - All Causes	5,417	87,885	17,577	2,736	46,997	9,399	2,681	40,887	8,177

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Cabarrus County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	1,651	22,424	4,485	900	12,565	2,513	751	9,859	1,972
Acute Myocardial Infarction	252	3,849	770	153	2,479	496	99	1,370	274
Other Ischemic Heart Disease	536	7,184	1,437	328	4,423	885	208	2,761	552
Hypertension	63	965	193	31	425	85	32	540	108
Cerebrovascular Disease	429	5,054	1,011	163	1,942	388	266	3,112	622
Atherosclerosis	7	72	14	2	13	3	5	60	12
Cancer	1,599	25,648	5,130	800	11,982	2,396	799	13,666	2,733
Colon, Rectum, and Anus	141	2,565	513	75	1,390	278	66	1,175	235
Trachea, Bronchus, and Lung	399	5,867	1,173	202	2,719	544	197	3,147	629
Breast (Female Only)	133	2,739	548	N/A	N/A	N/A	133	2,739	548
Prostate	71	776	155	71	776	155	N/A	N/A	N/A
Diabetes Mellitus	200	3,560	712	102	1,831	366	98	1,729	346
Pneumonia and Influenza	187	2,458	492	104	1,506	301	83	952	190
Chronic Lower Respiratory Diseases	455	5,771	1,154	208	2,342	468	247	3,429	686
Chronic Liver Disease and Cirrhosis	102	2,227	445	53	1,128	226	49	1,099	220
Septicemia	120	1,744	349	55	834	167	65	910	182
Nephritis, Nephrosis, & Nephrotic Syndrome	188	2,360	472	87	1,136	227	101	1,224	245
Alzheimer's disease	602	4,847	969	162	1,236	247	440	3,611	722
HIV disease	16	457	91	11	313	63	5	144	29
Unintentional Motor Vehicle Injuries	127	4,547	909	89	3,164	633	38	1,384	277
All Other Unintentional Injuries	529	15,027	3,005	318	9,455	1,891	211	5,572	1,114
Suicide	115	3,597	719	97	2,994	599	18	603	121
Homicide	37	1,737	347	26	1,230	246	11	507	101
Remaining Causes	1,818	30,274	6,055	916	16,134	3,227	902	14,139	2,828
Total Deaths - All Causes	8,245	132,769	26,554	4,124	70,229	14,046	4,121	62,540	12,508

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Caldwell County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	1,062	13,128	2,626	607	8,119	1,624	455	5,009	1,002
Acute Myocardial Infarction	233	3,096	619	148	2,148	430	85	948	190
Other Ischemic Heart Disease	468	5,516	1,103	290	3,626	725	178	1,891	378
Hypertension	49	637	127	21	317	63	28	320	64
Cerebrovascular Disease	228	2,860	572	105	1,373	275	123	1,488	298
Atherosclerosis	17	355	71	14	286	57	3	69	14
Cancer	1,025	15,372	3,074	567	8,112	1,622	458	7,260	1,452
Colon, Rectum, and Anus	87	1,479	296	43	793	159	44	687	137
Trachea, Bronchus, and Lung	300	4,261	852	178	2,370	474	122	1,891	378
Breast (Female Only)	57	947	189	N/A	N/A	N/A	57	947	189
Prostate	43	513	103	43	513	103	N/A	N/A	N/A
Diabetes Mellitus	175	2,612	522	107	1,588	318	68	1,024	205
Pneumonia and Influenza	99	1,228	246	49	624	125	50	604	121
Chronic Lower Respiratory Diseases	409	4,865	973	189	2,051	410	220	2,814	563
Chronic Liver Disease and Cirrhosis	101	2,174	435	60	1,328	266	41	845	169
Septicemia	58	1,022	204	26	390	78	32	632	126
Nephritis, Nephrosis, & Nephrotic Syndrome	93	1,211	242	47	588	118	46	624	125
Alzheimer's disease	342	2,581	516	94	716	143	248	1,866	373
HIV disease	5	135	27	4	103	21	1	32	6
Unintentional Motor Vehicle Injuries	60	2,189	438	40	1,387	277	20	802	160
All Other Unintentional Injuries	199	5,749	1,150	114	3,313	663	85	2,436	487
Suicide	68	1,860	372	54	1,483	297	14	377	75
Homicide	21	833	167	14	534	107	7	299	60
Remaining Causes	1,131	17,334	3,467	549	8,456	1,691	582	8,877	1,775
Total Deaths - All Causes	5,142	76,145	15,229	2,661	40,769	8,154	2,481	35,376	7,075

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Camden County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	130	1,783	357	79	1,110	222	51	673	135
Acute Myocardial Infarction	32	408	82	19	276	55	13	132	26
Other Ischemic Heart Disease	43	624	125	29	390	78	14	234	47
Hypertension	9	158	32	5	113	23	4	45	9
Cerebrovascular Disease	28	330	66	15	173	35	13	157	31
Atherosclerosis		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Cancer	91	1,372	274	65	904	181	26	468	94
Colon, Rectum, and Anus	11	179	36	8	138	28	3	41	8
Trachea, Bronchus, and Lung	23	335	67	17	234	47	6	101	20
Breast (Female Only)	1	31	6	N/A	N/A	N/A	1	31	6
Prostate	10	125	25	10	125	25	N/A	N/A	N/A
Diabetes Mellitus	16	195	39	9	123	25	7	72	14
Pneumonia and Influenza	15	165	33	6	52	10	9	113	23
Chronic Lower Respiratory Diseases	15	164	33	5	48	10	10	116	23
Chronic Liver Disease and Cirrhosis	6	97	19	5	90	18	1	7	1
Septicemia	11	200	40	6	105	21	5	95	19
Nephritis, Nephrosis, & Nephrotic Syndrome	8	114	23	3	41	8	5	72	14
Alzheimer's disease	18	139	28	5	37	7	13	103	21
HIV disease		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	6	122	24	4	65	13	2	57	11
All Other Unintentional Injuries	26	500	100	12	287	57	14	213	43
Suicide	15	610	122	8	312	62	7	298	60
Homicide	3	169	34	2	104	21	1	65	13
Remaining Causes	79	1,208	242	39	588	118	40	620	124
Total Deaths - All Causes	476	7,324	1,465	268	4,151	830	208	3,174	635

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Carteret County

Cause of Death	Total			Sex					
				Male			Female		
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	941	12,693	2,539	524	7,236	1,447	417	5,457	1,091
Acute Myocardial Infarction	146	1,979	396	90	1,171	234	56	808	162
Other Ischemic Heart Disease	367	5,069	1,014	233	3,259	652	134	1,810	362
Hypertension	48	726	145	27	449	90	21	276	55
Cerebrovascular Disease	234	3,049	610	98	1,325	265	136	1,724	345
Atherosclerosis	8	108	22	3	33	7	5	75	15
Cancer	1,012	16,255	3,251	547	8,360	1,672	465	7,895	1,579
Colon, Rectum, and Anus	98	1,618	324	53	847	169	45	770	154
Trachea, Bronchus, and Lung	306	4,866	973	172	2,565	513	134	2,301	460
Breast (Female Only)	54	884	177	N/A	N/A	N/A	54	884	177
Prostate	41	474	95	41	474	95	N/A	N/A	N/A
Diabetes Mellitus	121	1,978	396	73	1,231	246	48	747	149
Pneumonia and Influenza	81	1,079	216	43	592	118	38	487	97
Chronic Lower Respiratory Diseases	274	3,867	773	131	1,852	370	143	2,015	403
Chronic Liver Disease and Cirrhosis	83	1,806	361	53	1,199	240	30	607	121
Septicemia	66	988	198	36	452	90	30	537	107
Nephritis, Nephrosis, & Nephrotic Syndrome	76	1,054	211	41	549	110	35	504	101
Alzheimer's disease	138	1,324	265	52	494	99	86	830	166
HIV disease	1	48	10	1	48	10	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	40	1,315	263	30	1,074	215	10	240	48
All Other Unintentional Injuries	227	6,516	1,303	156	4,694	939	71	1,822	364
Suicide	82	2,737	547	63	2,158	432	19	579	116
Homicide	13	395	79	6	187	37	7	207	41
Remaining Causes	870	13,658	2,732	396	6,264	1,253	474	7,394	1,479
Total Deaths - All Causes	4,315	69,597	13,919	2,280	38,200	7,640	2,035	31,397	6,279

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Caswell County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	306	4,386	877	170	2,400	480	136	1,987	397
Acute Myocardial Infarction	49	681	136	31	406	81	18	274	55
Other Ischemic Heart Disease	96	1,481	296	64	1,003	201	32	478	96
Hypertension	18	265	53	13	166	33	5	98	20
Cerebrovascular Disease	51	572	114	25	285	57	26	287	57
Atherosclerosis		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Cancer	332	5,217	1,043	189	2,804	561	143	2,413	483
Colon, Rectum, and Anus	38	611	122	26	422	84	12	189	38
Trachea, Bronchus, and Lung	97	1,570	314	62	916	183	35	655	131
Breast (Female Only)	22	370	74	N/A	N/A	N/A	22	370	74
Prostate	20	206	41	20	206	41	N/A	N/A	N/A
Diabetes Mellitus	57	811	162	27	407	81	30	404	81
Pneumonia and Influenza	35	408	82	17	190	38	18	218	44
Chronic Lower Respiratory Diseases	88	1,145	229	38	481	96	50	664	133
Chronic Liver Disease and Cirrhosis	17	413	83	10	255	51	7	159	32
Septicemia	28	500	100	10	192	38	18	308	62
Nephritis, Nephrosis, & Nephrotic Syndrome	32	435	87	15	209	42	17	227	45
Alzheimer's disease	52	477	95	16	158	32	36	319	64
HIV disease	1	9	2	1	9	2	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	39	1,402	280	30	1,022	204	9	380	76
All Other Unintentional Injuries	69	1,749	350	37	924	185	32	825	165
Suicide	19	433	87	14	312	62	5	121	24
Homicide	10	432	86	5	224	45	5	207	41
Remaining Causes	323	4,877	975	154	2,353	471	169	2,524	505
Total Deaths - All Causes	1,477	23,531	4,706	771	12,390	2,478	706	11,141	2,228

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Catawba County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	1,595	21,044	4,209	913	12,562	2,512	682	8,483	1,697
Acute Myocardial Infarction	358	4,889	978	223	3,137	627	135	1,753	351
Other Ischemic Heart Disease	547	7,548	1,510	347	4,988	998	200	2,560	512
Hypertension	96	1,299	260	47	657	131	49	642	128
Cerebrovascular Disease	411	4,463	893	162	2,010	402	249	2,452	490
Atherosclerosis	2	24	5	N/A	N/A	N/A	2	24	5
Cancer	1,637	24,900	4,980	920	13,078	2,616	717	11,822	2,364
Colon, Rectum, and Anus	139	2,261	452	70	1,152	230	69	1,109	222
Trachea, Bronchus, and Lung	439	6,545	1,309	267	3,737	747	172	2,808	562
Breast (Female Only)	112	2,123	425	N/A	N/A	N/A	112	2,123	425
Prostate	89	889	178	89	889	178	N/A	N/A	N/A
Diabetes Mellitus	274	4,486	897	169	2,679	536	105	1,807	361
Pneumonia and Influenza	221	2,791	558	98	1,343	269	123	1,448	290
Chronic Lower Respiratory Diseases	682	8,155	1,631	313	3,488	698	369	4,668	934
Chronic Liver Disease and Cirrhosis	159	3,262	652	88	1,789	358	71	1,473	295
Septicemia	112	1,683	337	51	839	168	61	845	169
Nephritis, Nephrosis, & Nephrotic Syndrome	215	2,568	514	108	1,200	240	107	1,368	274
Alzheimer's disease	537	4,038	808	136	993	199	401	3,045	609
HIV disease	4	114	23	4	114	23	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	122	4,136	827	85	2,704	541	37	1,432	286
All Other Unintentional Injuries	324	9,135	1,827	214	6,409	1,282	110	2,726	545
Suicide	144	4,654	931	110	3,485	697	34	1,169	234
Homicide	46	2,056	411	34	1,550	310	12	505	101
Remaining Causes	2,249	30,471	6,094	1,059	15,274	3,055	1,190	15,197	3,039
Total Deaths - All Causes	8,830	129,280	25,856	4,511	70,174	14,035	4,319	59,107	11,821

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Chatham County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	702	9,250	1,850	401	5,376	1,075	301	3,874	775
Acute Myocardial Infarction	102	1,468	294	65	1,001	200	37	467	93
Other Ischemic Heart Disease	249	3,438	688	172	2,460	492	77	978	196
Hypertension	43	509	102	20	298	60	23	211	42
Cerebrovascular Disease	231	2,799	560	101	1,188	238	130	1,611	322
Atherosclerosis	10	114	23	6	73	15	4	41	8
Cancer	847	13,593	2,719	468	7,096	1,419	379	6,497	1,299
Colon, Rectum, and Anus	63	1,016	203	34	576	115	29	440	88
Trachea, Bronchus, and Lung	166	2,780	556	102	1,691	338	64	1,089	218
Breast (Female Only)	59	1,153	231	N/A	N/A	N/A	59	1,153	231
Prostate	64	756	151	64	756	151	N/A	N/A	N/A
Diabetes Mellitus	123	2,020	404	69	1,072	214	54	948	190
Pneumonia and Influenza	59	711	142	32	374	75	27	337	67
Chronic Lower Respiratory Diseases	147	2,031	406	60	885	177	87	1,146	229
Chronic Liver Disease and Cirrhosis	43	997	199	22	492	98	21	505	101
Septicemia	45	599	120	23	279	56	22	320	64
Nephritis, Nephrosis, & Nephrotic Syndrome	58	801	160	28	357	71	30	443	89
Alzheimer's disease	167	1,481	296	43	368	74	124	1,112	222
HIV disease	2	57	11	2	57	11	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	71	2,561	512	52	2,004	401	19	557	111
All Other Unintentional Injuries	161	3,871	774	95	2,321	464	66	1,550	310
Suicide	51	1,857	371	39	1,422	284	12	435	87
Homicide	18	698	140	12	540	108	6	157	31
Remaining Causes	961	14,556	2,911	449	7,052	1,410	512	7,504	1,501
Total Deaths - All Causes	3,739	58,503	11,701	1,922	31,256	6,251	1,817	27,247	5,449

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Cherokee County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	482	7,075	1,415	252	3,795	759	230	3,280	656
Acute Myocardial Infarction	75	1,164	233	43	707	141	32	456	91
Other Ischemic Heart Disease	244	3,496	699	133	1,902	380	111	1,594	319
Hypertension	16	206	41	7	123	25	9	83	17
Cerebrovascular Disease	85	1,278	256	42	604	121	43	674	135
Atherosclerosis	1	10	2	N/A	N/A	N/A	1	10	2
Cancer	430	6,939	1,388	224	3,449	690	206	3,490	698
Colon, Rectum, and Anus	48	748	150	22	337	67	26	411	82
Trachea, Bronchus, and Lung	132	2,028	406	71	1,041	208	61	987	197
Breast (Female Only)	30	551	110	N/A	N/A	N/A	30	551	110
Prostate	22	264	53	22	264	53	N/A	N/A	N/A
Diabetes Mellitus	40	665	133	19	285	57	21	380	76
Pneumonia and Influenza	33	547	109	19	307	61	14	241	48
Chronic Lower Respiratory Diseases	132	1,901	380	72	965	193	60	935	187
Chronic Liver Disease and Cirrhosis	39	733	147	29	523	105	10	210	42
Septicemia	35	517	103	12	192	38	23	325	65
Nephritis, Nephrosis, & Nephrotic Syndrome	46	653	131	27	332	66	19	321	64
Alzheimer's disease	75	737	147	20	187	37	55	550	110
HIV disease	2	92	18	N/A	N/A	N/A	2	92	18
Unintentional Motor Vehicle Injuries	34	1,120	224	22	682	136	12	438	88
All Other Unintentional Injuries	74	2,078	416	47	1,282	256	27	796	159
Suicide	38	1,022	204	31	820	164	7	202	40
Homicide	6	209	42	5	158	32	1	51	10
Remaining Causes	425	7,252	1,450	212	3,850	770	213	3,403	681
Total Deaths - All Causes	1,993	33,035	6,607	1,040	17,553	3,511	953	15,482	3,096

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Chowan County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	225	2,942	588	114	1,523	305	111	1,419	284
Acute Myocardial Infarction	19	230	46	9	107	21	10	124	25
Other Ischemic Heart Disease	92	1,226	245	56	785	157	36	441	88
Hypertension	16	212	42	6	95	19	10	118	24
Cerebrovascular Disease	67	866	173	35	519	104	32	348	70
Atherosclerosis	3	50	10	2	34	7	1	16	3
Cancer	195	2,957	591	108	1,481	296	87	1,475	295
Colon, Rectum, and Anus	18	239	48	11	156	31	7	83	17
Trachea, Bronchus, and Lung	55	812	162	28	380	76	27	432	86
Breast (Female Only)	15	309	62	N/A	N/A	N/A	15	309	62
Prostate	16	187	37	16	187	37	N/A	N/A	N/A
Diabetes Mellitus	38	620	124	18	262	52	20	357	71
Pneumonia and Influenza	14	145	29	4	46	9	10	99	20
Chronic Lower Respiratory Diseases	57	768	154	28	389	78	29	379	76
Chronic Liver Disease and Cirrhosis	11	264	53	5	124	25	6	140	28
Septicemia	22	318	64	9	156	31	13	162	32
Nephritis, Nephrosis, & Nephrotic Syndrome	11	134	27	8	107	21	3	28	6
Alzheimer's disease	40	376	75	8	70	14	32	306	61
HIV disease	1	38	8	1	38	8	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	14	391	78	13	381	76	1	10	2
All Other Unintentional Injuries	40	1,088	218	28	802	160	12	285	57
Suicide	6	187	37	5	142	28	1	44	9
Homicide	8	374	75	6	253	51	2	121	24
Remaining Causes	247	3,445	689	108	1,647	329	139	1,798	360
Total Deaths - All Causes	1,015	15,175	3,035	506	8,070	1,614	509	7,105	1,421

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Clay County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	170	2,158	432	107	1,414	283	63	744	149
Acute Myocardial Infarction	31	436	87	26	382	76	5	54	11
Other Ischemic Heart Disease	61	817	163	39	524	105	22	293	59
Hypertension	4	60	12	1	27	5	3	33	7
Cerebrovascular Disease	47	537	107	21	255	51	26	282	56
Atherosclerosis	1	7	1	1	7	1	N/A	N/A	N/A
Cancer	148	2,383	477	76	1,113	223	72	1,271	254
Colon, Rectum, and Anus	17	262	52	12	187	37	5	76	15
Trachea, Bronchus, and Lung	40	606	121	18	249	50	22	357	71
Breast (Female Only)	11	203	41	N/A	N/A	N/A	11	203	41
Prostate	7	86	17	7	86	17	N/A	N/A	N/A
Diabetes Mellitus	24	373	75	13	199	40	11	174	35
Pneumonia and Influenza	16	220	44	7	93	19	9	127	25
Chronic Lower Respiratory Diseases	47	674	135	21	299	60	26	376	75
Chronic Liver Disease and Cirrhosis	14	360	72	12	305	61	2	54	11
Septicemia	7	99	20	2	36	7	5	63	13
Nephritis, Nephrosis, & Nephrotic Syndrome	16	221	44	10	136	27	6	86	17
Alzheimer's disease	37	340	68	9	88	18	28	251	50
HIV disease		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	11	294	59	8	224	45	3	70	14
All Other Unintentional Injuries	37	887	177	23	563	113	14	324	65
Suicide	12	364	73	9	251	50	3	113	23
Homicide	2	83	17	2	83	17	N/A	N/A	N/A
Remaining Causes	187	2,765	553	96	1,500	300	91	1,265	253
Total Deaths - All Causes	780	11,826	2,365	418	6,593	1,319	362	5,233	1,047

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Cleveland County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	1,227	15,195	3,039	647	8,954	1,791	580	6,241	1,248
Acute Myocardial Infarction	263	3,529	706	146	2,146	429	117	1,384	277
Other Ischemic Heart Disease	401	5,016	1,003	245	3,255	651	156	1,761	352
Hypertension	58	610	122	27	385	77	31	225	45
Cerebrovascular Disease	290	3,277	655	136	1,621	324	154	1,656	331
Atherosclerosis	5	55	11	2	11	2	3	44	9
Cancer	1,216	17,018	3,404	661	8,917	1,783	555	8,100	1,620
Colon, Rectum, and Anus	94	1,343	269	49	734	147	45	609	122
Trachea, Bronchus, and Lung	295	4,121	824	173	2,302	460	122	1,819	364
Breast (Female Only)	78	1,188	238	N/A	N/A	N/A	78	1,188	238
Prostate	41	354	71	41	354	71	N/A	N/A	N/A
Diabetes Mellitus	263	3,881	776	143	2,127	425	120	1,754	351
Pneumonia and Influenza	138	1,708	342	63	781	156	75	927	185
Chronic Lower Respiratory Diseases	424	5,021	1,004	203	2,405	481	221	2,615	523
Chronic Liver Disease and Cirrhosis	68	1,505	301	38	777	155	30	728	146
Septicemia	132	1,946	389	62	905	181	70	1,041	208
Nephritis, Nephrosis, & Nephrotic Syndrome	184	2,166	433	90	1,137	227	94	1,028	206
Alzheimer's disease	242	1,538	308	54	378	76	188	1,160	232
HIV disease	14	404	81	10	262	52	4	143	29
Unintentional Motor Vehicle Injuries	129	4,471	894	94	3,228	646	35	1,243	249
All Other Unintentional Injuries	248	4,785	957	145	3,237	647	103	1,548	310
Suicide	82	2,537	507	67	2,081	416	15	457	91
Homicide	40	1,623	325	33	1,287	257	7	337	67
Remaining Causes	1,691	22,624	4,525	731	10,515	2,103	960	12,109	2,422
Total Deaths - All Causes	6,451	90,363	18,073	3,206	49,006	9,801	3,245	41,357	8,271

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Columbus County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	983	13,368	2,674	512	7,002	1,400	471	6,366	1,273
Acute Myocardial Infarction	327	4,003	801	172	2,029	406	155	1,974	395
Other Ischemic Heart Disease	317	4,286	857	180	2,439	488	137	1,847	369
Hypertension	53	740	148	22	309	62	31	431	86
Cerebrovascular Disease	181	2,271	454	77	963	193	104	1,309	262
Atherosclerosis	1	7	1	1	7	1	N/A	N/A	N/A
Cancer	721	10,893	2,179	384	5,396	1,079	337	5,497	1,099
Colon, Rectum, and Anus	61	958	192	28	411	82	33	547	109
Trachea, Bronchus, and Lung	201	2,850	570	123	1,626	325	78	1,224	245
Breast (Female Only)	51	816	163	N/A	N/A	N/A	51	816	163
Prostate	23	243	49	23	243	49	N/A	N/A	N/A
Diabetes Mellitus	144	2,206	441	79	1,172	234	65	1,034	207
Pneumonia and Influenza	58	761	152	26	365	73	32	396	79
Chronic Lower Respiratory Diseases	219	3,052	610	106	1,331	266	113	1,721	344
Chronic Liver Disease and Cirrhosis	52	1,171	234	35	789	158	17	382	76
Septicemia	80	1,246	249	44	644	129	36	602	120
Nephritis, Nephrosis, & Nephrotic Syndrome	81	1,100	220	38	478	96	43	621	124
Alzheimer's disease	121	1,086	217	34	297	59	87	789	158
HIV disease	8	207	41	8	207	41	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	90	2,916	583	61	1,911	382	29	1,005	201
All Other Unintentional Injuries	149	4,365	873	88	2,521	504	61	1,845	369
Suicide	32	997	199	28	837	167	4	160	32
Homicide	52	2,115	423	43	1,750	350	9	365	73
Remaining Causes	743	12,454	2,491	358	5,932	1,186	385	6,523	1,305
Total Deaths - All Causes	3,768	60,956	12,191	1,944	31,909	6,382	1,824	29,047	5,809

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Craven County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	1,174	15,230	3,046	658	8,572	1,714	516	6,658	1,332
Acute Myocardial Infarction	169	2,464	493	108	1,546	309	61	918	184
Other Ischemic Heart Disease	519	6,803	1,361	322	4,231	846	197	2,572	514
Hypertension	53	629	126	27	343	69	26	285	57
Cerebrovascular Disease	258	2,999	600	114	1,249	250	144	1,750	350
Atherosclerosis	14	207	41	6	80	16	8	127	25
Cancer	1,222	18,540	3,708	658	9,034	1,807	564	9,506	1,901
Colon, Rectum, and Anus	87	1,377	275	46	715	143	41	662	132
Trachea, Bronchus, and Lung	343	5,275	1,055	195	2,726	545	148	2,549	510
Breast (Female Only)	78	1,581	316	N/A	N/A	N/A	78	1,581	316
Prostate	52	551	110	52	551	110	N/A	N/A	N/A
Diabetes Mellitus	205	3,323	665	111	1,982	396	94	1,340	268
Pneumonia and Influenza	133	1,974	395	65	828	166	68	1,146	229
Chronic Lower Respiratory Diseases	341	4,332	866	170	1,906	381	171	2,426	485
Chronic Liver Disease and Cirrhosis	78	1,650	330	45	894	179	33	757	151
Septicemia	78	1,080	216	30	353	71	48	727	145
Nephritis, Nephrosis, & Nephrotic Syndrome	121	1,385	277	66	739	148	55	646	129
Alzheimer's disease	193	1,761	352	54	458	92	139	1,303	261
HIV disease	14	393	79	8	188	38	6	205	41
Unintentional Motor Vehicle Injuries	79	2,664	533	52	1,689	338	27	974	195
All Other Unintentional Injuries	327	9,837	1,967	220	6,826	1,365	107	3,011	602
Suicide	77	2,578	516	63	2,048	410	14	531	106
Homicide	38	1,737	347	26	1,101	220	12	636	127
Remaining Causes	1,454	23,164	4,633	711	11,362	2,272	743	11,802	2,360
Total Deaths - All Causes	5,859	93,482	18,696	3,084	49,654	9,931	2,775	43,829	8,766

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Cumberland County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	2,753	41,675	8,335	1,528	23,331	4,666	1,225	18,344	3,669
Acute Myocardial Infarction	473	6,500	1,300	224	2,996	599	249	3,504	701
Other Ischemic Heart Disease	1,155	17,069	3,414	714	10,544	2,109	441	6,525	1,305
Hypertension	212	3,201	640	89	1,412	282	123	1,789	358
Cerebrovascular Disease	555	7,971	1,594	236	3,509	702	319	4,463	893
Atherosclerosis	17	192	38	8	84	17	9	108	22
Cancer	2,688	44,737	8,947	1,338	20,466	4,093	1,350	24,271	4,854
Colon, Rectum, and Anus	197	3,569	714	96	1,701	340	101	1,868	374
Trachea, Bronchus, and Lung	734	11,250	2,250	401	5,781	1,156	333	5,469	1,094
Breast (Female Only)	220	4,844	969	N/A	N/A	N/A	220	4,844	969
Prostate	117	1,398	280	117	1,398	280	N/A	N/A	N/A
Diabetes Mellitus	594	9,332	1,866	343	5,277	1,055	251	4,055	811
Pneumonia and Influenza	266	4,147	829	117	1,905	381	149	2,243	449
Chronic Lower Respiratory Diseases	735	10,129	2,026	328	4,286	857	407	5,843	1,169
Chronic Liver Disease and Cirrhosis	188	3,840	768	116	2,281	456	72	1,559	312
Septicemia	209	3,481	696	92	1,329	266	117	2,153	431
Nephritis, Nephrosis, & Nephrotic Syndrome	234	3,414	683	136	1,930	386	98	1,484	297
Alzheimer's disease	603	5,305	1,061	181	1,486	297	422	3,819	764
HIV disease	58	1,659	332	33	857	171	25	803	161
Unintentional Motor Vehicle Injuries	292	10,792	2,158	209	7,575	1,515	83	3,217	643
All Other Unintentional Injuries	774	24,694	4,939	482	15,675	3,135	292	9,018	1,804
Suicide	272	9,653	1,931	213	7,245	1,449	59	2,408	482
Homicide	184	7,461	1,492	143	5,533	1,107	41	1,929	386
Remaining Causes	2,951	60,349	12,070	1,434	29,719	5,944	1,517	30,630	6,126
Total Deaths - All Causes	13,585	252,033	50,407	7,026	133,898	26,780	6,559	118,135	23,627

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Currituck County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	316	4,137	827	176	2,519	504	140	1,617	323
Acute Myocardial Infarction	60	716	143	31	414	83	29	302	60
Other Ischemic Heart Disease	144	1,910	382	81	1,166	233	63	744	149
Hypertension	12	193	39	8	133	27	4	60	12
Cerebrovascular Disease	40	453	91	12	170	34	28	284	57
Atherosclerosis	2	14	3	1	7	1	1	7	1
Cancer	251	4,282	856	147	2,509	502	104	1,772	354
Colon, Rectum, and Anus	18	282	56	8	158	32	10	124	25
Trachea, Bronchus, and Lung	85	1,477	295	48	840	168	37	637	127
Breast (Female Only)	10	148	30	N/A	N/A	N/A	10	148	30
Prostate	14	174	35	14	174	35	N/A	N/A	N/A
Diabetes Mellitus	28	468	94	17	322	64	11	146	29
Pneumonia and Influenza	85	763	153	36	389	78	49	375	75
Chronic Lower Respiratory Diseases	60	740	148	34	418	84	26	322	64
Chronic Liver Disease and Cirrhosis	24	503	101	14	287	57	10	215	43
Septicemia	29	429	86	14	246	49	15	183	37
Nephritis, Nephrosis, & Nephrotic Syndrome	18	220	44	11	160	32	7	60	12
Alzheimer's disease	27	209	42	10	93	19	17	116	23
HIV disease		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	22	658	132	15	502	100	7	156	31
All Other Unintentional Injuries	62	2,173	435	39	1,413	283	23	760	152
Suicide	25	837	167	20	682	136	5	155	31
Homicide	3	143	29	3	143	29	N/A	N/A	N/A
Remaining Causes	217	3,101	620	104	1,617	323	113	1,484	297
Total Deaths - All Causes	1,221	19,323	3,865	661	11,610	2,322	560	7,712	1,542

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Dare County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	361	4,730	946	221	3,112	622	140	1,618	324
Acute Myocardial Infarction	56	612	122	38	465	93	18	147	29
Other Ischemic Heart Disease	167	2,341	468	112	1,660	332	55	681	136
Hypertension	18	194	39	5	92	18	13	102	20
Cerebrovascular Disease	108	1,350	270	52	778	156	56	572	114
Atherosclerosis	1	16	3	1	16	3	N/A	N/A	N/A
Cancer	450	7,605	1,521	261	4,422	884	189	3,183	637
Colon, Rectum, and Anus	37	696	139	24	462	92	13	234	47
Trachea, Bronchus, and Lung	127	2,168	434	71	1,237	247	56	931	186
Breast (Female Only)	34	598	120	N/A	N/A	N/A	34	598	120
Prostate	25	310	62	25	310	62	N/A	N/A	N/A
Diabetes Mellitus	37	556	111	24	398	80	13	158	32
Pneumonia and Influenza	51	622	124	21	323	65	30	299	60
Chronic Lower Respiratory Diseases	94	1,028	206	41	482	96	53	546	109
Chronic Liver Disease and Cirrhosis	43	1,033	207	29	683	137	14	350	70
Septicemia	24	266	53	13	143	29	11	123	25
Nephritis, Nephrosis, & Nephrotic Syndrome	37	418	84	20	259	52	17	159	32
Alzheimer's disease	62	487	97	21	170	34	41	316	63
HIV disease	1	28	6	1	28	6	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	11	372	74	9	290	58	2	83	17
All Other Unintentional Injuries	119	3,953	791	76	2,512	502	43	1,441	288
Suicide	37	1,086	217	27	734	147	10	352	70
Homicide	2	67	13	2	67	13	N/A	N/A	N/A
Remaining Causes	408	5,856	1,171	204	3,058	612	204	2,797	559
Total Deaths - All Causes	1,864	29,669	5,934	1,028	17,569	3,514	836	12,100	2,420

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Davidson County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	1,867	24,841	4,968	1,062	14,463	2,893	805	10,378	2,076
Acute Myocardial Infarction	350	5,150	1,030	208	3,182	636	142	1,967	393
Other Ischemic Heart Disease	701	9,354	1,871	461	6,253	1,251	240	3,101	620
Hypertension	73	897	179	27	379	76	46	518	104
Cerebrovascular Disease	499	5,961	1,192	211	2,448	490	288	3,512	702
Atherosclerosis	10	122	24	5	80	16	5	42	8
Cancer	2,006	30,440	6,088	1,095	15,300	3,060	911	15,141	3,028
Colon, Rectum, and Anus	155	2,517	503	75	1,219	244	80	1,297	259
Trachea, Bronchus, and Lung	619	9,105	1,821	340	4,642	928	279	4,463	893
Breast (Female Only)	114	2,119	424	N/A	N/A	N/A	114	2,119	424
Prostate	100	992	198	100	992	198	N/A	N/A	N/A
Diabetes Mellitus	297	4,933	987	165	2,740	548	132	2,193	439
Pneumonia and Influenza	215	3,048	610	108	1,425	285	107	1,623	325
Chronic Lower Respiratory Diseases	683	9,187	1,837	316	3,870	774	367	5,317	1,063
Chronic Liver Disease and Cirrhosis	134	2,762	552	82	1,553	311	52	1,209	242
Septicemia	147	2,331	466	75	1,186	237	72	1,146	229
Nephritis, Nephrosis, & Nephrotic Syndrome	198	2,650	530	102	1,279	256	96	1,371	274
Alzheimer's disease	592	4,923	985	197	1,594	319	395	3,329	666
HIV disease	9	254	51	7	194	39	2	60	12
Unintentional Motor Vehicle Injuries	159	5,947	1,189	116	4,336	867	43	1,611	322
All Other Unintentional Injuries	466	13,172	2,634	286	8,614	1,723	180	4,558	912
Suicide	146	4,869	974	105	3,431	686	41	1,438	288
Homicide	33	1,449	290	24	1,017	203	9	432	86
Remaining Causes	2,025	30,705	6,141	969	15,046	3,009	1,056	15,659	3,132
Total Deaths - All Causes	9,559	148,491	29,698	4,952	78,955	15,791	4,607	69,536	13,907

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Davie County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	483	6,212	1,242	270	3,636	727	213	2,575	515
Acute Myocardial Infarction	121	1,829	366	73	1,118	224	48	710	142
Other Ischemic Heart Disease	164	2,215	443	106	1,428	286	58	787	157
Hypertension	24	344	69	8	85	17	16	259	52
Cerebrovascular Disease	143	1,646	329	62	690	138	81	956	191
Atherosclerosis	3	46	9	1	15	3	2	31	6
Cancer	541	8,484	1,697	301	4,500	900	240	3,985	797
Colon, Rectum, and Anus	39	622	124	20	360	72	19	262	52
Trachea, Bronchus, and Lung	164	2,576	515	84	1,219	244	80	1,357	271
Breast (Female Only)	27	468	94	N/A	N/A	N/A	27	468	94
Prostate	27	298	60	27	298	60	N/A	N/A	N/A
Diabetes Mellitus	68	948	190	42	593	119	26	355	71
Pneumonia and Influenza	57	723	145	30	352	70	27	371	74
Chronic Lower Respiratory Diseases	171	2,355	471	90	1,134	227	81	1,221	244
Chronic Liver Disease and Cirrhosis	30	600	120	17	336	67	13	264	53
Septicemia	42	614	123	26	390	78	16	224	45
Nephritis, Nephrosis, & Nephrotic Syndrome	40	604	121	24	333	67	16	271	54
Alzheimer's disease	112	983	197	38	288	58	74	694	139
HIV disease	3	64	13	3	64	13	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	24	931	186	16	636	127	8	295	59
All Other Unintentional Injuries	139	3,360	672	79	1,935	387	60	1,425	285
Suicide	37	1,305	261	21	747	149	16	558	112
Homicide	3	68	14	2	51	10	1	17	3
Remaining Causes	529	8,341	1,668	246	3,994	799	283	4,347	869
Total Deaths - All Causes	2,449	37,628	7,526	1,276	19,779	3,956	1,173	17,849	3,570

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Duplin County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	659	10,811	2,162	342	5,943	1,189	317	4,868	974
Acute Myocardial Infarction	107	1,821	364	57	989	198	50	832	166
Other Ischemic Heart Disease	250	4,107	821	146	2,467	493	104	1,640	328
Hypertension	33	565	113	18	338	68	15	227	45
Cerebrovascular Disease	206	2,975	595	91	1,451	290	115	1,525	305
Atherosclerosis	3	48	10	1	27	5	2	20	4
Cancer	567	10,938	2,188	308	5,563	1,113	259	5,375	1,075
Colon, Rectum, and Anus	56	1,067	213	36	652	130	20	415	83
Trachea, Bronchus, and Lung	169	2,973	595	103	1,769	354	66	1,204	241
Breast (Female Only)	39	926	185	N/A	N/A	N/A	39	926	185
Prostate	24	351	70	24	351	70	N/A	N/A	N/A
Diabetes Mellitus	87	1,782	356	51	1,018	204	36	764	153
Pneumonia and Influenza	50	775	155	29	494	99	21	282	56
Chronic Lower Respiratory Diseases	132	2,127	425	62	1,044	209	70	1,083	217
Chronic Liver Disease and Cirrhosis	31	704	141	20	498	100	11	206	41
Septicemia	66	1,100	220	36	645	129	30	455	91
Nephritis, Nephrosis, & Nephrotic Syndrome	89	1,408	282	39	626	125	50	782	156
Alzheimer's disease	99	1,151	230	29	336	67	70	814	163
HIV disease	5	132	26	3	59	12	2	73	15
Unintentional Motor Vehicle Injuries	90	3,225	645	62	2,207	441	28	1,018	204
All Other Unintentional Injuries	102	2,721	544	60	1,691	338	42	1,030	206
Suicide	31	1,100	220	23	815	163	8	285	57
Homicide	10	499	100	8	378	76	2	121	24
Remaining Causes	612	12,131	2,426	258	5,265	1,053	354	6,866	1,373
Total Deaths - All Causes	2,872	54,193	10,839	1,440	28,400	5,680	1,432	25,793	5,159

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Durham County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	1,979	29,434	5,887	1,063	16,747	3,349	916	12,687	2,537
Acute Myocardial Infarction	293	4,440	888	166	2,704	541	127	1,736	347
Other Ischemic Heart Disease	641	9,931	1,986	411	6,554	1,311	230	3,377	675
Hypertension	134	1,875	375	56	786	157	78	1,089	218
Cerebrovascular Disease	470	6,203	1,241	195	2,724	545	275	3,480	696
Atherosclerosis	31	361	72	16	168	34	15	193	39
Cancer	2,314	39,892	7,978	1,160	19,252	3,850	1,154	20,640	4,128
Colon, Rectum, and Anus	193	3,495	699	94	1,669	334	99	1,826	365
Trachea, Bronchus, and Lung	488	7,681	1,536	265	4,046	809	223	3,635	727
Breast (Female Only)	182	3,516	703	N/A	N/A	N/A	182	3,516	703
Prostate	135	1,564	313	135	1,564	313	N/A	N/A	N/A
Diabetes Mellitus	292	5,511	1,102	178	3,485	697	114	2,026	405
Pneumonia and Influenza	121	1,609	322	54	759	152	67	850	170
Chronic Lower Respiratory Diseases	410	5,883	1,177	185	2,530	506	225	3,353	671
Chronic Liver Disease and Cirrhosis	110	2,647	529	63	1,495	299	47	1,153	231
Septicemia	161	2,819	564	70	1,067	213	91	1,751	350
Nephritis, Nephrosis, & Nephrotic Syndrome	258	3,900	780	120	1,826	365	138	2,074	415
Alzheimer's disease	395	3,488	698	112	944	189	283	2,543	509
HIV disease	37	1,050	210	30	824	165	7	225	45
Unintentional Motor Vehicle Injuries	179	7,181	1,436	134	5,314	1,063	45	1,867	373
All Other Unintentional Injuries	583	16,455	3,291	334	10,317	2,063	249	6,139	1,228
Suicide	136	4,964	993	106	3,763	753	30	1,201	240
Homicide	183	8,656	1,731	158	7,477	1,495	25	1,179	236
Remaining Causes	2,979	51,655	10,331	1,362	25,618	5,124	1,617	26,037	5,207
Total Deaths - All Causes	10,772	193,583	38,717	5,396	105,095	21,019	5,376	88,487	17,697

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Edgecombe County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	764	10,457	2,091	409	5,494	1,099	355	4,962	992
Acute Myocardial Infarction	191	2,711	542	112	1,517	303	79	1,194	239
Other Ischemic Heart Disease	267	3,423	685	160	2,082	416	107	1,341	268
Hypertension	46	661	132	21	298	60	25	364	73
Cerebrovascular Disease	325	3,498	700	143	1,556	311	182	1,942	388
Atherosclerosis	4	53	11	1	28	6	3	25	5
Cancer	693	10,381	2,076	381	5,031	1,006	312	5,350	1,070
Colon, Rectum, and Anus	58	836	167	36	477	95	22	359	72
Trachea, Bronchus, and Lung	178	2,564	513	113	1,496	299	65	1,069	214
Breast (Female Only)	53	1,031	206	N/A	N/A	N/A	53	1,031	206
Prostate	40	387	77	40	387	77	N/A	N/A	N/A
Diabetes Mellitus	135	2,112	422	73	1,086	217	62	1,026	205
Pneumonia and Influenza	66	873	175	35	409	82	31	464	93
Chronic Lower Respiratory Diseases	162	2,103	421	80	979	196	82	1,124	225
Chronic Liver Disease and Cirrhosis	72	1,413	283	48	902	180	24	511	102
Septicemia	77	1,077	215	37	441	88	40	636	127
Nephritis, Nephrosis, & Nephrotic Syndrome	71	884	177	43	513	103	28	371	74
Alzheimer's disease	93	822	164	24	207	41	69	615	123
HIV disease	14	381	76	9	225	45	5	156	31
Unintentional Motor Vehicle Injuries	92	3,427	685	65	2,412	482	27	1,014	203
All Other Unintentional Injuries	138	3,840	768	86	2,440	488	52	1,400	280
Suicide	34	844	169	30	725	145	4	120	24
Homicide	42	1,689	338	32	1,316	263	10	373	75
Remaining Causes	757	12,701	2,540	356	6,128	1,226	401	6,573	1,315
Total Deaths - All Causes	3,585	57,216	11,443	1,873	30,189	6,038	1,712	27,027	5,405

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Forsyth County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	3,357	44,392	8,878	1,801	24,771	4,954	1,556	19,621	3,924
Acute Myocardial Infarction	549	7,669	1,534	313	4,496	899	236	3,174	635
Other Ischemic Heart Disease	1,235	16,761	3,352	759	10,495	2,099	476	6,266	1,253
Hypertension	220	2,665	533	85	1,241	248	135	1,423	285
Cerebrovascular Disease	989	11,499	2,300	415	5,053	1,011	574	6,446	1,289
Atherosclerosis	11	176	35	4	55	11	7	121	24
Cancer	3,597	55,242	11,048	1,781	25,369	5,074	1,816	29,874	5,975
Colon, Rectum, and Anus	290	4,801	960	140	2,248	450	150	2,553	511
Trachea, Bronchus, and Lung	939	13,407	2,681	474	6,386	1,277	465	7,021	1,404
Breast (Female Only)	282	5,167	1,033	N/A	N/A	N/A	282	5,167	1,033
Prostate	199	2,161	432	199	2,161	432	N/A	N/A	N/A
Diabetes Mellitus	542	8,749	1,750	319	5,063	1,013	223	3,686	737
Pneumonia and Influenza	362	4,415	883	180	2,162	432	182	2,252	450
Chronic Lower Respiratory Diseases	987	12,852	2,570	455	5,627	1,125	532	7,225	1,445
Chronic Liver Disease and Cirrhosis	236	5,245	1,049	134	2,768	554	102	2,478	496
Septicemia	304	4,859	972	144	2,166	433	160	2,693	539
Nephritis, Nephrosis, & Nephrotic Syndrome	393	5,491	1,098	206	2,802	560	187	2,689	538
Alzheimer's disease	894	7,084	1,417	260	1,882	376	634	5,203	1,041
HIV disease	56	1,560	312	38	1,002	200	18	558	112
Unintentional Motor Vehicle Injuries	238	8,134	1,627	166	5,530	1,106	72	2,604	521
All Other Unintentional Injuries	1,003	25,955	5,191	589	16,531	3,306	414	9,424	1,885
Suicide	232	7,742	1,548	175	5,770	1,154	57	1,972	394
Homicide	151	6,868	1,374	129	5,930	1,186	22	937	187
Remaining Causes	4,331	70,290	14,058	2,013	34,293	6,859	2,318	35,998	7,200
Total Deaths - All Causes	17,903	283,219	56,644	8,894	148,016	29,603	9,009	135,203	27,041

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Franklin County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	675	9,812	1,962	379	5,525	1,105	296	4,287	857
Acute Myocardial Infarction	90	1,528	306	54	904	181	36	624	125
Other Ischemic Heart Disease	263	3,956	791	162	2,537	507	101	1,419	284
Hypertension	36	492	98	16	246	49	20	246	49
Cerebrovascular Disease	202	2,604	521	88	1,223	245	114	1,382	276
Atherosclerosis	6	81	16	5	73	15	1	8	2
Cancer	718	12,065	2,413	398	6,141	1,228	320	5,924	1,185
Colon, Rectum, and Anus	49	933	187	26	447	89	23	486	97
Trachea, Bronchus, and Lung	211	3,317	663	128	1,868	374	83	1,449	290
Breast (Female Only)	48	963	193	N/A	N/A	N/A	48	963	193
Prostate	29	331	66	29	331	66	N/A	N/A	N/A
Diabetes Mellitus	91	1,585	317	51	851	170	40	733	147
Pneumonia and Influenza	50	678	136	20	275	55	30	403	81
Chronic Lower Respiratory Diseases	182	2,352	470	92	1,168	234	90	1,185	237
Chronic Liver Disease and Cirrhosis	40	947	189	28	616	123	12	331	66
Septicemia	47	739	148	23	356	71	24	383	77
Nephritis, Nephrosis, & Nephrotic Syndrome	60	923	185	34	548	110	26	375	75
Alzheimer's disease	113	1,105	221	33	324	65	80	781	156
HIV disease	5	126	25	5	126	25	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	85	3,053	611	65	2,323	465	20	729	146
All Other Unintentional Injuries	146	4,317	863	89	2,819	564	57	1,498	300
Suicide	51	1,718	344	40	1,280	256	11	438	88
Homicide	22	987	197	15	634	127	7	352	70
Remaining Causes	695	11,687	2,337	335	6,061	1,212	360	5,625	1,125
Total Deaths - All Causes	3,224	55,268	11,054	1,716	30,587	6,117	1,508	24,680	4,936

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Gaston County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	2,330	31,213	6,243	1,295	18,066	3,613	1,035	13,147	2,629
Acute Myocardial Infarction	392	5,771	1,154	250	3,843	769	142	1,929	386
Other Ischemic Heart Disease	913	12,080	2,416	574	7,794	1,559	339	4,287	857
Hypertension	144	1,911	382	56	748	150	88	1,163	233
Cerebrovascular Disease	580	7,056	1,411	248	3,101	620	332	3,955	791
Atherosclerosis	6	95	19	4	81	16	2	14	3
Cancer	2,292	35,461	7,092	1,218	17,542	3,508	1,074	17,920	3,584
Colon, Rectum, and Anus	190	2,889	578	95	1,421	284	95	1,468	294
Trachea, Bronchus, and Lung	719	10,501	2,100	388	5,298	1,060	331	5,204	1,041
Breast (Female Only)	138	2,864	573	N/A	N/A	N/A	138	2,864	573
Prostate	86	976	195	86	976	195	N/A	N/A	N/A
Diabetes Mellitus	472	7,824	1,565	264	4,197	839	208	3,627	725
Pneumonia and Influenza	316	4,276	855	147	1,766	353	169	2,510	502
Chronic Lower Respiratory Diseases	884	11,611	2,322	372	4,376	875	512	7,236	1,447
Chronic Liver Disease and Cirrhosis	198	4,028	806	131	2,538	508	67	1,490	298
Septicemia	402	6,053	1,211	192	2,655	531	210	3,398	680
Nephritis, Nephrosis, & Nephrotic Syndrome	208	2,855	571	92	1,185	237	116	1,670	334
Alzheimer's disease	674	5,467	1,093	180	1,448	290	494	4,019	804
HIV disease	30	760	152	22	578	116	8	182	36
Unintentional Motor Vehicle Injuries	184	6,264	1,253	133	4,319	864	51	1,945	389
All Other Unintentional Injuries	484	14,183	2,837	315	9,461	1,892	169	4,722	944
Suicide	199	6,466	1,293	144	4,555	911	55	1,912	382
Homicide	59	2,571	514	50	2,207	441	9	365	73
Remaining Causes	2,889	43,442	8,688	1,328	21,471	4,294	1,561	21,971	4,394
Total Deaths - All Causes	12,351	191,537	38,307	6,191	100,293	20,059	6,160	91,244	18,249

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Gates County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	137	2,116	423	84	1,325	265	53	791	158
Acute Myocardial Infarction	24	406	81	15	254	51	9	152	30
Other Ischemic Heart Disease	54	840	168	34	515	103	20	325	65
Hypertension	13	136	27	7	72	14	6	64	13
Cerebrovascular Disease	25	353	71	12	162	32	13	191	38
Atherosclerosis		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Cancer	127	2,113	423	67	951	190	60	1,163	233
Colon, Rectum, and Anus	8	128	26	3	42	8	5	86	17
Trachea, Bronchus, and Lung	38	554	111	28	352	70	10	202	40
Breast (Female Only)	6	92	18	N/A	N/A	N/A	6	92	18
Prostate	6	60	12	6	60	12	N/A	N/A	N/A
Diabetes Mellitus	30	480	96	18	291	58	12	189	38
Pneumonia and Influenza	10	136	27	4	72	14	6	64	13
Chronic Lower Respiratory Diseases	39	593	119	23	314	63	16	279	56
Chronic Liver Disease and Cirrhosis	13	271	54	7	122	24	6	148	30
Septicemia	16	251	50	7	106	21	9	145	29
Nephritis, Nephrosis, & Nephrotic Syndrome	12	200	40	4	80	16	8	119	24
Alzheimer's disease	48	461	92	16	155	31	32	306	61
HIV disease		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	20	727	145	13	507	101	7	220	44
All Other Unintentional Injuries	24	584	117	16	358	72	8	226	45
Suicide	6	216	43	6	216	43	N/A	N/A	N/A
Homicide	3	146	29	3	146	29	N/A	N/A	N/A
Remaining Causes	156	2,778	556	91	1,580	316	65	1,198	240
Total Deaths - All Causes	679	11,558	2,312	378	6,456	1,291	301	5,102	1,020

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Graham County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	122	1,588	318	66	929	186	56	659	132
Acute Myocardial Infarction	20	276	55	14	196	39	6	80	16
Other Ischemic Heart Disease	52	698	140	27	395	79	25	303	61
Hypertension	6	80	16	4	59	12	2	21	4
Cerebrovascular Disease	28	462	92	15	211	42	13	251	50
Atherosclerosis	1	22	4	1	22	4	N/A	N/A	N/A
Cancer	122	1,950	390	58	922	184	64	1,028	206
Colon, Rectum, and Anus	11	202	40	5	60	12	6	142	28
Trachea, Bronchus, and Lung	39	601	120	19	284	57	20	316	63
Breast (Female Only)	7	143	29	N/A	N/A	N/A	7	143	29
Prostate	1	15	3	1	15	3	N/A	N/A	N/A
Diabetes Mellitus	16	297	59	9	146	29	7	151	30
Pneumonia and Influenza	12	153	31	5	44	9	7	108	22
Chronic Lower Respiratory Diseases	51	705	141	25	335	67	26	371	74
Chronic Liver Disease and Cirrhosis	13	289	58	9	208	42	4	82	16
Septicemia	8	134	27	4	70	14	4	64	13
Nephritis, Nephrosis, & Nephrotic Syndrome	14	240	48	9	168	34	5	72	14
Alzheimer's disease	12	110	22	7	59	12	5	50	10
HIV disease		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	6	164	33	4	108	22	2	56	11
All Other Unintentional Injuries	29	686	137	17	473	95	12	213	43
Suicide	8	213	43	8	213	43	N/A	N/A	N/A
Homicide	2	76	15	1	27	5	1	49	10
Remaining Causes	123	1,817	363	54	698	140	69	1,120	224
Total Deaths - All Causes	573	8,987	1,797	296	4,691	938	277	4,296	859

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Granville County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	566	7,925	1,585	312	4,525	905	254	3,399	680
Acute Myocardial Infarction	125	1,799	360	76	1,172	234	49	627	125
Other Ischemic Heart Disease	228	3,113	623	133	1,878	376	95	1,235	247
Hypertension	24	390	78	11	227	45	13	163	33
Cerebrovascular Disease	152	1,979	396	64	859	172	88	1,121	224
Atherosclerosis	1	11	2	N/A	N/A	N/A	1	11	2
Cancer	670	11,140	2,228	347	5,290	1,058	323	5,849	1,170
Colon, Rectum, and Anus	68	1,075	215	33	494	99	35	581	116
Trachea, Bronchus, and Lung	178	2,800	560	89	1,254	251	89	1,546	309
Breast (Female Only)	37	725	145	N/A	N/A	N/A	37	725	145
Prostate	41	464	93	41	464	93	N/A	N/A	N/A
Diabetes Mellitus	97	1,695	339	61	1,085	217	36	610	122
Pneumonia and Influenza	52	598	120	23	267	53	29	331	66
Chronic Lower Respiratory Diseases	148	2,110	422	69	924	185	79	1,186	237
Chronic Liver Disease and Cirrhosis	33	784	157	18	444	89	15	340	68
Septicemia	37	589	118	13	218	44	24	371	74
Nephritis, Nephrosis, & Nephrotic Syndrome	57	839	168	21	366	73	36	473	95
Alzheimer's disease	151	1,322	264	42	340	68	109	982	196
HIV disease	5	195	39	2	66	13	3	129	26
Unintentional Motor Vehicle Injuries	65	2,143	429	50	1,554	311	15	589	118
All Other Unintentional Injuries	104	3,016	603	66	1,921	384	38	1,095	219
Suicide	42	1,554	311	32	1,127	225	10	427	85
Homicide	11	461	92	7	306	61	4	155	31
Remaining Causes	745	12,133	2,427	333	5,581	1,116	412	6,552	1,310
Total Deaths - All Causes	2,960	48,884	9,777	1,471	25,099	5,020	1,489	23,785	4,757

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Greene County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	232	3,049	610	142	1,952	390	90	1,097	219
Acute Myocardial Infarction	55	795	159	36	521	104	19	273	55
Other Ischemic Heart Disease	66	901	180	50	691	138	16	209	42
Hypertension	10	139	28	4	61	12	6	78	16
Cerebrovascular Disease	85	1,004	201	39	408	82	46	596	119
Atherosclerosis	1	27	5	N/A	N/A	N/A	1	27	5
Cancer	220	3,606	721	134	1,986	397	86	1,620	324
Colon, Rectum, and Anus	18	351	70	13	238	48	5	114	23
Trachea, Bronchus, and Lung	49	748	150	31	414	83	18	335	67
Breast (Female Only)	11	224	45	N/A	N/A	N/A	11	224	45
Prostate	9	108	22	9	108	22	N/A	N/A	N/A
Diabetes Mellitus	29	410	82	13	175	35	16	235	47
Pneumonia and Influenza	18	196	39	7	59	12	11	137	27
Chronic Lower Respiratory Diseases	43	599	120	18	203	41	25	397	79
Chronic Liver Disease and Cirrhosis	14	269	54	9	154	31	5	114	23
Septicemia	26	353	71	10	123	25	16	230	46
Nephritis, Nephrosis, & Nephrotic Syndrome	22	293	59	11	161	32	11	132	26
Alzheimer's disease	49	434	87	16	129	26	33	305	61
HIV disease	4	128	26	3	97	19	1	31	6
Unintentional Motor Vehicle Injuries	22	858	172	17	621	124	5	237	47
All Other Unintentional Injuries	38	825	165	22	525	105	16	300	60
Suicide	13	331	66	10	255	51	3	76	15
Homicide	12	478	96	10	414	83	2	63	13
Remaining Causes	242	3,980	796	118	1,940	388	124	2,040	408
Total Deaths - All Causes	1,080	16,978	3,396	583	9,264	1,853	497	7,713	1,543

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Guilford County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	4,181	57,907	11,581	2,241	32,542	6,508	1,940	25,365	5,073
Acute Myocardial Infarction	682	9,897	1,979	401	5,979	1,196	281	3,918	784
Other Ischemic Heart Disease	1,463	21,429	4,286	865	13,118	2,624	598	8,311	1,662
Hypertension	276	3,909	782	116	1,842	368	160	2,067	413
Cerebrovascular Disease	1,326	16,226	3,245	567	7,384	1,477	759	8,842	1,768
Atherosclerosis	19	277	55	9	86	17	10	190	38
Cancer	4,623	74,508	14,902	2,388	35,970	7,194	2,235	38,539	7,708
Colon, Rectum, and Anus	393	6,784	1,357	207	3,489	698	186	3,295	659
Trachea, Bronchus, and Lung	1,152	17,797	3,559	644	9,588	1,918	508	8,210	1,642
Breast (Female Only)	360	7,135	1,427	N/A	N/A	N/A	360	7,135	1,427
Prostate	252	2,826	565	252	2,826	565	N/A	N/A	N/A
Diabetes Mellitus	757	12,960	2,592	409	6,767	1,353	348	6,192	1,238
Pneumonia and Influenza	552	7,324	1,465	269	3,398	680	283	3,926	785
Chronic Lower Respiratory Diseases	980	13,379	2,676	405	5,359	1,072	575	8,020	1,604
Chronic Liver Disease and Cirrhosis	356	7,955	1,591	221	4,707	941	135	3,248	650
Septicemia	360	5,484	1,097	189	2,849	570	171	2,635	527
Nephritis, Nephrosis, & Nephrotic Syndrome	612	8,741	1,748	306	4,368	874	306	4,373	875
Alzheimer's disease	1,218	10,122	2,024	356	2,967	593	862	7,155	1,431
HIV disease	63	1,846	369	45	1,257	251	18	590	118
Unintentional Motor Vehicle Injuries	348	13,019	2,604	252	9,371	1,874	96	3,647	729
All Other Unintentional Injuries	1,272	34,690	6,938	732	21,422	4,284	540	13,267	2,653
Suicide	315	11,104	2,221	246	8,524	1,705	69	2,580	516
Homicide	281	12,997	2,599	233	10,710	2,142	48	2,287	457
Remaining Causes	5,987	100,644	20,129	2,764	49,125	9,825	3,223	51,519	10,304
Total Deaths - All Causes	23,526	393,092	78,618	11,748	208,650	41,730	11,778	184,442	36,888

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Halifax County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	680	8,751	1,750	356	4,732	946	324	4,018	804
Acute Myocardial Infarction	97	1,217	243	51	661	132	46	556	111
Other Ischemic Heart Disease	266	3,558	712	164	2,229	446	102	1,329	266
Hypertension	91	1,013	203	37	490	98	54	522	104
Cerebrovascular Disease	199	2,548	510	86	1,141	228	113	1,407	281
Atherosclerosis	6	63	13	2	32	6	4	31	6
Cancer	750	11,390	2,278	393	5,637	1,127	357	5,753	1,151
Colon, Rectum, and Anus	77	1,260	252	33	506	101	44	754	151
Trachea, Bronchus, and Lung	191	2,877	575	109	1,563	313	82	1,314	263
Breast (Female Only)	46	865	173	N/A	N/A	N/A	46	865	173
Prostate	46	516	103	46	516	103	N/A	N/A	N/A
Diabetes Mellitus	189	2,596	519	88	1,249	250	101	1,348	270
Pneumonia and Influenza	60	763	153	24	321	64	36	442	88
Chronic Lower Respiratory Diseases	187	2,319	464	82	1,031	206	105	1,288	258
Chronic Liver Disease and Cirrhosis	54	1,167	233	35	726	145	19	440	88
Septicemia	65	939	188	39	554	111	26	385	77
Nephritis, Nephrosis, & Nephrotic Syndrome	88	1,115	223	45	568	114	43	547	109
Alzheimer's disease	115	971	194	26	221	44	89	749	150
HIV disease	14	334	67	8	194	39	6	140	28
Unintentional Motor Vehicle Injuries	76	2,668	534	55	1,912	382	21	756	151
All Other Unintentional Injuries	131	3,484	697	82	2,278	456	49	1,206	241
Suicide	35	962	192	28	717	143	7	244	49
Homicide	43	1,498	300	39	1,403	281	4	95	19
Remaining Causes	758	12,084	2,417	358	6,356	1,271	400	5,728	1,146
Total Deaths - All Causes	3,541	54,664	10,933	1,783	29,565	5,913	1,758	25,099	5,020

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Harnett County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	1,071	15,197	3,039	560	8,446	1,689	511	6,751	1,350
Acute Myocardial Infarction	157	2,264	453	87	1,288	258	70	976	195
Other Ischemic Heart Disease	455	6,576	1,315	263	3,960	792	192	2,616	523
Hypertension	79	886	177	33	385	77	46	502	100
Cerebrovascular Disease	280	3,591	718	107	1,478	296	173	2,113	423
Atherosclerosis	6	69	14	3	45	9	3	24	5
Cancer	1,126	18,799	3,760	607	9,509	1,902	519	9,290	1,858
Colon, Rectum, and Anus	98	1,661	332	55	916	183	43	745	149
Trachea, Bronchus, and Lung	340	5,359	1,072	196	2,910	582	144	2,449	490
Breast (Female Only)	74	1,431	286	N/A	N/A	N/A	74	1,431	286
Prostate	61	729	146	61	729	146	N/A	N/A	N/A
Diabetes Mellitus	208	3,384	677	104	1,683	337	104	1,701	340
Pneumonia and Influenza	85	1,199	240	37	582	116	48	616	123
Chronic Lower Respiratory Diseases	316	4,108	822	147	1,756	351	169	2,352	470
Chronic Liver Disease and Cirrhosis	76	1,548	310	48	1,019	204	28	529	106
Septicemia	77	1,306	261	45	644	129	32	663	133
Nephritis, Nephrosis, & Nephrotic Syndrome	94	1,299	260	43	551	110	51	748	150
Alzheimer's disease	169	1,373	275	54	456	91	115	918	184
HIV disease	13	411	82	4	149	30	9	262	52
Unintentional Motor Vehicle Injuries	138	5,220	1,044	102	3,641	728	36	1,579	316
All Other Unintentional Injuries	298	9,246	1,849	187	5,946	1,189	111	3,301	660
Suicide	83	2,823	565	63	2,073	415	20	750	150
Homicide	57	2,804	561	42	1,913	383	15	890	178
Remaining Causes	1,190	21,313	4,263	561	10,390	2,078	629	10,923	2,185
Total Deaths - All Causes	5,366	94,576	18,915	2,747	50,664	10,133	2,619	43,912	8,782

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Haywood County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	892	11,738	2,348	468	6,882	1,376	424	4,855	971
Acute Myocardial Infarction	100	1,513	303	57	1,002	200	43	512	102
Other Ischemic Heart Disease	384	5,612	1,122	240	3,644	729	144	1,968	394
Hypertension	41	405	81	19	206	41	22	198	40
Cerebrovascular Disease	187	2,242	448	69	777	155	118	1,465	293
Atherosclerosis	3	23	5	1	8	2	2	15	3
Cancer	797	11,852	2,370	421	6,117	1,223	376	5,735	1,147
Colon, Rectum, and Anus	52	807	161	28	447	89	24	360	72
Trachea, Bronchus, and Lung	230	3,423	685	117	1,750	350	113	1,673	335
Breast (Female Only)	46	870	174	N/A	N/A	N/A	46	870	174
Prostate	43	431	86	43	431	86	N/A	N/A	N/A
Diabetes Mellitus	92	1,522	304	48	820	164	44	702	140
Pneumonia and Influenza	148	1,506	301	55	569	114	93	937	187
Chronic Lower Respiratory Diseases	290	3,768	754	128	1,645	329	162	2,123	425
Chronic Liver Disease and Cirrhosis	66	1,565	313	52	1,222	244	14	343	69
Septicemia	76	1,228	246	35	584	117	41	644	129
Nephritis, Nephrosis, & Nephrotic Syndrome	85	980	196	43	502	100	42	477	95
Alzheimer's disease	125	1,019	204	35	304	61	90	716	143
HIV disease	1	29	6	1	29	6	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	59	1,691	338	42	1,194	239	17	497	99
All Other Unintentional Injuries	245	5,022	1,004	127	3,044	609	118	1,978	396
Suicide	72	2,423	485	50	1,593	319	22	831	166
Homicide	13	599	120	8	352	70	5	247	49
Remaining Causes	1,040	14,279	2,856	455	6,971	1,394	585	7,308	1,462
Total Deaths - All Causes	4,232	61,889	12,378	2,057	32,818	6,564	2,175	29,071	5,814

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Henderson County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	1,455	17,593	3,519	786	10,247	2,049	669	7,346	1,469
Acute Myocardial Infarction	180	2,389	478	106	1,537	307	74	852	170
Other Ischemic Heart Disease	577	7,274	1,455	337	4,471	894	240	2,803	561
Hypertension	56	686	137	27	362	72	29	324	65
Cerebrovascular Disease	411	4,578	916	173	2,049	410	238	2,530	506
Atherosclerosis	12	178	36	9	143	29	3	35	7
Cancer	1,480	22,256	4,451	753	10,984	2,197	727	11,272	2,254
Colon, Rectum, and Anus	105	1,809	362	56	1,006	201	49	803	161
Trachea, Bronchus, and Lung	360	5,419	1,084	183	2,645	529	177	2,774	555
Breast (Female Only)	119	1,900	380	N/A	N/A	N/A	119	1,900	380
Prostate	84	965	193	84	965	193	N/A	N/A	N/A
Diabetes Mellitus	148	2,452	490	86	1,481	296	62	971	194
Pneumonia and Influenza	180	2,024	405	94	993	199	86	1,031	206
Chronic Lower Respiratory Diseases	368	4,886	977	174	2,372	474	194	2,514	503
Chronic Liver Disease and Cirrhosis	102	2,441	488	62	1,383	277	40	1,058	212
Septicemia	83	1,222	244	37	498	100	46	724	145
Nephritis, Nephrosis, & Nephrotic Syndrome	116	1,474	295	69	817	163	47	657	131
Alzheimer's disease	341	2,834	567	101	884	177	240	1,950	390
HIV disease	2	67	13	2	67	13	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	77	2,871	574	57	2,115	423	20	756	151
All Other Unintentional Injuries	385	8,050	1,610	204	5,320	1,064	181	2,730	546
Suicide	109	3,446	689	91	2,858	572	18	588	118
Homicide	19	766	153	16	671	134	3	95	19
Remaining Causes	1,868	24,426	4,885	852	11,695	2,339	1,016	12,731	2,546
Total Deaths - All Causes	7,212	102,252	20,450	3,593	54,941	10,988	3,619	47,310	9,462

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Hertford County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	286	4,037	807	157	2,240	448	129	1,797	359
Acute Myocardial Infarction	51	721	144	29	421	84	22	300	60
Other Ischemic Heart Disease	122	1,742	348	63	908	182	59	834	167
Hypertension	42	519	104	17	246	49	25	273	55
Cerebrovascular Disease	75	986	197	36	498	100	39	488	98
Atherosclerosis		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Cancer	258	4,141	828	141	2,076	415	117	2,065	413
Colon, Rectum, and Anus	27	477	95	12	223	45	15	254	51
Trachea, Bronchus, and Lung	69	1,079	216	41	593	119	28	486	97
Breast (Female Only)	16	240	48	N/A	N/A	N/A	16	240	48
Prostate	23	259	52	23	259	52	N/A	N/A	N/A
Diabetes Mellitus	98	1,452	290	52	823	165	46	629	126
Pneumonia and Influenza	28	316	63	11	129	26	17	186	37
Chronic Lower Respiratory Diseases	64	929	186	31	438	88	33	492	98
Chronic Liver Disease and Cirrhosis	16	342	68	8	164	33	8	178	36
Septicemia	20	302	60	8	140	28	12	162	32
Nephritis, Nephrosis, & Nephrotic Syndrome	30	394	79	12	160	32	18	234	47
Alzheimer's disease	105	963	193	29	272	54	76	691	138
HIV disease	3	61	12	2	43	9	1	18	4
Unintentional Motor Vehicle Injuries	32	1,228	246	22	860	172	10	369	74
All Other Unintentional Injuries	46	1,189	238	27	757	151	19	432	86
Suicide	15	453	91	12	376	75	3	77	15
Homicide	21	887	177	18	720	144	3	167	33
Remaining Causes	335	5,395	1,079	160	2,633	527	175	2,762	552
Total Deaths - All Causes	1,474	23,595	4,719	743	12,575	2,515	731	11,020	2,204

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Hoke County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	379	5,684	1,137	205	3,169	634	174	2,515	503
Acute Myocardial Infarction	62	875	175	33	481	96	29	394	79
Other Ischemic Heart Disease	152	2,477	495	84	1,351	270	68	1,126	225
Hypertension	23	328	66	9	107	21	14	221	44
Cerebrovascular Disease	88	1,217	243	42	592	118	46	625	125
Atherosclerosis	2	17	3	1	10	2	1	7	1
Cancer	377	6,620	1,324	201	3,163	633	176	3,457	691
Colon, Rectum, and Anus	27	531	106	12	237	47	15	294	59
Trachea, Bronchus, and Lung	94	1,516	303	58	846	169	36	670	134
Breast (Female Only)	33	689	138	N/A	N/A	N/A	33	689	138
Prostate	21	228	46	21	228	46	N/A	N/A	N/A
Diabetes Mellitus	75	1,175	235	33	502	100	42	673	135
Pneumonia and Influenza	32	487	97	18	233	47	14	254	51
Chronic Lower Respiratory Diseases	98	1,363	273	47	568	114	51	795	159
Chronic Liver Disease and Cirrhosis	25	547	109	20	407	81	5	140	28
Septicemia	28	484	97	16	297	59	12	187	37
Nephritis, Nephrosis, & Nephrotic Syndrome	31	427	85	7	95	19	24	331	66
Alzheimer's disease	107	874	175	26	198	40	81	676	135
HIV disease	13	305	61	10	235	47	3	70	14
Unintentional Motor Vehicle Injuries	71	2,634	527	52	1,900	380	19	734	147
All Other Unintentional Injuries	69	2,245	449	52	1,746	349	17	499	100
Suicide	39	1,574	315	27	1,050	210	12	524	105
Homicide	35	1,478	296	28	1,157	231	7	321	64
Remaining Causes	425	9,058	1,812	225	5,361	1,072	200	3,697	739
Total Deaths - All Causes	1,917	36,517	7,303	1,019	20,791	4,158	898	15,726	3,145

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Hyde County

Cause of Death	Total			Sex					
				Male			Female		
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	68	895	179	45	631	126	23	264	53
Acute Myocardial Infarction	16	223	45	14	192	38	2	30	6
Other Ischemic Heart Disease	22	342	68	16	264	53	6	78	16
Hypertension	4	42	8	3	34	7	1	8	2
Cerebrovascular Disease	18	309	62	11	131	26	7	178	36
Atherosclerosis	1	12	2	N/A	N/A	N/A	1	12	2
Cancer	68	1,013	203	33	467	93	35	546	109
Colon, Rectum, and Anus	6	68	14	4	52	10	2	15	3
Trachea, Bronchus, and Lung	21	313	63	6	106	21	15	207	41
Breast (Female Only)	3	42	8	N/A	N/A	N/A	3	42	8
Prostate	3	22	4	3	22	4	N/A	N/A	N/A
Diabetes Mellitus	8	102	20	7	95	19	1	8	2
Pneumonia and Influenza	5	135	27	2	28	6	3	107	21
Chronic Lower Respiratory Diseases	21	325	65	11	140	28	10	185	37
Chronic Liver Disease and Cirrhosis	8	170	34	6	113	23	2	57	11
Septicemia	6	95	19	3	39	8	3	56	11
Nephritis, Nephrosis, & Nephrotic Syndrome	9	98	20	6	64	13	3	34	7
Alzheimer's disease	26	255	51	7	56	11	19	199	40
HIV disease		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	3	115	23	3	115	23	N/A	N/A	N/A
All Other Unintentional Injuries	22	650	130	17	420	84	5	229	46
Suicide		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Homicide	2	72	14	2	72	14	N/A	N/A	N/A
Remaining Causes	58	619	124	30	345	69	28	274	55
Total Deaths - All Causes	327	4,907	981	186	2,749	550	141	2,158	432

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Iredell County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	1,556	19,801	3,960	893	11,781	2,356	663	8,021	1,604
Acute Myocardial Infarction	341	4,626	925	193	2,840	568	148	1,786	357
Other Ischemic Heart Disease	548	6,903	1,381	363	4,519	904	185	2,384	477
Hypertension	79	1,092	218	36	592	118	43	500	100
Cerebrovascular Disease	459	5,043	1,009	177	1,971	394	282	3,072	614
Atherosclerosis	8	83	17	6	71	14	2	12	2
Cancer	1,654	25,339	5,068	863	12,404	2,481	791	12,935	2,587
Colon, Rectum, and Anus	146	2,248	450	78	1,196	239	68	1,052	210
Trachea, Bronchus, and Lung	455	7,040	1,408	235	3,306	661	220	3,734	747
Breast (Female Only)	118	2,114	423	N/A	N/A	N/A	118	2,114	423
Prostate	91	947	189	91	947	189	N/A	N/A	N/A
Diabetes Mellitus	271	4,286	857	160	2,518	504	111	1,768	354
Pneumonia and Influenza	180	2,360	472	85	1,134	227	95	1,226	245
Chronic Lower Respiratory Diseases	507	6,653	1,331	236	2,865	573	271	3,788	758
Chronic Liver Disease and Cirrhosis	131	2,849	570	78	1,572	314	53	1,277	255
Septicemia	117	1,589	318	56	748	150	61	840	168
Nephritis, Nephrosis, & Nephrotic Syndrome	142	1,636	327	67	776	155	75	860	172
Alzheimer's disease	454	3,373	675	124	869	174	330	2,504	501
HIV disease	11	290	58	7	191	38	4	99	20
Unintentional Motor Vehicle Injuries	140	5,197	1,039	102	3,635	727	38	1,561	312
All Other Unintentional Injuries	334	9,700	1,940	194	6,014	1,203	140	3,687	737
Suicide	146	5,201	1,040	118	4,062	812	28	1,139	228
Homicide	32	1,415	283	25	1,083	217	7	332	66
Remaining Causes	2,047	30,630	6,126	954	14,762	2,952	1,093	15,869	3,174
Total Deaths - All Causes	8,268	126,538	25,308	4,181	67,047	13,409	4,087	59,491	11,898

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Jackson County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	421	6,441	1,288	240	3,879	776	181	2,562	512
Acute Myocardial Infarction	61	1,073	215	40	664	133	21	410	82
Other Ischemic Heart Disease	164	2,572	514	104	1,645	329	60	927	185
Hypertension	15	251	50	8	160	32	7	91	18
Cerebrovascular Disease	105	1,447	289	62	761	152	43	686	137
Atherosclerosis	1	20	4	N/A	N/A	N/A	1	20	4
Cancer	426	6,893	1,379	241	3,696	739	185	3,197	639
Colon, Rectum, and Anus	44	684	137	19	315	63	25	369	74
Trachea, Bronchus, and Lung	124	2,007	401	71	1,134	227	53	873	175
Breast (Female Only)	23	505	101	N/A	N/A	N/A	23	505	101
Prostate	20	245	49	20	245	49	N/A	N/A	N/A
Diabetes Mellitus	67	1,327	265	35	677	135	32	650	130
Pneumonia and Influenza	45	657	131	23	392	78	22	265	53
Chronic Lower Respiratory Diseases	129	1,775	355	61	765	153	68	1,011	202
Chronic Liver Disease and Cirrhosis	50	1,248	250	32	787	157	18	462	92
Septicemia	26	452	90	12	238	48	14	214	43
Nephritis, Nephrosis, & Nephrotic Syndrome	30	459	92	16	328	66	14	131	26
Alzheimer's disease	76	736	147	21	176	35	55	560	112
HIV disease		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	32	1,144	229	18	565	113	14	580	116
All Other Unintentional Injuries	135	3,960	792	72	2,097	419	63	1,863	373
Suicide	37	1,072	214	26	744	149	11	329	66
Homicide	8	274	55	6	175	35	2	98	20
Remaining Causes	475	7,912	1,582	228	3,658	732	247	4,254	851
Total Deaths - All Causes	2,078	36,069	7,214	1,101	19,098	3,820	977	16,971	3,394

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Johnston County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	1,636	22,663	4,533	883	12,782	2,556	753	9,880	1,976
Acute Myocardial Infarction	246	3,572	714	142	2,183	437	104	1,390	278
Other Ischemic Heart Disease	673	9,599	1,920	402	6,050	1,210	271	3,549	710
Hypertension	93	1,150	230	32	446	89	61	704	141
Cerebrovascular Disease	405	5,181	1,036	177	2,353	471	228	2,828	566
Atherosclerosis	6	92	18	3	57	11	3	35	7
Cancer	1,706	27,684	5,537	903	13,406	2,681	803	14,277	2,855
Colon, Rectum, and Anus	149	2,863	573	75	1,405	281	74	1,457	291
Trachea, Bronchus, and Lung	526	8,024	1,605	281	3,971	794	245	4,053	811
Breast (Female Only)	104	2,094	419	N/A	N/A	N/A	104	2,094	419
Prostate	83	943	189	83	943	189	N/A	N/A	N/A
Diabetes Mellitus	240	3,825	765	141	2,218	444	99	1,607	321
Pneumonia and Influenza	163	2,182	436	73	946	189	90	1,236	247
Chronic Lower Respiratory Diseases	436	5,796	1,159	217	2,757	551	219	3,039	608
Chronic Liver Disease and Cirrhosis	99	1,988	398	64	1,291	258	35	697	139
Septicemia	139	2,027	405	54	809	162	85	1,218	244
Nephritis, Nephrosis, & Nephrotic Syndrome	196	2,599	520	89	1,186	237	107	1,413	283
Alzheimer's disease	335	2,661	532	105	796	159	230	1,864	373
HIV disease	10	207	41	6	136	27	4	71	14
Unintentional Motor Vehicle Injuries	179	6,487	1,297	127	4,463	893	52	2,024	405
All Other Unintentional Injuries	367	10,127	2,025	236	6,950	1,390	131	3,177	635
Suicide	127	3,893	779	104	3,025	605	23	868	174
Homicide	44	1,934	387	30	1,271	254	14	663	133
Remaining Causes	1,760	31,378	6,276	818	15,355	3,071	942	16,023	3,205
Total Deaths - All Causes	7,941	131,873	26,375	4,062	70,249	14,050	3,879	61,624	12,325

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Jones County

Cause of Death	Total			Sex					
				Male			Female		
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	135	1,647	329	84	966	193	51	681	136
Acute Myocardial Infarction	16	213	43	12	150	30	4	62	12
Other Ischemic Heart Disease	63	735	147	41	443	89	22	291	58
Hypertension	11	132	26	6	68	14	5	64	13
Cerebrovascular Disease	28	331	66	10	116	23	18	215	43
Atherosclerosis	1	14	3	N/A	N/A	N/A	1	14	3
Cancer	127	1,864	373	73	962	192	54	902	180
Colon, Rectum, and Anus	6	73	15	3	49	10	3	23	5
Trachea, Bronchus, and Lung	39	570	114	23	303	61	16	267	53
Breast (Female Only)	10	214	43	N/A	N/A	N/A	10	214	43
Prostate	9	96	19	9	96	19	N/A	N/A	N/A
Diabetes Mellitus	24	328	66	15	216	43	9	111	22
Pneumonia and Influenza	15	235	47	7	99	20	8	136	27
Chronic Lower Respiratory Diseases	49	664	133	27	333	67	22	331	66
Chronic Liver Disease and Cirrhosis	15	319	64	12	273	55	3	46	9
Septicemia	13	270	54	6	119	24	7	151	30
Nephritis, Nephrosis, & Nephrotic Syndrome	14	162	32	8	108	22	6	53	11
Alzheimer's disease	25	208	42	9	69	14	16	139	28
HIV disease		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	13	440	88	8	304	61	5	137	27
All Other Unintentional Injuries	26	728	146	18	463	93	8	265	53
Suicide	2	43	9	2	43	9	N/A	N/A	N/A
Homicide	4	125	25	2	84	17	2	41	8
Remaining Causes	153	2,065	413	69	905	181	84	1,160	232
Total Deaths - All Causes	655	9,574	1,915	356	5,129	1,026	299	4,445	889

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Lee County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	598	8,469	1,694	339	5,082	1,016	259	3,387	677
Acute Myocardial Infarction	96	1,315	263	58	832	166	38	483	97
Other Ischemic Heart Disease	262	3,727	745	168	2,540	508	94	1,186	237
Hypertension	25	433	87	9	198	40	16	235	47
Cerebrovascular Disease	161	2,236	447	73	1,049	210	88	1,186	237
Atherosclerosis		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Cancer	640	10,522	2,104	358	5,649	1,130	282	4,873	975
Colon, Rectum, and Anus	51	825	165	33	549	110	18	276	55
Trachea, Bronchus, and Lung	171	2,747	549	105	1,575	315	66	1,172	234
Breast (Female Only)	52	995	199	N/A	N/A	N/A	52	995	199
Prostate	22	250	50	22	250	50	N/A	N/A	N/A
Diabetes Mellitus	117	2,204	441	64	1,129	226	53	1,075	215
Pneumonia and Influenza	41	603	121	22	286	57	19	317	63
Chronic Lower Respiratory Diseases	159	2,551	510	66	985	197	93	1,565	313
Chronic Liver Disease and Cirrhosis	61	1,356	271	41	856	171	20	500	100
Septicemia	39	722	144	17	340	68	22	382	76
Nephritis, Nephrosis, & Nephrotic Syndrome	58	700	140	31	373	75	27	327	65
Alzheimer's disease	169	1,586	317	40	344	69	129	1,242	248
HIV disease	4	83	17	2	27	5	2	55	11
Unintentional Motor Vehicle Injuries	75	2,641	528	58	2,047	409	17	594	119
All Other Unintentional Injuries	146	5,010	1,002	96	3,379	676	50	1,631	326
Suicide	39	1,332	266	35	1,155	231	4	177	35
Homicide	33	1,450	290	26	1,138	228	7	312	62
Remaining Causes	779	13,716	2,743	361	6,658	1,332	418	7,058	1,412
Total Deaths - All Causes	3,144	55,612	11,122	1,638	30,696	6,139	1,506	24,916	4,983

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Lenoir County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	897	11,514	2,303	470	6,368	1,274	427	5,146	1,029
Acute Myocardial Infarction	121	1,752	350	77	1,161	232	44	591	118
Other Ischemic Heart Disease	307	3,923	785	185	2,326	465	122	1,597	319
Hypertension	84	1,054	211	34	517	103	50	537	107
Cerebrovascular Disease	293	3,540	708	126	1,622	324	167	1,918	384
Atherosclerosis	8	68	14	4	34	7	4	33	7
Cancer	705	10,462	2,092	367	5,106	1,021	338	5,356	1,071
Colon, Rectum, and Anus	55	886	177	28	463	93	27	423	85
Trachea, Bronchus, and Lung	206	3,055	611	115	1,631	326	91	1,424	285
Breast (Female Only)	46	861	172	N/A	N/A	N/A	46	861	172
Prostate	27	246	49	27	246	49	N/A	N/A	N/A
Diabetes Mellitus	116	1,837	367	55	858	172	61	979	196
Pneumonia and Influenza	66	918	184	33	493	99	33	425	85
Chronic Lower Respiratory Diseases	181	2,463	493	87	1,173	235	94	1,290	258
Chronic Liver Disease and Cirrhosis	49	867	173	35	631	126	14	236	47
Septicemia	65	952	190	29	391	78	36	561	112
Nephritis, Nephrosis, & Nephrotic Syndrome	97	1,230	246	49	634	127	48	596	119
Alzheimer's disease	124	1,068	214	35	309	62	89	759	152
HIV disease	8	300	60	2	52	10	6	248	50
Unintentional Motor Vehicle Injuries	52	1,391	278	34	886	177	18	505	101
All Other Unintentional Injuries	152	3,561	712	94	2,261	452	58	1,300	260
Suicide	36	1,124	225	25	770	154	11	354	71
Homicide	36	1,432	286	33	1,336	267	3	95	19
Remaining Causes	868	14,282	2,856	423	7,570	1,514	445	6,712	1,342
Total Deaths - All Causes	3,837	58,062	11,612	1,935	31,011	6,202	1,902	27,050	5,410

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Lincoln County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	812	10,938	2,188	468	6,595	1,319	344	4,343	869
Acute Myocardial Infarction	156	2,358	472	102	1,579	316	54	779	156
Other Ischemic Heart Disease	285	4,100	820	193	2,853	571	92	1,246	249
Hypertension	38	584	117	19	300	60	19	284	57
Cerebrovascular Disease	221	2,766	553	111	1,498	300	110	1,268	254
Atherosclerosis		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Cancer	912	14,628	2,926	497	7,315	1,463	415	7,313	1,463
Colon, Rectum, and Anus	76	1,255	251	39	658	132	37	597	119
Trachea, Bronchus, and Lung	256	3,866	773	134	1,808	362	122	2,058	412
Breast (Female Only)	63	1,234	247	N/A	N/A	N/A	63	1,234	247
Prostate	38	436	87	38	436	87	N/A	N/A	N/A
Diabetes Mellitus	141	2,349	470	89	1,418	284	52	931	186
Pneumonia and Influenza	68	946	189	38	460	92	30	486	97
Chronic Lower Respiratory Diseases	303	3,888	778	146	1,813	363	157	2,075	415
Chronic Liver Disease and Cirrhosis	71	1,460	292	41	844	169	30	617	123
Septicemia	83	1,276	255	32	455	91	51	822	164
Nephritis, Nephrosis, & Nephrotic Syndrome	94	1,176	235	48	530	106	46	646	129
Alzheimer's disease	177	1,502	300	52	435	87	125	1,067	213
HIV disease	3	131	26	2	75	15	1	56	11
Unintentional Motor Vehicle Injuries	75	2,665	533	52	1,790	358	23	875	175
All Other Unintentional Injuries	159	4,777	955	99	3,090	618	60	1,687	337
Suicide	72	2,181	436	56	1,718	344	16	463	93
Homicide	15	661	132	13	608	122	2	53	11
Remaining Causes	1,073	16,048	3,210	499	8,240	1,648	574	7,808	1,562
Total Deaths - All Causes	4,317	67,977	13,595	2,262	37,183	7,437	2,055	30,793	6,159

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = McDowell County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	524	7,021	1,404	286	4,005	801	238	3,016	603
Acute Myocardial Infarction	93	1,321	264	54	839	168	39	482	96
Other Ischemic Heart Disease	218	2,880	576	128	1,719	344	90	1,161	232
Hypertension	19	236	47	8	99	20	11	136	27
Cerebrovascular Disease	147	1,734	347	64	775	155	83	959	192
Atherosclerosis	12	112	22	6	61	12	6	52	10
Cancer	604	9,563	1,913	336	5,018	1,004	268	4,544	909
Colon, Rectum, and Anus	51	821	164	32	491	98	19	330	66
Trachea, Bronchus, and Lung	181	2,821	564	104	1,565	313	77	1,257	251
Breast (Female Only)	36	654	131	N/A	N/A	N/A	36	654	131
Prostate	17	190	38	17	190	38	N/A	N/A	N/A
Diabetes Mellitus	88	1,525	305	48	833	167	40	692	138
Pneumonia and Influenza	68	795	159	34	361	72	34	435	87
Chronic Lower Respiratory Diseases	234	3,320	664	119	1,563	313	115	1,756	351
Chronic Liver Disease and Cirrhosis	44	982	196	30	632	126	14	350	70
Septicemia	35	533	107	15	232	46	20	302	60
Nephritis, Nephrosis, & Nephrotic Syndrome	39	526	105	26	317	63	13	208	42
Alzheimer's disease	115	1,065	213	32	263	53	83	802	160
HIV disease	1	27	5	1	27	5	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	25	767	153	17	533	107	8	234	47
All Other Unintentional Injuries	129	3,378	676	74	1,937	387	55	1,441	288
Suicide	38	1,197	239	29	924	185	9	273	55
Homicide	15	433	87	13	379	76	2	55	11
Remaining Causes	644	9,852	1,970	311	4,697	939	333	5,155	1,031
Total Deaths - All Causes	2,781	43,065	8,613	1,449	22,657	4,531	1,332	20,409	4,082

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Macon County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	465	5,782	1,156	254	3,329	666	211	2,453	491
Acute Myocardial Infarction	70	987	197	38	546	109	32	441	88
Other Ischemic Heart Disease	200	2,457	491	128	1,666	333	72	791	158
Hypertension	25	233	47	11	115	23	14	119	24
Cerebrovascular Disease	123	1,407	281	46	516	103	77	891	178
Atherosclerosis	4	52	10	1	7	1	3	45	9
Cancer	509	7,177	1,435	293	4,009	802	216	3,168	634
Colon, Rectum, and Anus	49	718	144	26	358	72	23	359	72
Trachea, Bronchus, and Lung	142	1,980	396	72	983	197	70	997	199
Breast (Female Only)	30	542	108	N/A	N/A	N/A	30	542	108
Prostate	37	441	88	37	441	88	N/A	N/A	N/A
Diabetes Mellitus	73	953	191	37	488	98	36	465	93
Pneumonia and Influenza	51	485	97	24	230	46	27	256	51
Chronic Lower Respiratory Diseases	194	2,456	491	85	1,104	221	109	1,353	271
Chronic Liver Disease and Cirrhosis	45	955	191	27	545	109	18	410	82
Septicemia	26	328	66	15	173	35	11	154	31
Nephritis, Nephrosis, & Nephrotic Syndrome	43	514	103	21	306	61	22	208	42
Alzheimer's disease	114	915	183	37	280	56	77	635	127
HIV disease	2	63	13	2	63	13	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	42	1,295	259	28	864	173	14	431	86
All Other Unintentional Injuries	121	2,612	522	76	1,700	340	45	912	182
Suicide	34	916	183	23	569	114	11	347	69
Homicide	10	437	87	9	410	82	1	27	5
Remaining Causes	584	7,875	1,575	283	3,786	757	301	4,089	818
Total Deaths - All Causes	2,465	34,454	6,891	1,272	18,491	3,698	1,193	15,964	3,193

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Madison County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	283	3,755	751	144	2,085	417	139	1,670	334
Acute Myocardial Infarction	61	840	168	35	512	102	26	328	66
Other Ischemic Heart Disease	97	1,294	259	53	753	151	44	541	108
Hypertension	7	131	26	3	64	13	4	68	14
Cerebrovascular Disease	90	1,095	219	40	514	103	50	582	116
Atherosclerosis	4	82	16	2	68	14	2	14	3
Cancer	252	3,994	799	142	2,179	436	110	1,815	363
Colon, Rectum, and Anus	21	463	93	12	244	49	9	219	44
Trachea, Bronchus, and Lung	77	1,176	235	39	511	102	38	666	133
Breast (Female Only)	15	255	51	N/A	N/A	N/A	15	255	51
Prostate	13	157	31	13	157	31	N/A	N/A	N/A
Diabetes Mellitus	29	500	100	16	270	54	13	231	46
Pneumonia and Influenza	38	512	102	14	208	42	24	304	61
Chronic Lower Respiratory Diseases	96	1,321	264	46	631	126	50	690	138
Chronic Liver Disease and Cirrhosis	18	403	81	11	254	51	7	149	30
Septicemia	25	338	68	12	126	25	13	212	42
Nephritis, Nephrosis, & Nephrotic Syndrome	20	255	51	12	172	34	8	84	17
Alzheimer's disease	57	475	95	15	138	28	42	337	67
HIV disease	1	32	6	1	32	6	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	26	738	148	19	507	101	7	231	46
All Other Unintentional Injuries	68	1,698	340	48	1,297	259	20	401	80
Suicide	15	494	99	14	429	86	1	65	13
Homicide	1	31	6	1	31	6	N/A	N/A	N/A
Remaining Causes	312	4,240	848	147	2,047	409	165	2,193	439
Total Deaths - All Causes	1,342	20,096	4,019	687	11,052	2,210	655	9,045	1,809

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Martin County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	391	5,381	1,076	216	3,155	631	175	2,226	445
Acute Myocardial Infarction	85	1,196	239	56	838	168	29	359	72
Other Ischemic Heart Disease	129	1,709	342	72	1,044	209	57	664	133
Hypertension	21	239	48	8	104	21	13	135	27
Cerebrovascular Disease	97	1,184	237	36	434	87	61	751	150
Atherosclerosis	1	20	4	1	20	4	N/A	N/A	N/A
Cancer	316	4,560	912	163	2,139	428	153	2,421	484
Colon, Rectum, and Anus	19	300	60	11	132	26	8	168	34
Trachea, Bronchus, and Lung	78	1,158	232	48	677	135	30	481	96
Breast (Female Only)	20	330	66	N/A	N/A	N/A	20	330	66
Prostate	23	260	52	23	260	52	N/A	N/A	N/A
Diabetes Mellitus	74	1,143	229	45	715	143	29	428	86
Pneumonia and Influenza	31	399	80	15	155	31	16	245	49
Chronic Lower Respiratory Diseases	63	727	145	35	377	75	28	350	70
Chronic Liver Disease and Cirrhosis	22	405	81	14	258	52	8	146	29
Septicemia	17	262	52	10	132	26	7	130	26
Nephritis, Nephrosis, & Nephrotic Syndrome	50	675	135	24	292	58	26	383	77
Alzheimer's disease	125	1,040	208	45	356	71	80	683	137
HIV disease	2	40	8	1	14	3	1	26	5
Unintentional Motor Vehicle Injuries	23	752	150	15	473	95	8	279	56
All Other Unintentional Injuries	57	1,521	304	43	1,155	231	14	366	73
Suicide	12	337	67	8	158	32	4	179	36
Homicide	10	556	111	4	166	33	6	391	78
Remaining Causes	353	5,341	1,068	160	2,594	519	193	2,747	549
Total Deaths - All Causes	1,665	24,584	4,917	843	12,698	2,540	822	11,887	2,377

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Mecklenburg County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	6,069	91,161	18,232	3,254	52,325	10,465	2,815	38,836	7,767
Acute Myocardial Infarction	867	13,899	2,780	487	8,437	1,687	380	5,462	1,092
Other Ischemic Heart Disease	1,542	22,066	4,413	974	14,598	2,920	568	7,468	1,494
Hypertension	339	5,726	1,145	177	3,206	641	162	2,520	504
Cerebrovascular Disease	1,786	24,797	4,959	780	11,508	2,302	1,006	13,289	2,658
Atherosclerosis	6	96	19	4	75	15	2	21	4
Cancer	6,653	116,292	23,258	3,312	53,733	10,747	3,341	62,559	12,512
Colon, Rectum, and Anus	558	10,224	2,045	266	5,027	1,005	292	5,197	1,039
Trachea, Bronchus, and Lung	1,417	22,656	4,531	753	11,534	2,307	664	11,122	2,224
Breast (Female Only)	544	11,880	2,376	N/A	N/A	N/A	544	11,880	2,376
Prostate	379	4,610	922	379	4,610	922	N/A	N/A	N/A
Diabetes Mellitus	1,002	19,470	3,894	575	10,812	2,162	427	8,657	1,731
Pneumonia and Influenza	522	7,639	1,528	258	3,999	800	264	3,640	728
Chronic Lower Respiratory Diseases	1,310	17,712	3,542	577	7,721	1,544	733	9,992	1,998
Chronic Liver Disease and Cirrhosis	442	10,481	2,096	282	6,607	1,321	160	3,874	775
Septicemia	495	8,123	1,625	239	4,086	817	256	4,037	807
Nephritis, Nephrosis, & Nephrotic Syndrome	803	12,185	2,437	389	5,981	1,196	414	6,205	1,241
Alzheimer's disease	1,640	14,709	2,942	478	3,989	798	1,162	10,720	2,144
HIV disease	149	4,232	846	101	2,745	549	48	1,488	298
Unintentional Motor Vehicle Injuries	517	20,762	4,152	383	15,191	3,038	134	5,571	1,114
All Other Unintentional Injuries	1,647	55,386	11,077	1,086	38,702	7,740	561	16,684	3,337
Suicide	529	20,467	4,093	407	15,465	3,093	122	5,001	1,000
Homicide	480	23,264	4,653	389	18,766	3,753	91	4,498	900
Remaining Causes	8,539	151,808	30,362	3,834	72,187	14,437	4,705	79,621	15,924
Total Deaths - All Causes	32,928	604,311	120,862	16,525	327,098	65,420	16,403	277,212	55,442

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Mitchell County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	248	2,827	565	129	1,725	345	119	1,102	220
Acute Myocardial Infarction	44	591	118	29	445	89	15	146	29
Other Ischemic Heart Disease	91	1,052	210	54	714	143	37	338	68
Hypertension	5	88	18	4	82	16	1	6	1
Cerebrovascular Disease	65	694	139	29	378	76	36	316	63
Atherosclerosis		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Cancer	214	3,175	635	119	1,629	326	95	1,546	309
Colon, Rectum, and Anus	22	338	68	12	155	31	10	184	37
Trachea, Bronchus, and Lung	59	812	162	32	426	85	27	386	77
Breast (Female Only)	23	417	83	N/A	N/A	N/A	23	417	83
Prostate	13	148	30	13	148	30	N/A	N/A	N/A
Diabetes Mellitus	28	433	87	14	191	38	14	243	49
Pneumonia and Influenza	21	214	43	8	76	15	13	138	28
Chronic Lower Respiratory Diseases	107	1,276	255	52	600	120	55	676	135
Chronic Liver Disease and Cirrhosis	19	395	79	15	274	55	4	121	24
Septicemia	13	241	48	7	137	27	6	104	21
Nephritis, Nephrosis, & Nephrotic Syndrome	25	357	71	18	270	54	7	87	17
Alzheimer's disease	66	464	93	16	120	24	50	344	69
HIV disease	1	21	4	1	21	4	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	14	413	83	10	274	55	4	139	28
All Other Unintentional Injuries	60	1,237	247	33	720	144	27	517	103
Suicide	19	469	94	17	436	87	2	32	6
Homicide	1	46	9	1	46	9	N/A	N/A	N/A
Remaining Causes	262	3,155	631	125	1,766	353	137	1,390	278
Total Deaths - All Causes	1,168	15,504	3,101	598	8,745	1,749	570	6,759	1,352

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Montgomery County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	326	4,332	866	169	2,400	480	157	1,933	387
Acute Myocardial Infarction	63	873	175	39	570	114	24	303	61
Other Ischemic Heart Disease	118	1,548	310	68	971	194	50	577	115
Hypertension	15	135	27	9	89	18	6	46	9
Cerebrovascular Disease	79	962	192	40	578	116	39	384	77
Atherosclerosis		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Cancer	316	4,819	964	186	2,740	548	130	2,078	416
Colon, Rectum, and Anus	30	416	83	15	236	47	15	180	36
Trachea, Bronchus, and Lung	83	1,290	258	51	737	147	32	553	111
Breast (Female Only)	17	344	69	N/A	N/A	N/A	17	344	69
Prostate	23	271	54	23	271	54	N/A	N/A	N/A
Diabetes Mellitus	63	1,044	209	34	494	99	29	550	110
Pneumonia and Influenza	35	402	80	16	197	39	19	205	41
Chronic Lower Respiratory Diseases	102	1,363	273	49	634	127	53	729	146
Chronic Liver Disease and Cirrhosis	20	379	76	17	339	68	3	40	8
Septicemia	24	259	52	15	167	33	9	91	18
Nephritis, Nephrosis, & Nephrotic Syndrome	35	490	98	18	260	52	17	230	46
Alzheimer's disease	116	902	180	32	290	58	84	611	122
HIV disease	2	61	12	2	61	12	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	43	1,405	281	32	1,025	205	11	380	76
All Other Unintentional Injuries	53	1,312	262	29	797	159	24	516	103
Suicide	24	587	117	17	385	77	7	203	41
Homicide	11	426	85	10	399	80	1	28	6
Remaining Causes	375	6,104	1,221	166	3,156	631	209	2,948	590
Total Deaths - All Causes	1,639	24,983	4,997	841	14,012	2,802	798	10,971	2,194

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Moore County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	1,160	15,217	3,043	636	8,543	1,709	524	6,674	1,335
Acute Myocardial Infarction	209	2,929	586	124	1,748	350	85	1,181	236
Other Ischemic Heart Disease	424	5,806	1,161	265	3,632	726	159	2,174	435
Hypertension	41	537	107	23	323	65	18	215	43
Cerebrovascular Disease	345	3,968	794	164	1,917	383	181	2,052	410
Atherosclerosis	14	147	29	6	81	16	8	66	13
Cancer	1,228	18,909	3,782	634	8,928	1,786	594	9,982	1,996
Colon, Rectum, and Anus	91	1,515	303	46	713	143	45	802	160
Trachea, Bronchus, and Lung	286	4,380	876	152	2,276	455	134	2,105	421
Breast (Female Only)	89	1,689	338	N/A	N/A	N/A	89	1,689	338
Prostate	71	672	134	71	672	134	N/A	N/A	N/A
Diabetes Mellitus	138	2,135	427	78	1,252	250	60	882	176
Pneumonia and Influenza	89	1,103	221	46	543	109	43	560	112
Chronic Lower Respiratory Diseases	310	3,997	799	141	1,749	350	169	2,248	450
Chronic Liver Disease and Cirrhosis	94	2,079	416	56	1,160	232	38	919	184
Septicemia	86	1,312	262	35	475	95	51	837	167
Nephritis, Nephrosis, & Nephrotic Syndrome	107	1,286	257	61	640	128	46	646	129
Alzheimer's disease	398	3,516	703	128	1,027	205	270	2,489	498
HIV disease	8	235	47	7	223	45	1	12	2
Unintentional Motor Vehicle Injuries	99	3,925	785	71	2,708	542	28	1,217	243
All Other Unintentional Injuries	213	5,883	1,177	136	4,043	809	77	1,840	368
Suicide	85	2,848	570	62	2,051	410	23	798	160
Homicide	17	732	146	13	543	109	4	189	38
Remaining Causes	1,497	21,234	4,247	738	10,453	2,091	759	10,781	2,156
Total Deaths - All Causes	5,929	89,063	17,813	3,035	46,658	9,332	2,894	42,405	8,481

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Nash County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	1,188	14,939	2,988	634	8,401	1,680	554	6,538	1,308
Acute Myocardial Infarction	201	2,618	524	129	1,676	335	72	942	188
Other Ischemic Heart Disease	434	5,722	1,144	260	3,630	726	174	2,092	418
Hypertension	51	793	159	25	394	79	26	399	80
Cerebrovascular Disease	343	4,124	825	154	1,957	391	189	2,167	433
Atherosclerosis	19	151	30	10	83	17	9	68	14
Cancer	1,123	16,668	3,334	573	7,911	1,582	550	8,756	1,751
Colon, Rectum, and Anus	77	1,100	220	48	734	147	29	366	73
Trachea, Bronchus, and Lung	314	4,481	896	180	2,395	479	134	2,086	417
Breast (Female Only)	99	1,870	374	N/A	N/A	N/A	99	1,870	374
Prostate	56	589	118	56	589	118	N/A	N/A	N/A
Diabetes Mellitus	197	3,115	623	114	1,811	362	83	1,304	261
Pneumonia and Influenza	137	1,723	345	70	889	178	67	835	167
Chronic Lower Respiratory Diseases	294	3,814	763	158	1,931	386	136	1,883	377
Chronic Liver Disease and Cirrhosis	93	1,903	381	55	1,112	222	38	791	158
Septicemia	82	1,211	242	38	540	108	44	670	134
Nephritis, Nephrosis, & Nephrotic Syndrome	131	1,513	303	62	669	134	69	844	169
Alzheimer's disease	203	1,651	330	60	468	94	143	1,184	237
HIV disease	12	318	64	9	205	41	3	113	23
Unintentional Motor Vehicle Injuries	107	3,760	752	78	2,609	522	29	1,150	230
All Other Unintentional Injuries	199	5,431	1,086	117	3,543	709	82	1,889	378
Suicide	73	2,383	477	54	1,702	340	19	681	136
Homicide	55	2,286	457	48	1,996	399	7	291	58
Remaining Causes	1,363	20,536	4,107	628	9,627	1,925	735	10,908	2,182
Total Deaths - All Causes	5,670	86,319	17,264	2,887	45,849	9,170	2,783	40,471	8,094

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = New Hanover County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	1,952	25,826	5,165	1,049	14,418	2,884	903	11,408	2,282
Acute Myocardial Infarction	265	3,891	778	160	2,481	496	105	1,410	282
Other Ischemic Heart Disease	668	8,940	1,788	395	5,353	1,071	273	3,587	717
Hypertension	73	1,144	229	25	491	98	48	653	131
Cerebrovascular Disease	770	8,565	1,713	314	3,563	713	456	5,002	1,000
Atherosclerosis	2	38	8	2	38	8	N/A	N/A	N/A
Cancer	2,170	34,832	6,966	1,125	16,985	3,397	1,045	17,847	3,569
Colon, Rectum, and Anus	129	2,285	457	74	1,248	250	55	1,036	207
Trachea, Bronchus, and Lung	562	8,590	1,718	281	4,005	801	281	4,585	917
Breast (Female Only)	169	3,415	683	N/A	N/A	N/A	169	3,415	683
Prostate	123	1,311	262	123	1,311	262	N/A	N/A	N/A
Diabetes Mellitus	225	3,969	794	130	2,192	438	95	1,777	355
Pneumonia and Influenza	173	2,430	486	85	1,319	264	88	1,111	222
Chronic Lower Respiratory Diseases	474	6,674	1,335	208	2,897	579	266	3,777	755
Chronic Liver Disease and Cirrhosis	121	3,151	630	73	1,746	349	48	1,406	281
Septicemia	198	3,070	614	107	1,657	331	91	1,412	282
Nephritis, Nephrosis, & Nephrotic Syndrome	231	3,452	690	121	1,682	336	110	1,770	354
Alzheimer's disease	289	2,606	521	91	749	150	198	1,857	371
HIV disease	12	386	77	9	275	55	3	111	22
Unintentional Motor Vehicle Injuries	129	4,703	941	84	3,062	612	45	1,641	328
All Other Unintentional Injuries	608	20,095	4,019	398	13,348	2,670	210	6,747	1,349
Suicide	183	5,981	1,196	132	4,217	843	51	1,764	353
Homicide	79	3,452	690	64	2,787	557	15	665	133
Remaining Causes	2,700	42,804	8,561	1,252	21,366	4,273	1,448	21,438	4,288
Total Deaths - All Causes	10,389	173,179	34,636	5,269	92,793	18,559	5,120	80,386	16,077

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Northampton County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	300	4,320	864	169	2,467	493	131	1,852	370
Acute Myocardial Infarction	45	617	123	19	304	61	26	312	62
Other Ischemic Heart Disease	103	1,376	275	59	765	153	44	612	122
Hypertension	34	463	93	18	249	50	16	214	43
Cerebrovascular Disease	72	1,056	211	29	450	90	43	606	121
Atherosclerosis	3	41	8	1	19	4	2	22	4
Cancer	252	4,286	857	139	2,274	455	113	2,011	402
Colon, Rectum, and Anus	25	357	71	11	134	27	14	223	45
Trachea, Bronchus, and Lung	72	1,202	240	43	721	144	29	482	96
Breast (Female Only)	16	374	75	N/A	N/A	N/A	16	374	75
Prostate	16	195	39	16	195	39	N/A	N/A	N/A
Diabetes Mellitus	77	1,136	227	38	591	118	39	545	109
Pneumonia and Influenza	22	244	49	13	138	28	9	105	21
Chronic Lower Respiratory Diseases	75	1,070	214	35	464	93	40	606	121
Chronic Liver Disease and Cirrhosis	20	391	78	15	286	57	5	105	21
Septicemia	18	251	50	10	155	31	8	96	19
Nephritis, Nephrosis, & Nephrotic Syndrome	21	306	61	7	103	21	14	203	41
Alzheimer's disease	65	622	124	18	176	35	47	446	89
HIV disease	1	49	10	N/A	N/A	N/A	1	49	10
Unintentional Motor Vehicle Injuries	29	1,190	238	23	897	179	6	293	59
All Other Unintentional Injuries	46	1,303	261	27	780	156	19	523	105
Suicide	15	517	103	12	397	79	3	120	24
Homicide	9	341	68	8	284	57	1	56	11
Remaining Causes	366	5,721	1,144	151	2,765	553	215	2,957	591
Total Deaths - All Causes	1,425	23,305	4,661	713	12,495	2,499	712	10,810	2,162

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Onslow County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	1,260	18,547	3,709	742	11,145	2,229	518	7,402	1,480
Acute Myocardial Infarction	200	3,043	609	117	1,815	363	83	1,228	246
Other Ischemic Heart Disease	475	6,819	1,364	334	4,941	988	141	1,878	376
Hypertension	56	710	142	24	303	61	32	407	81
Cerebrovascular Disease	345	4,368	874	137	1,943	389	208	2,425	485
Atherosclerosis	7	130	26	3	61	12	4	69	14
Cancer	1,461	23,978	4,796	746	11,477	2,295	715	12,501	2,500
Colon, Rectum, and Anus	127	2,272	454	64	1,111	222	63	1,161	232
Trachea, Bronchus, and Lung	440	6,605	1,321	230	3,254	651	210	3,352	670
Breast (Female Only)	95	1,842	368	N/A	N/A	N/A	95	1,842	368
Prostate	60	642	128	60	642	128	N/A	N/A	N/A
Diabetes Mellitus	226	3,619	724	122	1,955	391	104	1,664	333
Pneumonia and Influenza	124	1,973	395	63	889	178	61	1,084	217
Chronic Lower Respiratory Diseases	379	5,132	1,026	176	2,258	452	203	2,874	575
Chronic Liver Disease and Cirrhosis	91	1,977	395	55	1,097	219	36	880	176
Septicemia	107	1,565	313	36	586	117	71	979	196
Nephritis, Nephrosis, & Nephrotic Syndrome	140	1,947	389	57	777	155	83	1,170	234
Alzheimer's disease	150	1,404	281	62	549	110	88	855	171
HIV disease	14	428	86	8	208	42	6	220	44
Unintentional Motor Vehicle Injuries	117	4,400	880	85	3,145	629	32	1,255	251
All Other Unintentional Injuries	360	11,723	2,345	230	7,494	1,499	130	4,230	846
Suicide	201	7,801	1,560	160	6,112	1,222	41	1,689	338
Homicide	49	2,002	400	32	1,275	255	17	728	146
Remaining Causes	1,287	26,160	5,232	632	13,341	2,668	655	12,819	2,564
Total Deaths - All Causes	6,374	117,864	23,573	3,370	64,615	12,923	3,004	53,249	10,650

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Orange County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	776	10,979	2,196	432	6,456	1,291	344	4,523	905
Acute Myocardial Infarction	108	1,619	324	68	1,132	226	40	487	97
Other Ischemic Heart Disease	273	3,909	782	178	2,587	517	95	1,322	264
Hypertension	31	418	84	15	220	44	16	198	40
Cerebrovascular Disease	193	2,473	495	91	1,219	244	102	1,254	251
Atherosclerosis	5	46	9	1	7	1	4	39	8
Cancer	986	16,837	3,367	491	8,056	1,611	495	8,781	1,756
Colon, Rectum, and Anus	83	1,518	304	43	805	161	40	713	143
Trachea, Bronchus, and Lung	224	3,625	725	103	1,548	310	121	2,077	415
Breast (Female Only)	72	1,335	267	N/A	N/A	N/A	72	1,335	267
Prostate	65	813	163	65	813	163	N/A	N/A	N/A
Diabetes Mellitus	108	1,886	377	55	1,038	208	53	848	170
Pneumonia and Influenza	61	1,062	212	22	424	85	39	638	128
Chronic Lower Respiratory Diseases	180	2,748	550	83	1,217	243	97	1,531	306
Chronic Liver Disease and Cirrhosis	66	1,521	304	46	1,103	221	20	418	84
Septicemia	67	935	187	39	565	113	28	370	74
Nephritis, Nephrosis, & Nephrotic Syndrome	76	1,400	280	34	606	121	42	794	159
Alzheimer's disease	147	1,374	275	36	343	69	111	1,032	206
HIV disease	1	27	5	1	27	5	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	58	2,310	462	40	1,628	326	18	681	136
All Other Unintentional Injuries	202	5,559	1,112	123	3,690	738	79	1,869	374
Suicide	77	2,819	564	61	2,161	432	16	658	132
Homicide	26	1,211	242	19	923	185	7	288	58
Remaining Causes	1,171	19,027	3,805	528	9,559	1,912	643	9,468	1,894
Total Deaths - All Causes	4,231	72,630	14,526	2,117	39,241	7,848	2,114	33,389	6,678

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Pamlico County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	181	2,299	460	107	1,455	291	74	844	169
Acute Myocardial Infarction	22	380	76	10	183	37	12	197	39
Other Ischemic Heart Disease	78	913	183	50	609	122	28	303	61
Hypertension	23	348	70	7	60	12	16	289	58
Cerebrovascular Disease	45	590	118	25	323	65	20	266	53
Atherosclerosis	2	18	4	1	10	2	1	8	2
Cancer	183	2,951	590	105	1,582	316	78	1,370	274
Colon, Rectum, and Anus	13	193	39	6	98	20	7	95	19
Trachea, Bronchus, and Lung	54	921	184	29	455	91	25	466	93
Breast (Female Only)	11	264	53	N/A	N/A	N/A	11	264	53
Prostate	6	65	13	6	65	13	N/A	N/A	N/A
Diabetes Mellitus	31	480	96	16	217	43	15	263	53
Pneumonia and Influenza	25	268	54	13	132	26	12	136	27
Chronic Lower Respiratory Diseases	57	822	164	27	346	69	30	476	95
Chronic Liver Disease and Cirrhosis	11	220	44	5	61	12	6	159	32
Septicemia	11	162	32	8	107	21	3	55	11
Nephritis, Nephrosis, & Nephrotic Syndrome	20	258	52	11	140	28	9	118	24
Alzheimer's disease	21	189	38	7	62	12	14	127	25
HIV disease		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	11	409	82	10	354	71	1	55	11
All Other Unintentional Injuries	57	1,558	312	40	1,143	229	17	415	83
Suicide	13	397	79	11	283	57	2	114	23
Homicide	1	50	10	1	50	10	N/A	N/A	N/A
Remaining Causes	200	2,879	576	112	1,801	360	88	1,077	215
Total Deaths - All Causes	892	13,897	2,779	506	8,126	1,625	386	5,771	1,154

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Pasquotank County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	595	7,075	1,415	311	3,934	787	284	3,142	628
Acute Myocardial Infarction	226	2,297	459	95	1,002	200	131	1,295	259
Other Ischemic Heart Disease	178	2,326	465	109	1,481	296	69	844	169
Hypertension	27	296	59	8	122	24	19	174	35
Cerebrovascular Disease	106	1,348	270	46	649	130	60	699	140
Atherosclerosis	3	23	5	2	16	3	1	7	1
Cancer	453	7,004	1,401	242	3,521	704	211	3,483	697
Colon, Rectum, and Anus	48	785	157	21	318	64	27	467	93
Trachea, Bronchus, and Lung	123	1,765	353	74	1,008	202	49	757	151
Breast (Female Only)	37	666	133	N/A	N/A	N/A	37	666	133
Prostate	30	392	78	30	392	78	N/A	N/A	N/A
Diabetes Mellitus	103	1,445	289	53	732	146	50	713	143
Pneumonia and Influenza	49	684	137	30	366	73	19	318	64
Chronic Lower Respiratory Diseases	105	1,228	246	56	663	133	49	564	113
Chronic Liver Disease and Cirrhosis	31	613	123	22	435	87	9	178	36
Septicemia	45	597	119	19	258	52	26	339	68
Nephritis, Nephrosis, & Nephrotic Syndrome	27	402	80	14	181	36	13	221	44
Alzheimer's disease	88	630	126	33	240	48	55	390	78
HIV disease	3	94	19	3	94	19	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	26	840	168	19	643	129	7	197	39
All Other Unintentional Injuries	92	3,084	617	55	1,979	396	37	1,105	221
Suicide	31	937	187	22	671	134	9	266	53
Homicide	19	740	148	14	568	114	5	172	34
Remaining Causes	463	6,946	1,389	201	2,996	599	262	3,949	790
Total Deaths - All Causes	2,266	33,988	6,798	1,150	18,069	3,614	1,116	15,919	3,184

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Pender County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	616	8,515	1,703	320	4,691	938	296	3,824	765
Acute Myocardial Infarction	78	1,070	214	52	731	146	26	340	68
Other Ischemic Heart Disease	270	3,861	772	150	2,257	451	120	1,604	321
Hypertension	41	583	117	18	265	53	23	318	64
Cerebrovascular Disease	201	2,388	478	100	1,286	257	101	1,102	220
Atherosclerosis	1	32	6	N/A	N/A	N/A	1	32	6
Cancer	662	10,604	2,121	369	5,316	1,063	293	5,288	1,058
Colon, Rectum, and Anus	42	716	143	20	301	60	22	415	83
Trachea, Bronchus, and Lung	191	2,980	596	111	1,685	337	80	1,294	259
Breast (Female Only)	44	868	174	N/A	N/A	N/A	44	868	174
Prostate	35	352	70	35	352	70	N/A	N/A	N/A
Diabetes Mellitus	97	1,780	356	61	1,137	227	36	643	129
Pneumonia and Influenza	56	1,005	201	24	401	80	32	604	121
Chronic Lower Respiratory Diseases	156	2,174	435	81	1,020	204	75	1,154	231
Chronic Liver Disease and Cirrhosis	34	734	147	22	465	93	12	269	54
Septicemia	63	925	185	34	525	105	29	400	80
Nephritis, Nephrosis, & Nephrotic Syndrome	68	840	168	39	487	97	29	352	70
Alzheimer's disease	96	876	175	36	303	61	60	573	115
HIV disease	3	87	17	2	67	13	1	21	4
Unintentional Motor Vehicle Injuries	72	2,926	585	53	2,002	400	19	924	185
All Other Unintentional Injuries	137	4,291	858	94	3,157	631	43	1,133	227
Suicide	67	2,425	485	49	1,654	331	18	771	154
Homicide	15	730	146	11	492	98	4	238	48
Remaining Causes	714	11,907	2,381	352	5,837	1,167	362	6,070	1,214
Total Deaths - All Causes	3,099	52,821	10,564	1,665	29,105	5,821	1,434	23,716	4,743

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Perquimans County

Cause of Death	Total			Sex					
				Male			Female		
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	232	3,439	688	131	1,873	375	101	1,567	313
Acute Myocardial Infarction	56	865	173	38	630	126	18	235	47
Other Ischemic Heart Disease	78	1,127	225	45	532	106	33	595	119
Hypertension	12	131	26	4	43	9	8	88	18
Cerebrovascular Disease	48	591	118	20	255	51	28	336	67
Atherosclerosis		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Cancer	195	3,090	618	101	1,496	299	94	1,594	319
Colon, Rectum, and Anus	21	287	57	13	186	37	8	101	20
Trachea, Bronchus, and Lung	49	763	153	30	422	84	19	341	68
Breast (Female Only)	12	188	38	N/A	N/A	N/A	12	188	38
Prostate	10	103	21	10	103	21	N/A	N/A	N/A
Diabetes Mellitus	24	399	80	14	208	42	10	192	38
Pneumonia and Influenza	8	91	18	5	63	13	3	27	5
Chronic Lower Respiratory Diseases	47	683	137	25	339	68	22	344	69
Chronic Liver Disease and Cirrhosis	7	199	40	2	42	8	5	156	31
Septicemia	10	150	30	5	71	14	5	78	16
Nephritis, Nephrosis, & Nephrotic Syndrome	10	161	32	1	11	2	9	150	30
Alzheimer's disease	33	323	65	10	93	19	23	230	46
HIV disease	1	34	7	N/A	N/A	N/A	1	34	7
Unintentional Motor Vehicle Injuries	15	555	111	12	445	89	3	110	22
All Other Unintentional Injuries	33	882	176	19	596	119	14	286	57
Suicide	8	213	43	7	195	39	1	18	4
Homicide	9	390	78	7	322	64	2	68	14
Remaining Causes	203	3,106	621	107	1,628	326	96	1,478	296
Total Deaths - All Causes	895	14,437	2,887	470	7,682	1,536	425	6,755	1,351

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Person County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	478	6,520	1,304	263	3,704	741	215	2,816	563
Acute Myocardial Infarction	112	1,379	276	68	912	182	44	466	93
Other Ischemic Heart Disease	157	2,200	440	95	1,268	254	62	932	186
Hypertension	17	235	47	8	106	21	9	129	26
Cerebrovascular Disease	93	1,104	221	42	528	106	51	577	115
Atherosclerosis	1	7	1	N/A	N/A	N/A	1	7	1
Cancer	495	7,448	1,490	264	3,753	751	231	3,695	739
Colon, Rectum, and Anus	52	776	155	26	351	70	26	425	85
Trachea, Bronchus, and Lung	121	1,813	363	71	1,029	206	50	784	157
Breast (Female Only)	29	449	90	N/A	N/A	N/A	29	449	90
Prostate	22	271	54	22	271	54	N/A	N/A	N/A
Diabetes Mellitus	85	1,387	277	46	755	151	39	632	126
Pneumonia and Influenza	35	448	90	14	137	27	21	311	62
Chronic Lower Respiratory Diseases	134	1,719	344	67	806	161	67	913	183
Chronic Liver Disease and Cirrhosis	30	664	133	19	440	88	11	225	45
Septicemia	54	782	156	25	331	66	29	451	90
Nephritis, Nephrosis, & Nephrotic Syndrome	63	800	160	34	390	78	29	409	82
Alzheimer's disease	68	591	118	17	129	26	51	463	93
HIV disease	3	53	11	3	53	11	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	31	1,119	224	21	783	157	10	336	67
All Other Unintentional Injuries	107	2,521	504	69	1,494	299	38	1,027	205
Suicide	37	982	196	29	731	146	8	251	50
Homicide	15	646	129	14	598	120	1	48	10
Remaining Causes	616	8,823	1,765	285	4,089	818	331	4,734	947
Total Deaths - All Causes	2,362	35,849	7,170	1,220	18,826	3,765	1,142	17,023	3,405

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Pitt County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	1,529	23,010	4,602	848	13,083	2,617	681	9,926	1,985
Acute Myocardial Infarction	299	4,424	885	175	2,627	525	124	1,797	359
Other Ischemic Heart Disease	504	7,574	1,515	315	4,634	927	189	2,940	588
Hypertension	73	1,144	229	35	591	118	38	553	111
Cerebrovascular Disease	444	6,071	1,214	199	2,790	558	245	3,282	656
Atherosclerosis	2	33	7	1	24	5	1	9	2
Cancer	1,353	23,695	4,739	697	11,127	2,225	656	12,568	2,514
Colon, Rectum, and Anus	113	2,245	449	58	1,039	208	55	1,207	241
Trachea, Bronchus, and Lung	306	4,980	996	181	2,692	538	125	2,288	458
Breast (Female Only)	101	1,979	396	N/A	N/A	N/A	101	1,979	396
Prostate	59	704	141	59	704	141	N/A	N/A	N/A
Diabetes Mellitus	252	4,333	867	142	2,427	485	110	1,906	381
Pneumonia and Influenza	88	1,359	272	35	571	114	53	788	158
Chronic Lower Respiratory Diseases	275	3,902	780	141	1,821	364	134	2,081	416
Chronic Liver Disease and Cirrhosis	110	2,523	505	58	1,233	247	52	1,290	258
Septicemia	109	1,800	360	48	668	134	61	1,132	226
Nephritis, Nephrosis, & Nephrotic Syndrome	95	1,485	297	45	634	127	50	851	170
Alzheimer's disease	284	2,676	535	78	679	136	206	1,997	399
HIV disease	17	397	79	13	299	60	4	98	20
Unintentional Motor Vehicle Injuries	127	4,719	944	87	2,836	567	40	1,883	377
All Other Unintentional Injuries	408	12,193	2,439	249	8,163	1,633	159	4,029	806
Suicide	96	3,322	664	72	2,301	460	24	1,021	204
Homicide	68	3,079	616	49	2,160	432	19	918	184
Remaining Causes	1,585	31,631	6,326	738	15,279	3,056	847	16,351	3,270
Total Deaths - All Causes	6,915	127,370	25,474	3,535	66,688	13,338	3,380	60,682	12,136

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Polk County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	377	4,160	832	204	2,316	463	173	1,844	369
Acute Myocardial Infarction	58	720	144	38	491	98	20	229	46
Other Ischemic Heart Disease	132	1,586	317	83	1,031	206	49	555	111
Hypertension	11	199	40	7	111	22	4	88	18
Cerebrovascular Disease	90	1,108	222	34	472	94	56	636	127
Atherosclerosis		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Cancer	276	4,292	858	144	2,146	429	132	2,147	429
Colon, Rectum, and Anus	33	540	108	15	241	48	18	299	60
Trachea, Bronchus, and Lung	63	959	192	34	539	108	29	419	84
Breast (Female Only)	19	284	57	N/A	N/A	N/A	19	284	57
Prostate	13	194	39	13	194	39	N/A	N/A	N/A
Diabetes Mellitus	27	465	93	20	328	66	7	138	28
Pneumonia and Influenza	35	407	81	20	228	46	15	179	36
Chronic Lower Respiratory Diseases	79	967	193	42	514	103	37	452	90
Chronic Liver Disease and Cirrhosis	14	347	69	8	173	35	6	173	35
Septicemia	17	228	46	8	106	21	9	121	24
Nephritis, Nephrosis, & Nephrotic Syndrome	26	389	78	9	112	22	17	277	55
Alzheimer's disease	99	895	179	31	281	56	68	614	123
HIV disease	1	30	6	1	30	6	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	12	341	68	11	333	67	1	8	2
All Other Unintentional Injuries	80	1,919	384	48	1,282	256	32	636	127
Suicide	30	991	198	22	722	144	8	269	54
Homicide	2	77	15	1	50	10	1	27	5
Remaining Causes	379	4,619	924	191	2,221	444	188	2,398	480
Total Deaths - All Causes	1,555	21,431	4,286	801	11,425	2,285	754	10,006	2,001

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Randolph County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	1,771	23,783	4,757	995	13,973	2,795	776	9,810	1,962
Acute Myocardial Infarction	227	3,383	677	144	2,221	444	83	1,162	232
Other Ischemic Heart Disease	688	9,610	1,922	448	6,360	1,272	240	3,250	650
Hypertension	62	862	172	25	374	75	37	489	98
Cerebrovascular Disease	419	5,010	1,002	159	2,065	413	260	2,946	589
Atherosclerosis	4	55	11	1	6	1	3	49	10
Cancer	1,687	25,661	5,132	900	12,839	2,568	787	12,822	2,564
Colon, Rectum, and Anus	111	1,836	367	58	840	168	53	996	199
Trachea, Bronchus, and Lung	561	8,442	1,688	318	4,466	893	243	3,976	795
Breast (Female Only)	108	1,861	372	N/A	N/A	N/A	108	1,861	372
Prostate	61	649	130	61	649	130	N/A	N/A	N/A
Diabetes Mellitus	247	3,775	755	156	2,270	454	91	1,504	301
Pneumonia and Influenza	123	1,727	345	53	791	158	70	935	187
Chronic Lower Respiratory Diseases	550	7,252	1,450	276	3,396	679	274	3,857	771
Chronic Liver Disease and Cirrhosis	129	2,738	548	84	1,731	346	45	1,007	201
Septicemia	119	1,930	386	60	1,011	202	59	919	184
Nephritis, Nephrosis, & Nephrotic Syndrome	146	1,782	356	74	865	173	72	917	183
Alzheimer's disease	382	3,104	621	122	947	189	260	2,158	432
HIV disease	7	173	35	5	122	24	2	50	10
Unintentional Motor Vehicle Injuries	158	5,543	1,109	115	3,888	778	43	1,654	331
All Other Unintentional Injuries	452	12,732	2,546	257	7,694	1,539	195	5,038	1,008
Suicide	135	4,277	855	104	3,206	641	31	1,072	214
Homicide	30	1,270	254	25	1,028	206	5	241	48
Remaining Causes	1,799	29,137	5,827	819	13,861	2,772	980	15,276	3,055
Total Deaths - All Causes	8,220	130,809	26,162	4,230	70,068	14,014	3,990	60,742	12,148

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Richmond County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	663	8,222	1,644	369	4,564	913	294	3,659	732
Acute Myocardial Infarction	123	1,599	320	76	950	190	47	650	130
Other Ischemic Heart Disease	291	3,601	720	168	2,075	415	123	1,526	305
Hypertension	36	408	82	15	201	40	21	207	41
Cerebrovascular Disease	193	2,443	489	87	1,146	229	106	1,297	259
Atherosclerosis	4	61	12	2	34	7	2	27	5
Cancer	540	8,025	1,605	295	4,030	806	245	3,996	799
Colon, Rectum, and Anus	51	765	153	35	539	108	16	226	45
Trachea, Bronchus, and Lung	167	2,436	487	101	1,328	266	66	1,108	222
Breast (Female Only)	34	653	131	N/A	N/A	N/A	34	653	131
Prostate	23	239	48	23	239	48	N/A	N/A	N/A
Diabetes Mellitus	128	2,103	421	71	1,118	224	57	985	197
Pneumonia and Influenza	39	604	121	18	321	64	21	284	57
Chronic Lower Respiratory Diseases	197	2,501	500	87	1,009	202	110	1,492	298
Chronic Liver Disease and Cirrhosis	55	1,112	222	31	599	120	24	512	102
Septicemia	46	594	119	23	325	65	23	269	54
Nephritis, Nephrosis, & Nephrotic Syndrome	79	977	195	39	460	92	40	517	103
Alzheimer's disease	157	1,335	267	47	394	79	110	940	188
HIV disease	14	336	67	8	169	34	6	167	33
Unintentional Motor Vehicle Injuries	45	1,527	305	29	940	188	16	587	117
All Other Unintentional Injuries	112	3,212	642	67	1,944	389	45	1,268	254
Suicide	34	916	183	27	718	144	7	198	40
Homicide	29	1,243	249	24	1,049	210	5	194	39
Remaining Causes	572	10,121	2,024	271	5,051	1,010	301	5,070	1,014
Total Deaths - All Causes	2,943	45,740	9,148	1,510	24,072	4,814	1,433	21,668	4,334

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Robeson County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	1,611	23,187	4,637	912	13,370	2,674	699	9,817	1,963
Acute Myocardial Infarction	442	5,956	1,191	251	3,489	698	191	2,467	493
Other Ischemic Heart Disease	582	8,547	1,709	364	5,260	1,052	218	3,287	657
Hypertension	100	1,450	290	46	750	150	54	700	140
Cerebrovascular Disease	328	4,374	875	162	2,276	455	166	2,098	420
Atherosclerosis	16	211	42	8	120	24	8	92	18
Cancer	1,448	22,858	4,572	820	11,633	2,327	628	11,225	2,245
Colon, Rectum, and Anus	129	2,091	418	71	1,129	226	58	962	192
Trachea, Bronchus, and Lung	439	6,586	1,317	269	3,608	722	170	2,978	596
Breast (Female Only)	106	2,022	404	N/A	N/A	N/A	106	2,022	404
Prostate	74	846	169	74	846	169	N/A	N/A	N/A
Diabetes Mellitus	289	4,514	903	165	2,597	519	124	1,917	383
Pneumonia and Influenza	157	2,279	456	76	1,076	215	81	1,203	241
Chronic Lower Respiratory Diseases	334	4,577	915	176	2,354	471	158	2,223	445
Chronic Liver Disease and Cirrhosis	110	2,271	454	64	1,296	259	46	974	195
Septicemia	154	2,353	471	72	1,050	210	82	1,303	261
Nephritis, Nephrosis, & Nephrotic Syndrome	176	2,541	508	85	1,228	246	91	1,313	263
Alzheimer's disease	405	3,461	692	115	977	195	290	2,484	497
HIV disease	17	370	74	14	269	54	3	101	20
Unintentional Motor Vehicle Injuries	243	8,791	1,758	156	5,071	1,014	87	3,720	744
All Other Unintentional Injuries	362	10,689	2,138	240	7,065	1,413	122	3,624	725
Suicide	83	2,637	527	77	2,465	493	6	172	34
Homicide	167	6,550	1,310	135	5,227	1,045	32	1,322	264
Remaining Causes	1,548	29,326	5,865	732	13,922	2,784	816	15,405	3,081
Total Deaths - All Causes	7,548	132,439	26,488	4,055	72,745	14,549	3,493	59,694	11,939

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Rockingham County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	1,263	16,868	3,374	654	9,381	1,876	609	7,487	1,497
Acute Myocardial Infarction	333	4,307	861	172	2,345	469	161	1,962	392
Other Ischemic Heart Disease	366	5,463	1,093	231	3,527	705	135	1,936	387
Hypertension	73	893	179	27	423	85	46	470	94
Cerebrovascular Disease	311	3,791	758	117	1,552	310	194	2,239	448
Atherosclerosis	2	37	7	N/A	N/A	N/A	2	37	7
Cancer	1,179	17,759	3,552	662	9,516	1,903	517	8,242	1,648
Colon, Rectum, and Anus	101	1,524	305	49	730	146	52	793	159
Trachea, Bronchus, and Lung	356	5,261	1,052	222	3,137	627	134	2,124	425
Breast (Female Only)	67	1,255	251	N/A	N/A	N/A	67	1,255	251
Prostate	50	544	109	50	544	109	N/A	N/A	N/A
Diabetes Mellitus	212	3,373	675	107	1,639	328	105	1,734	347
Pneumonia and Influenza	144	1,769	354	61	809	162	83	960	192
Chronic Lower Respiratory Diseases	425	5,471	1,094	206	2,542	508	219	2,929	586
Chronic Liver Disease and Cirrhosis	96	1,817	363	71	1,315	263	25	502	100
Septicemia	110	1,590	318	48	683	137	62	906	181
Nephritis, Nephrosis, & Nephrotic Syndrome	150	1,859	372	80	924	185	70	935	187
Alzheimer's disease	206	1,658	332	61	515	103	145	1,143	229
HIV disease	13	414	83	8	233	47	5	181	36
Unintentional Motor Vehicle Injuries	90	2,784	557	64	2,035	407	26	749	150
All Other Unintentional Injuries	313	7,967	1,593	194	5,364	1,073	119	2,603	521
Suicide	75	2,269	454	59	1,716	343	16	554	111
Homicide	43	1,413	283	35	1,242	248	8	171	34
Remaining Causes	1,465	21,160	4,232	657	10,275	2,055	808	10,886	2,177
Total Deaths - All Causes	6,170	92,892	18,578	3,111	50,165	10,033	3,059	42,728	8,546

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Rowan County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	1,746	21,223	4,245	935	11,954	2,391	811	9,269	1,854
Acute Myocardial Infarction	271	3,680	736	173	2,315	463	98	1,365	273
Other Ischemic Heart Disease	687	7,883	1,577	399	4,881	976	288	3,002	600
Hypertension	93	1,469	294	53	846	169	40	623	125
Cerebrovascular Disease	398	4,327	865	190	2,226	445	208	2,101	420
Atherosclerosis	67	1,115	223	47	776	155	20	339	68
Cancer	1,651	23,450	4,690	903	12,128	2,426	748	11,322	2,264
Colon, Rectum, and Anus	126	1,746	349	67	979	196	59	767	153
Trachea, Bronchus, and Lung	448	6,626	1,325	257	3,517	703	191	3,109	622
Breast (Female Only)	102	1,542	308	N/A	N/A	N/A	102	1,542	308
Prostate	82	792	158	82	792	158	N/A	N/A	N/A
Diabetes Mellitus	244	3,691	738	152	2,164	433	92	1,527	305
Pneumonia and Influenza	266	3,030	606	132	1,564	313	134	1,467	293
Chronic Lower Respiratory Diseases	527	6,164	1,233	241	2,661	532	286	3,503	701
Chronic Liver Disease and Cirrhosis	123	2,526	505	70	1,383	277	53	1,144	229
Septicemia	162	2,173	435	75	1,064	213	87	1,110	222
Nephritis, Nephrosis, & Nephrotic Syndrome	223	3,015	603	113	1,499	300	110	1,516	303
Alzheimer's disease	336	2,557	511	95	728	146	241	1,830	366
HIV disease	13	333	67	8	201	40	5	132	26
Unintentional Motor Vehicle Injuries	128	4,265	853	101	3,288	658	27	976	195
All Other Unintentional Injuries	477	13,185	2,637	284	8,165	1,633	193	5,019	1,004
Suicide	130	4,054	811	102	3,081	616	28	973	195
Homicide	66	2,685	537	46	1,923	385	20	762	152
Remaining Causes	1,941	28,157	5,631	883	13,302	2,660	1,058	14,855	2,971
Total Deaths - All Causes	8,591	127,421	25,484	4,430	68,953	13,791	4,161	58,468	11,694

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Rutherford County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	951	12,394	2,479	498	6,762	1,352	453	5,632	1,126
Acute Myocardial Infarction	158	2,258	452	101	1,556	311	57	702	140
Other Ischemic Heart Disease	344	4,523	905	201	2,641	528	143	1,882	376
Hypertension	37	494	99	19	246	49	18	248	50
Cerebrovascular Disease	291	3,242	648	113	1,345	269	178	1,897	379
Atherosclerosis	13	144	29	3	35	7	10	109	22
Cancer	857	12,773	2,555	494	6,827	1,365	363	5,946	1,189
Colon, Rectum, and Anus	73	1,047	209	41	610	122	32	437	87
Trachea, Bronchus, and Lung	242	3,723	745	143	2,041	408	99	1,682	336
Breast (Female Only)	51	970	194	N/A	N/A	N/A	51	970	194
Prostate	41	348	70	41	348	70	N/A	N/A	N/A
Diabetes Mellitus	117	1,931	386	70	1,211	242	47	721	144
Pneumonia and Influenza	89	1,292	258	40	408	82	49	884	177
Chronic Lower Respiratory Diseases	383	5,114	1,023	181	2,164	433	202	2,950	590
Chronic Liver Disease and Cirrhosis	75	1,475	295	36	689	138	39	786	157
Septicemia	69	968	194	33	431	86	36	537	107
Nephritis, Nephrosis, & Nephrotic Syndrome	108	1,431	286	61	804	161	47	626	125
Alzheimer's disease	139	1,216	243	35	253	51	104	963	193
HIV disease	8	233	47	4	115	23	4	118	24
Unintentional Motor Vehicle Injuries	65	1,835	367	43	1,105	221	22	730	146
All Other Unintentional Injuries	187	4,416	883	109	2,600	520	78	1,816	363
Suicide	62	1,909	382	51	1,490	298	11	419	84
Homicide	11	383	77	10	340	68	1	43	9
Remaining Causes	1,044	15,102	3,020	492	7,454	1,491	552	7,648	1,530
Total Deaths - All Causes	4,506	66,352	13,270	2,292	34,280	6,856	2,214	32,072	6,414

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Sampson County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	758	9,914	1,983	386	5,232	1,046	372	4,682	936
Acute Myocardial Infarction	157	2,279	456	82	1,271	254	75	1,008	202
Other Ischemic Heart Disease	324	4,096	819	178	2,318	464	146	1,779	356
Hypertension	53	711	142	30	460	92	23	251	50
Cerebrovascular Disease	192	2,281	456	83	928	186	109	1,354	271
Atherosclerosis	1	8	2	N/A	N/A	N/A	1	8	2
Cancer	758	11,596	2,319	430	5,948	1,190	328	5,648	1,130
Colon, Rectum, and Anus	63	1,036	207	35	516	103	28	519	104
Trachea, Bronchus, and Lung	248	3,624	725	151	1,987	397	97	1,637	327
Breast (Female Only)	45	815	163	N/A	N/A	N/A	45	815	163
Prostate	39	375	75	39	375	75	N/A	N/A	N/A
Diabetes Mellitus	197	3,135	627	112	1,730	346	85	1,404	281
Pneumonia and Influenza	69	961	192	41	569	114	28	392	78
Chronic Lower Respiratory Diseases	188	2,528	506	100	1,202	240	88	1,326	265
Chronic Liver Disease and Cirrhosis	35	746	149	23	489	98	12	257	51
Septicemia	55	946	189	22	430	86	33	516	103
Nephritis, Nephrosis, & Nephrotic Syndrome	67	1,016	203	30	474	95	37	543	109
Alzheimer's disease	124	1,059	212	40	316	63	84	743	149
HIV disease	10	288	58	6	154	31	4	134	27
Unintentional Motor Vehicle Injuries	95	3,572	714	72	2,646	529	23	926	185
All Other Unintentional Injuries	149	3,941	788	91	2,466	493	58	1,475	295
Suicide	21	687	137	19	609	122	2	78	16
Homicide	30	1,206	241	23	923	185	7	283	57
Remaining Causes	792	12,406	2,481	376	6,117	1,223	416	6,289	1,258
Total Deaths - All Causes	3,594	57,002	11,400	1,884	30,693	6,139	1,710	26,309	5,262

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Scotland County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	485	7,094	1,419	258	3,665	733	227	3,429	686
Acute Myocardial Infarction	105	1,501	300	45	592	118	60	909	182
Other Ischemic Heart Disease	197	2,717	543	117	1,651	330	80	1,066	213
Hypertension	28	438	88	15	278	56	13	160	32
Cerebrovascular Disease	89	1,124	225	39	531	106	50	593	119
Atherosclerosis	1	16	3	1	16	3	N/A	N/A	N/A
Cancer	465	7,594	1,519	222	3,425	685	243	4,169	834
Colon, Rectum, and Anus	46	719	144	23	347	69	23	372	74
Trachea, Bronchus, and Lung	133	2,156	431	69	1,048	210	64	1,108	222
Breast (Female Only)	32	674	135	N/A	N/A	N/A	32	674	135
Prostate	13	132	26	13	132	26	N/A	N/A	N/A
Diabetes Mellitus	75	1,212	242	37	638	128	38	574	115
Pneumonia and Influenza	26	508	102	15	343	69	11	165	33
Chronic Lower Respiratory Diseases	115	1,672	334	56	802	160	59	870	174
Chronic Liver Disease and Cirrhosis	35	835	167	17	385	77	18	449	90
Septicemia	27	480	96	12	220	44	15	260	52
Nephritis, Nephrosis, & Nephrotic Syndrome	65	924	185	33	452	90	32	472	94
Alzheimer's disease	135	1,135	227	36	305	61	99	830	166
HIV disease	6	143	29	5	108	22	1	36	7
Unintentional Motor Vehicle Injuries	41	1,481	296	27	863	173	14	618	124
All Other Unintentional Injuries	77	2,155	431	44	1,273	255	33	882	176
Suicide	19	547	109	16	449	90	3	98	20
Homicide	34	1,416	283	27	1,097	219	7	320	64
Remaining Causes	510	8,654	1,731	247	4,125	825	263	4,529	906
Total Deaths - All Causes	2,233	37,427	7,485	1,107	18,975	3,795	1,126	18,453	3,691

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Stanly County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	876	10,176	2,035	462	5,599	1,120	414	4,577	915
Acute Myocardial Infarction	134	1,796	359	76	1,108	222	58	688	138
Other Ischemic Heart Disease	371	4,134	827	208	2,458	492	163	1,677	335
Hypertension	29	324	65	7	81	16	22	243	49
Cerebrovascular Disease	195	2,363	473	81	1,068	214	114	1,295	259
Atherosclerosis	4	77	15	N/A	N/A	N/A	4	77	15
Cancer	697	10,040	2,008	384	5,309	1,062	313	4,732	946
Colon, Rectum, and Anus	63	912	182	33	467	93	30	444	89
Trachea, Bronchus, and Lung	190	2,756	551	104	1,426	285	86	1,330	266
Breast (Female Only)	26	409	82	N/A	N/A	N/A	26	409	82
Prostate	25	234	47	25	234	47	N/A	N/A	N/A
Diabetes Mellitus	107	1,928	386	52	879	176	55	1,049	210
Pneumonia and Influenza	87	1,061	212	40	499	100	47	562	112
Chronic Lower Respiratory Diseases	212	2,451	490	82	927	185	130	1,524	305
Chronic Liver Disease and Cirrhosis	49	922	184	30	586	117	19	336	67
Septicemia	66	1,089	218	28	408	82	38	681	136
Nephritis, Nephrosis, & Nephrotic Syndrome	84	1,013	203	47	489	98	37	524	105
Alzheimer's disease	238	1,801	360	79	604	121	159	1,197	239
HIV disease	5	152	30	3	76	15	2	77	15
Unintentional Motor Vehicle Injuries	67	2,365	473	44	1,600	320	23	765	153
All Other Unintentional Injuries	197	5,483	1,097	113	3,283	657	84	2,200	440
Suicide	44	1,315	263	35	1,001	200	9	314	63
Homicide	16	598	120	13	451	90	3	147	29
Remaining Causes	791	12,018	2,404	377	6,146	1,229	414	5,872	1,174
Total Deaths - All Causes	3,764	55,176	11,035	1,877	29,004	5,801	1,887	26,172	5,234

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Stokes County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	609	8,051	1,610	342	4,832	966	267	3,219	644
Acute Myocardial Infarction	113	1,606	321	73	1,043	209	40	563	113
Other Ischemic Heart Disease	263	3,595	719	156	2,286	457	107	1,309	262
Hypertension	15	191	38	8	96	19	7	95	19
Cerebrovascular Disease	154	1,718	344	66	739	148	88	980	196
Atherosclerosis	13	212	42	6	132	26	7	80	16
Cancer	627	9,772	1,954	334	4,913	983	293	4,859	972
Colon, Rectum, and Anus	45	810	162	18	254	51	27	556	111
Trachea, Bronchus, and Lung	177	2,558	512	103	1,362	272	74	1,196	239
Breast (Female Only)	31	547	109	N/A	N/A	N/A	31	547	109
Prostate	26	311	62	26	311	62	N/A	N/A	N/A
Diabetes Mellitus	70	1,140	228	39	697	139	31	442	88
Pneumonia and Influenza	67	864	173	28	343	69	39	521	104
Chronic Lower Respiratory Diseases	199	2,582	516	95	1,151	230	104	1,431	286
Chronic Liver Disease and Cirrhosis	50	1,014	203	37	772	154	13	241	48
Septicemia	44	645	129	13	161	32	31	483	97
Nephritis, Nephrosis, & Nephrotic Syndrome	56	734	147	34	409	82	22	325	65
Alzheimer's disease	125	1,082	216	38	316	63	87	766	153
HIV disease	3	65	13	2	57	11	1	8	2
Unintentional Motor Vehicle Injuries	40	1,224	245	29	853	171	11	371	74
All Other Unintentional Injuries	175	4,474	895	110	2,983	597	65	1,490	298
Suicide	44	1,374	275	32	986	197	12	388	78
Homicide	7	223	45	5	154	31	2	69	14
Remaining Causes	669	10,074	2,015	304	4,584	917	365	5,490	1,098
Total Deaths - All Causes	2,967	45,437	9,087	1,522	24,178	4,836	1,445	21,259	4,252

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Surry County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	896	11,102	2,220	456	6,109	1,222	440	4,993	999
Acute Myocardial Infarction	212	2,636	527	109	1,449	290	103	1,186	237
Other Ischemic Heart Disease	282	3,456	691	162	2,063	413	120	1,393	279
Hypertension	52	750	150	24	408	82	28	342	68
Cerebrovascular Disease	255	2,744	549	110	1,211	242	145	1,532	306
Atherosclerosis	23	300	60	18	248	50	5	52	10
Cancer	1,006	13,872	2,774	546	7,124	1,425	460	6,748	1,350
Colon, Rectum, and Anus	70	1,026	205	39	571	114	31	454	91
Trachea, Bronchus, and Lung	332	4,642	928	194	2,487	497	138	2,155	431
Breast (Female Only)	51	780	156	N/A	N/A	N/A	51	780	156
Prostate	38	335	67	38	335	67	N/A	N/A	N/A
Diabetes Mellitus	164	2,506	501	89	1,441	288	75	1,064	213
Pneumonia and Influenza	126	1,501	300	56	637	127	70	864	173
Chronic Lower Respiratory Diseases	357	4,127	825	151	1,602	320	206	2,525	505
Chronic Liver Disease and Cirrhosis	70	1,315	263	47	868	174	23	447	89
Septicemia	89	1,277	255	42	608	122	47	668	134
Nephritis, Nephrosis, & Nephrotic Syndrome	86	1,035	207	45	521	104	41	513	103
Alzheimer's disease	287	2,186	437	85	657	131	202	1,529	306
HIV disease	2	76	15	1	41	8	1	35	7
Unintentional Motor Vehicle Injuries	74	2,317	463	48	1,613	323	26	704	141
All Other Unintentional Injuries	235	5,736	1,147	144	3,694	739	91	2,042	408
Suicide	80	2,370	474	65	1,839	368	15	531	106
Homicide	23	695	139	15	457	91	8	238	48
Remaining Causes	1,138	15,001	3,000	497	6,731	1,346	641	8,270	1,654
Total Deaths - All Causes	4,963	68,910	13,782	2,439	35,812	7,162	2,524	33,098	6,620

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Swain County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	211	2,711	542	124	1,581	316	87	1,130	226
Acute Myocardial Infarction	35	458	92	17	251	50	18	207	41
Other Ischemic Heart Disease	77	1,065	213	50	648	130	27	418	84
Hypertension	6	65	13	5	56	11	1	9	2
Cerebrovascular Disease	42	585	117	23	274	55	19	311	62
Atherosclerosis		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Cancer	220	3,078	616	117	1,442	288	103	1,636	327
Colon, Rectum, and Anus	25	411	82	15	235	47	10	175	35
Trachea, Bronchus, and Lung	53	746	149	26	315	63	27	431	86
Breast (Female Only)	10	146	29	N/A	N/A	N/A	10	146	29
Prostate	9	107	21	9	107	21	N/A	N/A	N/A
Diabetes Mellitus	48	803	161	25	423	85	23	381	76
Pneumonia and Influenza	24	300	60	12	140	28	12	161	32
Chronic Lower Respiratory Diseases	66	764	153	28	287	57	38	477	95
Chronic Liver Disease and Cirrhosis	32	615	123	16	302	60	16	313	63
Septicemia	17	270	54	6	72	14	11	198	40
Nephritis, Nephrosis, & Nephrotic Syndrome	18	241	48	7	80	16	11	162	32
Alzheimer's disease	32	229	46	7	52	10	25	177	35
HIV disease		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	12	275	55	6	133	27	6	142	28
All Other Unintentional Injuries	53	1,368	274	33	815	163	20	553	111
Suicide	17	517	103	16	461	92	1	55	11
Homicide	6	185	37	5	170	34	1	14	3
Remaining Causes	265	3,907	781	129	2,066	413	136	1,841	368
Total Deaths - All Causes	1,069	15,912	3,182	559	8,352	1,670	510	7,561	1,512

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Transylvania County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	447	6,113	1,223	257	3,578	716	190	2,535	507
Acute Myocardial Infarction	50	728	146	27	425	85	23	303	61
Other Ischemic Heart Disease	192	2,672	534	126	1,747	349	66	925	185
Hypertension	9	99	20	4	49	10	5	49	10
Cerebrovascular Disease	112	1,406	281	47	582	116	65	825	165
Atherosclerosis	1	12	2	1	12	2	N/A	N/A	N/A
Cancer	454	7,338	1,468	257	3,882	776	197	3,456	691
Colon, Rectum, and Anus	36	561	112	18	285	57	18	276	55
Trachea, Bronchus, and Lung	116	1,858	372	59	905	181	57	953	191
Breast (Female Only)	30	518	104	N/A	N/A	N/A	30	518	104
Prostate	25	349	70	25	349	70	N/A	N/A	N/A
Diabetes Mellitus	38	656	131	26	437	87	12	219	44
Pneumonia and Influenza	42	600	120	19	292	58	23	308	62
Chronic Lower Respiratory Diseases	138	2,016	403	58	818	164	80	1,197	239
Chronic Liver Disease and Cirrhosis	30	670	134	21	491	98	9	179	36
Septicemia	28	406	81	15	227	45	13	179	36
Nephritis, Nephrosis, & Nephrotic Syndrome	33	439	88	15	215	43	18	224	45
Alzheimer's disease	110	1,107	221	33	305	61	77	802	160
HIV disease		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	23	590	118	13	405	81	10	185	37
All Other Unintentional Injuries	114	2,362	472	56	1,373	275	58	989	198
Suicide	40	1,355	271	31	1,014	203	9	341	68
Homicide	6	264	53	6	264	53	N/A	N/A	N/A
Remaining Causes	566	8,333	1,667	269	4,246	849	297	4,087	817
Total Deaths - All Causes	2,191	33,765	6,753	1,128	18,190	3,638	1,063	15,575	3,115

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Tyrrell County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	52	704	141	32	456	91	20	248	50
Acute Myocardial Infarction	2	15	3	1	7	1	1	8	2
Other Ischemic Heart Disease	31	443	89	20	287	57	11	156	31
Hypertension	3	35	7	1	7	1	2	27	5
Cerebrovascular Disease	8	104	21	3	50	10	5	54	11
Atherosclerosis		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Cancer	55	838	168	33	452	90	22	386	77
Colon, Rectum, and Anus	10	135	27	7	76	15	3	60	12
Trachea, Bronchus, and Lung	15	261	52	10	169	34	5	92	18
Breast (Female Only)	4	78	16	N/A	N/A	N/A	4	78	16
Prostate	3	24	5	3	24	5	N/A	N/A	N/A
Diabetes Mellitus	10	159	32	8	141	28	2	18	4
Pneumonia and Influenza	1	19	4	N/A	N/A	N/A	1	19	4
Chronic Lower Respiratory Diseases	15	228	46	4	86	17	11	142	28
Chronic Liver Disease and Cirrhosis	4	121	24	1	23	5	3	98	20
Septicemia	7	100	20	3	37	7	4	63	13
Nephritis, Nephrosis, & Nephrotic Syndrome	3	43	9	2	26	5	1	17	3
Alzheimer's disease	10	95	19	1	18	4	9	77	15
HIV disease		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	2	34	7	1	12	2	1	22	4
All Other Unintentional Injuries	17	454	91	11	289	58	6	164	33
Suicide	4	127	25	3	86	17	1	41	8
Homicide	1	37	7	1	37	7	N/A	N/A	N/A
Remaining Causes	38	477	95	13	201	40	25	276	55
Total Deaths - All Causes	230	3,573	715	117	1,921	384	113	1,652	330

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Union County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	1,386	19,201	3,840	766	11,357	2,271	620	7,844	1,569
Acute Myocardial Infarction	255	3,693	739	136	2,003	401	119	1,690	338
Other Ischemic Heart Disease	399	5,743	1,149	261	4,054	811	138	1,690	338
Hypertension	60	868	174	24	471	94	36	397	79
Cerebrovascular Disease	383	4,636	927	159	2,130	426	224	2,507	501
Atherosclerosis	2	49	10	2	49	10	N/A	N/A	N/A
Cancer	1,724	29,047	5,809	915	14,472	2,894	809	14,575	2,915
Colon, Rectum, and Anus	134	2,224	445	68	1,161	232	66	1,063	213
Trachea, Bronchus, and Lung	420	6,591	1,318	244	3,749	750	176	2,841	568
Breast (Female Only)	128	2,825	565	N/A	N/A	N/A	128	2,825	565
Prostate	89	948	190	89	948	190	N/A	N/A	N/A
Diabetes Mellitus	224	3,751	750	136	2,317	463	88	1,434	287
Pneumonia and Influenza	150	2,096	419	76	994	199	74	1,102	220
Chronic Lower Respiratory Diseases	351	4,282	856	168	1,954	391	183	2,327	465
Chronic Liver Disease and Cirrhosis	112	2,591	518	68	1,476	295	44	1,115	223
Septicemia	159	2,221	444	81	1,161	232	78	1,060	212
Nephritis, Nephrosis, & Nephrotic Syndrome	191	2,546	509	102	1,304	261	89	1,242	248
Alzheimer's disease	499	4,133	827	140	1,159	232	359	2,974	595
HIV disease	7	249	50	6	206	41	1	42	8
Unintentional Motor Vehicle Injuries	131	5,259	1,052	77	3,014	603	54	2,245	449
All Other Unintentional Injuries	313	10,181	2,036	216	7,547	1,509	97	2,634	527
Suicide	114	4,195	839	94	3,373	675	20	822	164
Homicide	40	1,732	346	34	1,471	294	6	262	52
Remaining Causes	1,815	29,311	5,862	856	14,975	2,995	959	14,336	2,867
Total Deaths - All Causes	7,661	126,347	25,269	3,920	69,430	13,886	3,741	56,917	11,383

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Vance County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	586	8,655	1,731	315	4,593	919	271	4,062	812
Acute Myocardial Infarction	91	1,430	286	50	745	149	41	686	137
Other Ischemic Heart Disease	255	3,626	725	146	2,161	432	109	1,464	293
Hypertension	28	435	87	13	225	45	15	211	42
Cerebrovascular Disease	131	1,741	348	51	752	150	80	989	198
Atherosclerosis	3	70	14	2	42	8	1	28	6
Cancer	595	9,471	1,894	314	4,749	950	281	4,721	944
Colon, Rectum, and Anus	50	789	158	25	396	79	25	393	79
Trachea, Bronchus, and Lung	155	2,292	458	97	1,352	270	58	940	188
Breast (Female Only)	59	977	195	N/A	N/A	N/A	59	977	195
Prostate	26	294	59	26	294	59	N/A	N/A	N/A
Diabetes Mellitus	75	1,268	254	37	555	111	38	714	143
Pneumonia and Influenza	105	1,448	290	55	769	154	50	679	136
Chronic Lower Respiratory Diseases	148	2,014	403	67	836	167	81	1,177	235
Chronic Liver Disease and Cirrhosis	36	688	138	25	483	97	11	205	41
Septicemia	65	914	183	24	304	61	41	610	122
Nephritis, Nephrosis, & Nephrotic Syndrome	76	1,096	219	34	436	87	42	660	132
Alzheimer's disease	74	622	124	20	161	32	54	460	92
HIV disease	6	173	35	5	130	26	1	44	9
Unintentional Motor Vehicle Injuries	57	1,969	394	44	1,452	290	13	517	103
All Other Unintentional Injuries	117	3,362	672	71	1,973	395	46	1,389	278
Suicide	19	596	119	15	384	77	4	211	42
Homicide	56	2,311	462	52	2,144	429	4	167	33
Remaining Causes	651	10,986	2,197	306	5,522	1,104	345	5,464	1,093
Total Deaths - All Causes	2,828	47,818	9,564	1,450	25,511	5,102	1,378	22,308	4,462

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Wake County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	5,584	78,915	15,783	2,978	45,079	9,016	2,606	33,836	6,767
Acute Myocardial Infarction	701	10,961	2,192	416	6,928	1,386	285	4,033	807
Other Ischemic Heart Disease	2,002	29,900	5,980	1,219	19,123	3,825	783	10,777	2,155
Hypertension	339	4,615	923	145	2,346	469	194	2,269	454
Cerebrovascular Disease	1,998	24,274	4,855	844	10,951	2,190	1,154	13,323	2,665
Atherosclerosis	96	1,127	225	38	527	105	58	600	120
Cancer	6,595	116,006	23,201	3,354	55,510	11,102	3,241	60,497	12,099
Colon, Rectum, and Anus	511	9,686	1,937	278	5,218	1,044	233	4,468	894
Trachea, Bronchus, and Lung	1,406	22,836	4,567	732	11,705	2,341	674	11,131	2,226
Breast (Female Only)	545	11,642	2,328	N/A	N/A	N/A	545	11,642	2,328
Prostate	360	4,132	826	360	4,132	826	N/A	N/A	N/A
Diabetes Mellitus	866	15,271	3,054	467	8,566	1,713	399	6,704	1,341
Pneumonia and Influenza	418	6,344	1,269	186	2,782	556	232	3,562	712
Chronic Lower Respiratory Diseases	1,218	15,902	3,180	534	6,828	1,366	684	9,074	1,815
Chronic Liver Disease and Cirrhosis	389	9,992	1,998	256	6,410	1,282	133	3,582	716
Septicemia	354	5,909	1,182	153	2,451	490	201	3,458	692
Nephritis, Nephrosis, & Nephrotic Syndrome	628	9,505	1,901	292	4,352	870	336	5,152	1,030
Alzheimer's disease	1,353	11,855	2,371	389	3,294	659	964	8,561	1,712
HIV disease	81	2,335	467	62	1,786	357	19	549	110
Unintentional Motor Vehicle Injuries	394	15,201	3,040	282	10,782	2,156	112	4,418	884
All Other Unintentional Injuries	1,521	44,676	8,935	944	31,084	6,217	577	13,592	2,718
Suicide	514	19,808	3,962	381	14,462	2,892	133	5,346	1,069
Homicide	162	7,753	1,551	126	6,010	1,202	36	1,742	348
Remaining Causes	7,389	133,453	26,691	3,426	66,600	13,320	3,963	66,853	13,371
Total Deaths - All Causes	29,899	522,939	104,588	14,857	279,820	55,964	15,042	243,119	48,624

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Warren County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	326	4,731	946	185	2,730	546	141	2,001	400
Acute Myocardial Infarction	28	495	99	17	286	57	11	210	42
Other Ischemic Heart Disease	191	2,726	545	118	1,713	343	73	1,013	203
Hypertension	19	273	55	11	175	35	8	98	20
Cerebrovascular Disease	63	793	159	33	429	86	30	364	73
Atherosclerosis	3	42	8	2	33	7	1	9	2
Cancer	265	4,339	868	148	2,241	448	117	2,098	420
Colon, Rectum, and Anus	20	437	87	12	223	45	8	214	43
Trachea, Bronchus, and Lung	71	1,140	228	40	602	120	31	538	108
Breast (Female Only)	17	235	47	N/A	N/A	N/A	17	235	47
Prostate	18	204	41	18	204	41	N/A	N/A	N/A
Diabetes Mellitus	35	543	109	27	400	80	8	143	29
Pneumonia and Influenza	46	584	117	16	206	41	30	379	76
Chronic Lower Respiratory Diseases	84	1,189	238	45	649	130	39	540	108
Chronic Liver Disease and Cirrhosis	24	536	107	18	351	70	6	186	37
Septicemia	14	226	45	10	150	30	4	76	15
Nephritis, Nephrosis, & Nephrotic Syndrome	31	488	98	16	234	47	15	254	51
Alzheimer's disease	39	386	77	10	102	20	29	284	57
HIV disease		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	30	1,162	232	22	888	178	8	275	55
All Other Unintentional Injuries	51	1,296	259	34	943	189	17	353	71
Suicide	16	412	82	14	362	72	2	50	10
Homicide	13	547	109	13	547	109	N/A	N/A	N/A
Remaining Causes	294	4,965	993	129	2,189	438	165	2,776	555
Total Deaths - All Causes	1,353	22,513	4,503	733	12,629	2,526	620	9,884	1,977

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Washington County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	191	2,448	490	106	1,289	258	85	1,159	232
Acute Myocardial Infarction	26	363	73	16	201	40	10	162	32
Other Ischemic Heart Disease	70	779	156	46	525	105	24	254	51
Hypertension	10	112	22	2	25	5	8	87	17
Cerebrovascular Disease	51	579	116	23	243	49	28	336	67
Atherosclerosis		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Cancer	176	2,682	536	88	1,186	237	88	1,496	299
Colon, Rectum, and Anus	23	439	88	8	108	22	15	331	66
Trachea, Bronchus, and Lung	39	601	120	24	348	70	15	253	51
Breast (Female Only)	8	139	28	N/A	N/A	N/A	8	139	28
Prostate	12	131	26	12	131	26	N/A	N/A	N/A
Diabetes Mellitus	38	658	132	21	306	61	17	351	70
Pneumonia and Influenza	16	147	29	4	39	8	12	108	22
Chronic Lower Respiratory Diseases	47	546	109	21	224	45	26	322	64
Chronic Liver Disease and Cirrhosis	13	173	35	10	136	27	3	37	7
Septicemia	8	105	21	3	35	7	5	69	14
Nephritis, Nephrosis, & Nephrotic Syndrome	12	175	35	7	102	20	5	73	15
Alzheimer's disease	47	431	86	17	126	25	30	305	61
HIV disease		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	16	366	73	14	338	68	2	29	6
All Other Unintentional Injuries	30	635	127	13	277	55	17	358	72
Suicide	3	116	23	3	116	23	N/A	N/A	N/A
Homicide	4	168	34	2	98	20	2	70	14
Remaining Causes	192	3,402	680	102	1,917	383	90	1,485	297
Total Deaths - All Causes	854	12,742	2,548	436	6,456	1,291	418	6,286	1,257

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Watauga County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	403	5,543	1,109	217	3,281	656	186	2,263	453
Acute Myocardial Infarction	58	824	165	33	508	102	25	316	63
Other Ischemic Heart Disease	171	2,505	501	99	1,564	313	72	941	188
Hypertension	17	156	31	7	61	12	10	95	19
Cerebrovascular Disease	80	929	186	37	405	81	43	524	105
Atherosclerosis	1	7	1	1	7	1	N/A	N/A	N/A
Cancer	387	6,174	1,235	207	3,202	640	180	2,973	595
Colon, Rectum, and Anus	25	462	92	18	331	66	7	132	26
Trachea, Bronchus, and Lung	88	1,393	279	41	629	126	47	765	153
Breast (Female Only)	30	522	104	N/A	N/A	N/A	30	522	104
Prostate	19	253	51	19	253	51	N/A	N/A	N/A
Diabetes Mellitus	38	652	130	21	401	80	17	251	50
Pneumonia and Influenza	28	406	81	12	168	34	16	239	48
Chronic Lower Respiratory Diseases	118	1,596	319	60	828	166	58	769	154
Chronic Liver Disease and Cirrhosis	34	760	152	23	569	114	11	192	38
Septicemia	21	382	76	13	206	41	8	175	35
Nephritis, Nephrosis, & Nephrotic Syndrome	24	312	62	14	192	38	10	120	24
Alzheimer's disease	148	1,302	260	42	343	69	106	960	192
HIV disease		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	30	1,090	218	22	704	141	8	386	77
All Other Unintentional Injuries	83	2,172	434	48	1,364	273	35	808	162
Suicide	39	1,405	281	28	1,031	206	11	375	75
Homicide	4	189	38	2	118	24	2	71	14
Remaining Causes	415	6,601	1,320	215	3,701	740	200	2,899	580
Total Deaths - All Causes	1,870	29,677	5,935	969	16,579	3,316	901	13,098	2,620

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Wayne County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	1,471	20,247	4,049	775	11,309	2,262	696	8,938	1,788
Acute Myocardial Infarction	232	3,254	651	125	1,808	362	107	1,446	289
Other Ischemic Heart Disease	555	7,529	1,506	329	4,627	925	226	2,902	580
Hypertension	109	1,452	290	56	762	152	53	691	138
Cerebrovascular Disease	468	5,853	1,171	200	2,665	533	268	3,189	638
Atherosclerosis	7	88	18	4	61	12	3	26	5
Cancer	1,388	21,638	4,328	713	10,278	2,056	675	11,360	2,272
Colon, Rectum, and Anus	125	1,958	392	73	1,161	232	52	797	159
Trachea, Bronchus, and Lung	384	6,044	1,209	194	2,780	556	190	3,264	653
Breast (Female Only)	105	1,894	379	N/A	N/A	N/A	105	1,894	379
Prostate	75	771	154	75	771	154	N/A	N/A	N/A
Diabetes Mellitus	277	4,330	866	124	1,928	386	153	2,403	481
Pneumonia and Influenza	118	1,823	365	60	897	179	58	926	185
Chronic Lower Respiratory Diseases	398	5,259	1,052	190	2,519	504	208	2,740	548
Chronic Liver Disease and Cirrhosis	100	2,109	422	62	1,209	242	38	900	180
Septicemia	110	1,832	366	48	736	147	62	1,096	219
Nephritis, Nephrosis, & Nephrotic Syndrome	147	2,099	420	72	1,029	206	75	1,070	214
Alzheimer's disease	294	2,521	504	73	570	114	221	1,950	390
HIV disease	19	526	105	14	372	74	5	154	31
Unintentional Motor Vehicle Injuries	122	4,012	802	92	3,137	627	30	875	175
All Other Unintentional Injuries	281	7,225	1,445	169	4,684	937	112	2,540	508
Suicide	65	2,330	466	53	1,796	359	12	534	107
Homicide	57	2,537	507	48	2,143	429	9	394	79
Remaining Causes	1,359	24,519	4,904	667	11,977	2,395	692	12,542	2,508
Total Deaths - All Causes	6,790	110,400	22,080	3,420	58,073	11,615	3,370	52,327	10,465

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Wilkes County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	871	11,526	2,305	494	6,722	1,344	377	4,804	961
Acute Myocardial Infarction	188	2,191	438	101	1,211	242	87	979	196
Other Ischemic Heart Disease	317	4,269	854	205	2,804	561	112	1,464	293
Hypertension	51	684	137	24	340	68	27	344	69
Cerebrovascular Disease	158	2,003	401	74	984	197	84	1,019	204
Atherosclerosis	7	89	18	3	50	10	4	40	8
Cancer	875	13,188	2,638	478	6,709	1,342	397	6,479	1,296
Colon, Rectum, and Anus	76	1,196	239	42	665	133	34	531	106
Trachea, Bronchus, and Lung	257	3,925	785	148	2,171	434	109	1,754	351
Breast (Female Only)	50	854	171	N/A	N/A	N/A	50	854	171
Prostate	42	409	82	42	409	82	N/A	N/A	N/A
Diabetes Mellitus	129	2,352	470	79	1,458	292	50	894	179
Pneumonia and Influenza	122	1,701	340	57	758	152	65	944	189
Chronic Lower Respiratory Diseases	372	5,142	1,028	178	2,222	444	194	2,920	584
Chronic Liver Disease and Cirrhosis	60	1,340	268	39	869	174	21	472	94
Septicemia	91	1,307	261	43	595	119	48	711	142
Nephritis, Nephrosis, & Nephrotic Syndrome	81	1,085	217	45	596	119	36	489	98
Alzheimer's disease	280	2,412	482	81	663	133	199	1,748	350
HIV disease	5	115	23	3	53	11	2	63	13
Unintentional Motor Vehicle Injuries	75	2,264	453	60	1,707	341	15	557	111
All Other Unintentional Injuries	197	5,175	1,035	119	3,167	633	78	2,008	402
Suicide	67	2,052	410	58	1,751	350	9	301	60
Homicide	20	736	147	16	557	111	4	179	36
Remaining Causes	924	14,659	2,932	462	7,191	1,438	462	7,468	1,494
Total Deaths - All Causes	4,385	67,832	13,566	2,313	36,392	7,278	2,072	31,440	6,288

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Wilson County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	965	12,386	2,477	498	6,781	1,356	467	5,605	1,121
Acute Myocardial Infarction	130	1,771	354	67	914	183	63	857	171
Other Ischemic Heart Disease	386	5,070	1,014	227	3,051	610	159	2,019	404
Hypertension	70	1,089	218	31	564	113	39	525	105
Cerebrovascular Disease	273	3,183	637	118	1,496	299	155	1,688	338
Atherosclerosis	4	27	5	2	13	3	2	13	3
Cancer	848	12,793	2,559	459	6,661	1,332	389	6,132	1,226
Colon, Rectum, and Anus	64	1,034	207	32	495	99	32	540	108
Trachea, Bronchus, and Lung	231	3,304	661	138	1,985	397	93	1,319	264
Breast (Female Only)	55	987	197	N/A	N/A	N/A	55	987	197
Prostate	39	410	82	39	410	82	N/A	N/A	N/A
Diabetes Mellitus	190	3,293	659	102	1,754	351	88	1,539	308
Pneumonia and Influenza	89	1,319	264	49	704	141	40	615	123
Chronic Lower Respiratory Diseases	242	3,002	600	98	1,174	235	144	1,828	366
Chronic Liver Disease and Cirrhosis	54	1,090	218	33	619	124	21	471	94
Septicemia	68	1,086	217	33	407	81	35	679	136
Nephritis, Nephrosis, & Nephrotic Syndrome	94	1,213	243	47	588	118	47	625	125
Alzheimer's disease	210	1,760	352	70	549	110	140	1,211	242
HIV disease	15	391	78	12	293	59	3	98	20
Unintentional Motor Vehicle Injuries	79	2,828	566	50	1,604	321	29	1,224	245
All Other Unintentional Injuries	192	5,354	1,071	124	3,677	735	68	1,677	335
Suicide	44	1,219	244	36	936	187	8	283	57
Homicide	36	1,337	267	29	1,109	222	7	227	45
Remaining Causes	1,278	20,248	4,050	571	9,902	1,980	707	10,346	2,069
Total Deaths - All Causes	4,751	73,616	14,723	2,362	38,829	7,766	2,389	34,787	6,957

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Yadkin County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	474	5,939	1,188	232	3,242	648	242	2,697	539
Acute Myocardial Infarction	82	1,063	213	42	562	112	40	501	100
Other Ischemic Heart Disease	184	2,359	472	99	1,454	291	85	905	181
Hypertension	26	321	64	10	129	26	16	192	38
Cerebrovascular Disease	113	1,351	270	55	671	134	58	680	136
Atherosclerosis	3	39	8	3	39	8	N/A	N/A	N/A
Cancer	460	6,926	1,385	252	3,661	732	208	3,265	653
Colon, Rectum, and Anus	30	525	105	14	239	48	16	286	57
Trachea, Bronchus, and Lung	143	2,171	434	86	1,188	238	57	983	197
Breast (Female Only)	21	357	71	N/A	N/A	N/A	21	357	71
Prostate	21	161	32	21	161	32	N/A	N/A	N/A
Diabetes Mellitus	90	1,345	269	49	815	163	41	530	106
Pneumonia and Influenza	66	720	144	33	383	77	33	337	67
Chronic Lower Respiratory Diseases	168	2,025	405	75	879	176	93	1,145	229
Chronic Liver Disease and Cirrhosis	28	571	114	16	316	63	12	255	51
Septicemia	38	630	126	18	328	66	20	302	60
Nephritis, Nephrosis, & Nephrotic Syndrome	44	496	99	22	259	52	22	238	48
Alzheimer's disease	125	975	195	38	282	56	87	693	139
HIV disease	1	27	5	N/A	N/A	N/A	1	27	5
Unintentional Motor Vehicle Injuries	35	1,027	205	23	585	117	12	441	88
All Other Unintentional Injuries	107	2,599	520	60	1,567	313	47	1,032	206
Suicide	32	1,126	225	27	953	191	5	173	35
Homicide	5	119	24	4	107	21	1	12	2
Remaining Causes	507	7,761	1,552	240	3,957	791	267	3,804	761
Total Deaths - All Causes	2,322	33,997	6,799	1,157	18,175	3,635	1,165	15,822	3,164

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases

2016-2020 Years of Potential Life Lost (based on Life Expectancy at Death) in Total and by Sex

Residence = Yancey County

Cause of Death	Total			Sex					
	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Male			Female		
				Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost	Number of Deaths 2016-2020	5-Year Total Years of Potential Life Lost	5-Year Average Years of Potential Life Lost
Diseases of Heart	259	3,187	637	133	1,687	337	126	1,500	300
Acute Myocardial Infarction	60	879	176	34	489	98	26	391	78
Other Ischemic Heart Disease	105	1,276	255	65	809	162	40	467	93
Hypertension	4	63	13	1	23	5	3	40	8
Cerebrovascular Disease	53	593	119	19	193	39	34	399	80
Atherosclerosis		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Cancer	270	4,039	808	158	2,238	448	112	1,801	360
Colon, Rectum, and Anus	27	444	89	16	258	52	11	186	37
Trachea, Bronchus, and Lung	66	980	196	39	564	113	27	416	83
Breast (Female Only)	17	353	71	N/A	N/A	N/A	17	353	71
Prostate	19	170	34	19	170	34	N/A	N/A	N/A
Diabetes Mellitus	23	477	95	9	150	30	14	327	65
Pneumonia and Influenza	16	210	42	9	142	28	7	68	14
Chronic Lower Respiratory Diseases	96	1,264	253	46	503	101	50	762	152
Chronic Liver Disease and Cirrhosis	21	495	99	15	358	72	6	137	27
Septicemia	14	232	46	7	124	25	7	108	22
Nephritis, Nephrosis, & Nephrotic Syndrome	23	327	65	13	187	37	10	140	28
Alzheimer's disease	74	593	119	16	127	25	58	467	93
HIV disease	1	47	9	1	47	9	N/A	N/A	N/A
Unintentional Motor Vehicle Injuries	21	515	103	15	369	74	6	146	29
All Other Unintentional Injuries	46	972	194	22	632	126	24	341	68
Suicide	21	564	113	14	350	70	7	214	43
Homicide	4	126	25	2	49	10	2	77	15
Remaining Causes	262	3,386	677	137	1,716	343	125	1,669	334
Total Deaths - All Causes	1,208	17,092	3,418	617	8,897	1,779	591	8,195	1,639

Years of Potential Life Lost (YPLL) for an individual death is the difference between the life expectancy (at death age) and the death age.

Life expectancy is the average number of additional years that someone at a given age would be expected to live if current mortality conditions constant throughout their lifetime.

N.A. indicates that estimates are not applicable for sex-specific diseases