

II. Geographical Patterns in Vital Statistics

This section contains nine maps depicting population and selected vital statistics for the state's 100 counties. Data and population bases for the vital statistics rates are for the five-year period 2015–2019. The range of data values indicated by the map legend was formed using the natural breaks method. This method identifies breakpoints by looking for groupings and patterns inherent in the data.

The nine maps display the county statistics listed below. Definitions and formulas are found in Section VI and


maps displaying the region and county names are printed on the reverse sides of region and county divider sheets.

Although the vital statistics rates shown on the maps are five-year rates, be careful when interpreting relatively high rates in sparsely populated counties. These counties usually have a small number of births and deaths, which may create extremely unstable rates. Consult the respective county tables for the 2015–2019 numbers involved before becoming concerned about relatively high county-level rates.

Figure

1. Population July 1, 2019 Estimate
2. Total Live Births per 1,000 Population
3. Low Birthweight Live Births per 100 Live Births
4. Live Births to Unmarried Mothers per 100 Live Births
5. Fetal Deaths per 1,000 Deliveries
6. Neonatal Deaths per 1,000 Live Births
7. Postneonatal Deaths per 1,000 Neonatal Survivors
8. Infant Deaths per 1,000 Live Births
9. Total Deaths per 1,000 Population

Population



Population July 1, 2019 Estimate




Figure 1

Low Birthweight Rates




Figure 3

Unmarried Birth Rates




Figure 4

Fetal Death Rates




Figure 5

Neonatal Death Rates




Figure 6

Postneonatal Death Rates




Figure 7

Death Rates




Figure 9