

**2017 NORTH CAROLINA CANCER INCIDENCE BY RACE AND GENDER
PER 100,000 POPULATION
AGE-ADJUSTED TO THE 2000 U.S. STANDARD POPULATION**

SITE	White Males		White Females		Minority Males		Minority Females		Total	
	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate
Oral Cavity	915	19.9	359	7.0	164	12.1	87	5.6	1,554	12.3
Esophagus	378	8.2	67	1.2	69	5.6	27	1.8	544	4.2
Stomach	329	7.5	188	3.6	153	14.2	109	7.3	786	6.5
Colon & Rectum	1,676	38.5	1,481	29.2	522	43.8	537	34.4	4,291	35.2
Liver	603	12.7	242	4.5	201	15.1	76	4.7	1,126	8.6
Gallbladder	24	0.6	46	0.8	14	**	36	2.1	120	0.9
Pancreas	638	14.2	598	11.0	206	17.9	210	13.6	1,659	13.1
Larynx	285	6.1	90	1.8	116	9.6	24	1.3	518	4.0
Lung & Bronchus	3,412	74.7	3,116	56.6	868	75.8	674	42.0	8,094	62.9
Bone	45	1.1	39	1.0	17	1.3	8	**	111	1.0
Soft Tissue	187	4.4	124	2.6	47	3.8	42	2.9	405	3.5
Melanoma (Skin)	1,694	39.0	1,145	24.4	14	**	16	1.1	3,061	25.5
Female Breast	.	.	7,967	160.7	.	.	2,568	160.7	10,625	162.3
Cervix Uteri	.	.	241	6.1	.	.	113	7.1	364	6.5
Corpus Uteri	.	.	1,308	25.3	.	.	445	26.6	1,777	25.8
Ovary	.	.	496	10.1	.	.	110	7.3	613	9.5
Prostate	4,935	101.2	.	.	2,005	155.9	.	.	7,432	120.7
Testes	218	6.4	.	.	23	1.7	.	.	242	5.1
Bladder	1,616	37.4	524	9.7	222	21.1	118	7.7	2,517	20.2
Kidney	1,036	23.0	575	11.4	311	23.5	228	14.1	2,167	17.3
Endocrine	271	6.7	698	17.4	54	4.4	229	14.6	1,269	11.7
Multiple Myeloma	297	6.5	276	5.1	215	18.4	168	10.9	964	7.6
Leukemia	707	16.4	492	9.6	153	13.0	130	8.8	1,530	12.7
Brain & Other CNS (includes benign brain)	696	17.0	1,022	21.7	179	14.8	285	18.7	2,202	19.0
Brain & Other CNS (excludes benign brain)	317	7.8	250	5.5	58	4.6	51	3.4	677	6.0
Hodgkin Disease	105	2.7	92	2.3	50	3.7	32	2.1	280	2.6
Non-Hodgkin Lymphoma	874	20.2	742	14.2	193	16.2	183	11.8	2,021	16.5
Other Cancer	1,591	37.5	1,650	32.3	360	32.4	473	29.9	4,192	34.7
All Cancers	22,153	492.7	22,806	453.6	6,035	496.3	6,694	422.4	58,939	473.7

Produced by the NC Central Cancer Registry, 01/2020

Numbers are subject to change as files are updated.

** Cancer incidence rates for cell sizes with fewer than 16 cases of cancer are suppressed as they are not stable.

Cases may not sum to totals due to unknown or other values.

Cancers of the urinary bladder and female breast include in situ cases.

Rates are calculated using the bridged-race population estimates obtained from the National Center for Health Statistics available online at www.cdc.gov/nchs/nvss/bridged_race/data_documentation.htm#vintage2018.

