

Table 1
Vance County Resident Births for 2016
By Age of Mother and Birth Order
For All Women

| Age of Mother | Birth Order | | | | | | | | | Total |
|---------------|-------------|-----|-----|-----|-----|-----|-----|-----|-------------|-------|
| | 1st | 2nd | 3rd | 4th | 5th | 6th | 7th | 8th | 9th or More | |
| 15 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| 16 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| 17 | 6 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 7 |
| 18 | 12 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 15 |
| 19 | 14 | 6 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 23 |
| 20 | 16 | 4 | 2 | 1 | 1 | 0 | 0 | 0 | 0 | 24 |
| 21 | 15 | 9 | 4 | 1 | 1 | 0 | 0 | 0 | 0 | 30 |
| 22 | 22 | 17 | 4 | 7 | 1 | 0 | 0 | 0 | 0 | 51 |
| 23 | 11 | 10 | 9 | 4 | 2 | 1 | 0 | 0 | 0 | 37 |
| 24 | 7 | 11 | 5 | 4 | 0 | 3 | 2 | 0 | 0 | 32 |
| 25 thru 29 | 26 | 39 | 32 | 22 | 10 | 11 | 2 | 2 | 2 | 146 |
| 30 thru 34 | 8 | 13 | 23 | 21 | 14 | 3 | 8 | 5 | 4 | 99 |
| 35 thru 39 | 11 | 8 | 6 | 8 | 7 | 1 | 0 | 2 | 2 | 45 |
| 40 thru 44 | 1 | 4 | 4 | 2 | 0 | 1 | 2 | 0 | 1 | 15 |
| Total | 155 | 124 | 93 | 70 | 36 | 20 | 14 | 9 | 9 | 530 |

Table 1
Vance County Resident Births for 2016
By Age of Mother and Birth Order
For White Non-Hispanic Women

| Age of Mother | Birth Order | | | | | | | | | Total |
|---------------|-------------|-----|-----|-----|-----|-----|-----|-----|-------------|-------|
| | 1st | 2nd | 3rd | 4th | 5th | 6th | 7th | 8th | 9th or More | |
| 17 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 18 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| 19 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6 |
| 20 | 4 | 1 | 2 | 0 | 1 | 0 | 0 | 0 | 0 | 8 |
| 21 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| 22 | 8 | 5 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 15 |
| 23 | 4 | 3 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 10 |
| 24 | 1 | 5 | 2 | 1 | 0 | 2 | 2 | 0 | 0 | 13 |
| 25 thru 29 | 12 | 18 | 14 | 6 | 4 | 3 | 0 | 0 | 1 | 58 |
| 30 thru 34 | 3 | 6 | 7 | 6 | 6 | 1 | 1 | 2 | 0 | 32 |
| 35 thru 39 | 4 | 2 | 1 | 5 | 3 | 1 | 0 | 1 | 0 | 17 |
| 40 thru 44 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 1 | 3 |
| Total | 46 | 42 | 32 | 19 | 14 | 7 | 3 | 3 | 2 | 168 |

Table 1
Vance County Resident Births for 2016
By Age of Mother and Birth Order
For African American Non-Hispanic Women

| Age of Mother | Birth Order | | | | | | | | | Total |
|---------------|-------------|-----|-----|-----|-----|-----|-----|-----|-------------|-------|
| | 1st | 2nd | 3rd | 4th | 5th | 6th | 7th | 8th | 9th or More | |
| 15 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| 16 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| 17 | 3 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| 18 | 8 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 9 |
| 19 | 8 | 3 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 13 |
| 20 | 10 | 3 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 14 |
| 21 | 11 | 6 | 4 | 1 | 1 | 0 | 0 | 0 | 0 | 23 |
| 22 | 10 | 11 | 3 | 4 | 0 | 0 | 0 | 0 | 0 | 28 |
| 23 | 7 | 7 | 4 | 4 | 2 | 1 | 0 | 0 | 0 | 25 |
| 24 | 6 | 4 | 3 | 3 | 0 | 1 | 0 | 0 | 0 | 17 |
| 25 thru 29 | 11 | 18 | 11 | 14 | 6 | 7 | 2 | 2 | 1 | 72 |
| 30 thru 34 | 2 | 7 | 13 | 10 | 6 | 1 | 7 | 3 | 4 | 53 |
| 35 thru 39 | 6 | 3 | 3 | 2 | 3 | 0 | 0 | 1 | 2 | 20 |
| 40 thru 44 | 1 | 1 | 1 | 1 | 0 | 1 | 1 | 0 | 0 | 6 |
| Total | 87 | 64 | 45 | 40 | 18 | 11 | 10 | 6 | 7 | 288 |

Table 1
Vance County Resident Births for 2016
By Age of Mother and Birth Order
For Other Non-Hispanic Women

| Age of Mother | Birth Order | | | | | Total |
|---------------|-------------|-----|-----|-----|-----|-------|
| | 1st | 2nd | 3rd | 5th | 6th | |
| 19 | 0 | 1 | 1 | 0 | 0 | 2 |
| 20 | 1 | 0 | 0 | 0 | 0 | 1 |
| 21 | 0 | 1 | 0 | 0 | 0 | 1 |
| 22 | 1 | 0 | 0 | 0 | 0 | 1 |
| 25 thru 29 | 1 | 0 | 1 | 0 | 0 | 2 |
| 30 thru 34 | 0 | 0 | 0 | 1 | 1 | 2 |
| 35 thru 39 | 0 | 0 | 1 | 0 | 0 | 1 |
| 40 thru 44 | 0 | 1 | 0 | 0 | 0 | 1 |
| Total | 3 | 3 | 3 | 1 | 1 | 11 |

Table 1
Vance County Resident Births for 2016
By Age of Mother and Birth Order
For Hispanic Women

| Age of Mother | Birth Order | | | | | | | Total |
|---------------|-------------|-----|-----|-----|-----|-----|-----|-------|
| | 1st | 2nd | 3rd | 4th | 5th | 6th | 7th | |
| 16 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| 17 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| 18 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 3 |
| 19 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 2 |
| 20 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 21 | 3 | 1 | 0 | 0 | 0 | 0 | 0 | 4 |
| 22 | 3 | 1 | 0 | 2 | 1 | 0 | 0 | 7 |
| 23 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 2 |
| 24 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 2 |
| 25 thru 29 | 2 | 3 | 6 | 2 | 0 | 1 | 0 | 14 |
| 30 thru 34 | 3 | 0 | 3 | 5 | 1 | 0 | 0 | 12 |
| 35 thru 39 | 1 | 3 | 1 | 1 | 1 | 0 | 0 | 7 |
| 40 thru 44 | 0 | 2 | 1 | 1 | 0 | 0 | 1 | 5 |
| Total | 19 | 15 | 13 | 11 | 3 | 1 | 1 | 63 |

Table 2
Vance County Resident Births for 2016
By Age of Mother and Birth Order
For Married White Non-Hispanic Women

| Age of Mother | Birth Order | | | | | | | | | Total |
|---------------|-------------|-----|-----|-----|-----|-----|-----|-----|-------------|-------|
| | 1st | 2nd | 3rd | 4th | 5th | 6th | 7th | 8th | 9th or More | |
| 19 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| 22 | 2 | 2 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 5 |
| 23 | 4 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 7 |
| 24 | 1 | 1 | 1 | 1 | 0 | 0 | 1 | 0 | 0 | 5 |
| 25 thru 29 | 9 | 12 | 10 | 3 | 3 | 1 | 0 | 0 | 1 | 39 |
| 30 thru 34 | 1 | 6 | 5 | 5 | 5 | 1 | 0 | 1 | 0 | 24 |
| 35 thru 39 | 4 | 1 | 1 | 5 | 3 | 0 | 0 | 1 | 0 | 15 |
| 40 thru 44 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 1 | 3 |
| Total | 23 | 24 | 20 | 15 | 11 | 2 | 1 | 2 | 2 | 100 |

Table 2
Vance County Resident Births for 2016
By Age of Mother and Birth Order
For Married African American Non-Hispanic Women

| Age of Mother | Birth Order | | | | | | | | Total |
|---------------|-------------|-----|-----|-----|-----|-----|-----|-----|-------|
| | 1st | 2nd | 3rd | 4th | 5th | 6th | 7th | 8th | |
| 20 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| 21 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 2 |
| 23 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 25 thru 29 | 2 | 5 | 1 | 3 | 0 | 2 | 1 | 0 | 14 |
| 30 thru 34 | 1 | 2 | 0 | 4 | 1 | 0 | 1 | 2 | 11 |
| 35 thru 39 | 5 | 2 | 2 | 1 | 1 | 0 | 0 | 1 | 12 |
| 40 thru 44 | 1 | 1 | 1 | 1 | 0 | 1 | 1 | 0 | 6 |
| Total | 12 | 10 | 6 | 9 | 2 | 3 | 3 | 3 | 48 |

Table 2
Vance County Resident Births for 2016
By Age of Mother and Birth Order
For Married Other Non-Hispanic Women

| Age of Mother | Birth Order | | | Total |
|------------------|-------------|-----|-----|-------|
| | 2nd | 3rd | 5th | |
| 30 thru 34 | 0 | 0 | 1 | 1 |
| 35 thru 39 | 0 | 1 | 0 | 1 |
| 40 thru 44 | 1 | 0 | 0 | 1 |
| Total | 1 | 1 | 1 | 3 |

Table 2
Vance County Resident Births for 2016
By Age of Mother and Birth Order
For Married Hispanic Women

| Age of Mother | Birth Order | | | | | | | Total |
|---------------|-------------|-----|-----|-----|-----|-----|-----|-------|
| | 1st | 2nd | 3rd | 4th | 5th | 6th | 7th | |
| 19 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 |
| 20 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 21 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 2 |
| 22 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 3 |
| 23 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 |
| 25 thru 29 | 2 | 2 | 3 | 1 | 0 | 1 | 0 | 9 |
| 30 thru 34 | 1 | 0 | 3 | 3 | 1 | 0 | 0 | 8 |
| 35 thru 39 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 40 thru 44 | 0 | 2 | 0 | 0 | 0 | 0 | 1 | 3 |
| Total | 7 | 6 | 7 | 5 | 2 | 1 | 1 | 29 |

Table 2
Vance County Resident Births for 2016
By Age of Mother and Birth Order
For Unmarried White Non-Hispanic Women

| Age of Mother | Birth Order | | | | | | | | Total |
|---------------|-------------|-----|-----|-----|-----|-----|-----|-----|-------|
| | 1st | 2nd | 3rd | 4th | 5th | 6th | 7th | 8th | |
| 17 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 18 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| 19 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| 20 | 4 | 1 | 2 | 0 | 1 | 0 | 0 | 0 | 8 |
| 21 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| 22 | 6 | 3 | 1 | 0 | 0 | 0 | 0 | 0 | 10 |
| 23 | 0 | 1 | 2 | 0 | 0 | 0 | 0 | 0 | 3 |
| 24 | 0 | 4 | 1 | 0 | 0 | 2 | 1 | 0 | 8 |
| 25 thru 29 | 3 | 6 | 4 | 3 | 1 | 2 | 0 | 0 | 19 |
| 30 thru 34 | 2 | 0 | 2 | 1 | 1 | 0 | 1 | 1 | 8 |
| 35 thru 39 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 2 |
| Total | 23 | 18 | 12 | 4 | 3 | 5 | 2 | 1 | 68 |

Table 2
Vance County Resident Births for 2016
By Age of Mother and Birth Order
For Unmarried African American Non-Hispanic Women

| Age of Mother | Birth Order | | | | | | | | | Total |
|---------------|-------------|-----|-----|-----|-----|-----|-----|-----|-------------|-------|
| | 1st | 2nd | 3rd | 4th | 5th | 6th | 7th | 8th | 9th or More | |
| 15 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| 16 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| 17 | 3 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| 18 | 8 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 9 |
| 19 | 8 | 3 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 13 |
| 20 | 8 | 3 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 12 |
| 21 | 11 | 6 | 2 | 1 | 1 | 0 | 0 | 0 | 0 | 21 |
| 22 | 10 | 11 | 3 | 4 | 0 | 0 | 0 | 0 | 0 | 28 |
| 23 | 6 | 7 | 4 | 4 | 2 | 1 | 0 | 0 | 0 | 24 |
| 24 | 5 | 4 | 3 | 3 | 0 | 1 | 0 | 0 | 0 | 16 |
| 25 thru 29 | 9 | 13 | 10 | 11 | 6 | 5 | 1 | 2 | 1 | 58 |
| 30 thru 34 | 1 | 5 | 13 | 6 | 5 | 1 | 6 | 1 | 4 | 42 |
| 35 thru 39 | 1 | 1 | 1 | 1 | 2 | 0 | 0 | 0 | 2 | 8 |
| Total | 74 | 54 | 39 | 31 | 16 | 8 | 7 | 3 | 7 | 239 |

Table 2
Vance County Resident Births for 2016
By Age of Mother and Birth Order
For Unmarried Other Non-Hispanic Women

| Age of Mother | Birth Order | | | | Total |
|---------------|-------------|-----|-----|-----|-------|
| | 1st | 2nd | 3rd | 6th | |
| 19 | 0 | 1 | 1 | 0 | 2 |
| 20 | 1 | 0 | 0 | 0 | 1 |
| 21 | 0 | 1 | 0 | 0 | 1 |
| 22 | 1 | 0 | 0 | 0 | 1 |
| 25 thru 29 | 1 | 0 | 1 | 0 | 2 |
| 30 thru 34 | 0 | 0 | 0 | 1 | 1 |
| Total | 3 | 2 | 2 | 1 | 8 |

Table 2
Vance County Resident Births for 2016
By Age of Mother and Birth Order
For Unmarried Hispanic Women

| Age of Mother | Birth Order | | | | | Total |
|---------------|-------------|-----|-----|-----|-----|-------|
| | 1st | 2nd | 3rd | 4th | 5th | |
| 16 | 2 | 0 | 0 | 0 | 0 | 2 |
| 17 | 2 | 0 | 0 | 0 | 0 | 2 |
| 18 | 2 | 1 | 0 | 0 | 0 | 3 |
| 19 | 0 | 1 | 0 | 0 | 0 | 1 |
| 21 | 2 | 0 | 0 | 0 | 0 | 2 |
| 22 | 2 | 1 | 0 | 1 | 0 | 4 |
| 23 | 0 | 0 | 1 | 0 | 0 | 1 |
| 24 | 0 | 2 | 0 | 0 | 0 | 2 |
| 25 thru 29 | 0 | 1 | 3 | 1 | 0 | 5 |
| 30 thru 34 | 2 | 0 | 0 | 2 | 0 | 4 |
| 35 thru 39 | 0 | 3 | 1 | 1 | 1 | 6 |
| 40 thru 44 | 0 | 0 | 1 | 1 | 0 | 2 |
| Total | 12 | 9 | 6 | 6 | 1 | 34 |

Table 3
Vance County Resident Births for 2016
By Age of Mother and Birth Weight in Grams
For All Women

| Age of Mother | Birth Weight in Grams | | | | Total |
|---------------|-----------------------|-------------|--------|---------|-------|
| | <1500 | 1500 - 2499 | >=2500 | Unknown | |
| 15 | 0 | 0 | 2 | 0 | 2 |
| 16 | 0 | 1 | 3 | 0 | 4 |
| 17 | 0 | 1 | 6 | 0 | 7 |
| 18 | 1 | 1 | 13 | 0 | 15 |
| 19 | 0 | 1 | 22 | 0 | 23 |
| 20 | 0 | 2 | 22 | 0 | 24 |
| 21 | 0 | 4 | 26 | 0 | 30 |
| 22 | 0 | 6 | 45 | 0 | 51 |
| 23 | 4 | 3 | 30 | 0 | 37 |
| 24 | 1 | 1 | 29 | 1 | 32 |
| 25 thru 29 | 3 | 18 | 125 | 0 | 146 |
| 30 thru 34 | 2 | 8 | 89 | 0 | 99 |
| 35 thru 39 | 1 | 7 | 37 | 0 | 45 |
| 40 thru 44 | 0 | 4 | 11 | 0 | 15 |
| Total | 12 | 57 | 460 | 1 | 530 |

Table 3
Vance County Resident Births for 2016
By Age of Mother and Birth Weight in Grams
For White Non-Hispanic Women

| Age of Mother | Birth Weight in Grams | | | Total |
|---------------|-----------------------|-------------|--------|-------|
| | <1500 | 1500 - 2499 | >=2500 | |
| 17 | 0 | 0 | 1 | 1 |
| 18 | 0 | 0 | 3 | 3 |
| 19 | 0 | 1 | 5 | 6 |
| 20 | 0 | 0 | 8 | 8 |
| 21 | 0 | 0 | 2 | 2 |
| 22 | 0 | 2 | 13 | 15 |
| 23 | 0 | 1 | 9 | 10 |
| 24 | 0 | 1 | 12 | 13 |
| 25 thru 29 | 1 | 6 | 51 | 58 |
| 30 thru 34 | 0 | 2 | 30 | 32 |
| 35 thru 39 | 1 | 3 | 13 | 17 |
| 40 thru 44 | 0 | 1 | 2 | 3 |
| Total | 2 | 17 | 149 | 168 |

Table 3
Vance County Resident Births for 2016
By Age of Mother and Birth Weight in Grams
For African American Non-Hispanic Women

| Age of Mother | Birth Weight in Grams | | | | Total |
|---------------|-----------------------|-------------|--------|---------|-------|
| | <1500 | 1500 - 2499 | >=2500 | Unknown | |
| 15 | 0 | 0 | 2 | 0 | 2 |
| 16 | 0 | 0 | 2 | 0 | 2 |
| 17 | 0 | 0 | 4 | 0 | 4 |
| 18 | 1 | 0 | 8 | 0 | 9 |
| 19 | 0 | 0 | 13 | 0 | 13 |
| 20 | 0 | 2 | 12 | 0 | 14 |
| 21 | 0 | 4 | 19 | 0 | 23 |
| 22 | 0 | 3 | 25 | 0 | 28 |
| 23 | 4 | 2 | 19 | 0 | 25 |
| 24 | 1 | 0 | 15 | 1 | 17 |
| 25 thru 29 | 2 | 12 | 58 | 0 | 72 |
| 30 thru 34 | 1 | 5 | 47 | 0 | 53 |
| 35 thru 39 | 0 | 4 | 16 | 0 | 20 |
| 40 thru 44 | 0 | 1 | 5 | 0 | 6 |
| Total | 9 | 33 | 245 | 1 | 288 |

Table 3
Vance County Resident Births for 2016
By Age of Mother and Birth Weight in Grams
For Other Non-Hispanic Women

| Age of Mother | Birth Weight in Grams | | | Total |
|---------------|-----------------------|-------------|--------|-------|
| | <1500 | 1500 - 2499 | >=2500 | |
| 19 | 0 | 0 | 2 | 2 |
| 20 | 0 | 0 | 1 | 1 |
| 21 | 0 | 0 | 1 | 1 |
| 22 | 0 | 1 | 0 | 1 |
| 25 thru 29 | 0 | 0 | 2 | 2 |
| 30 thru 34 | 1 | 0 | 1 | 2 |
| 35 thru 39 | 0 | 0 | 1 | 1 |
| 40 thru 44 | 0 | 0 | 1 | 1 |
| Total | 1 | 1 | 9 | 11 |

Table 3
Vance County Resident Births for 2016
By Age of Mother and Birth Weight in Grams
For Hispanic Women

| Age of Mother | Birth Weight in Grams | | Total |
|---------------|-----------------------|--------|-------|
| | 1500 - 2499 | >=2500 | |
| 16 | 1 | 1 | 2 |
| 17 | 1 | 1 | 2 |
| 18 | 1 | 2 | 3 |
| 19 | 0 | 2 | 2 |
| 20 | 0 | 1 | 1 |
| 21 | 0 | 4 | 4 |
| 22 | 0 | 7 | 7 |
| 23 | 0 | 2 | 2 |
| 24 | 0 | 2 | 2 |
| 25 thru 29 | 0 | 14 | 14 |
| 30 thru 34 | 1 | 11 | 12 |
| 35 thru 39 | 0 | 7 | 7 |
| 40 thru 44 | 2 | 3 | 5 |
| Total | 6 | 57 | 63 |

Table 4
Vance County Resident Births for 2016
By Education of Mother and Birth Weight in Grams
For All Women

| Education of Mother | Birth Weight in Grams | | | | Total |
|-----------------------------|-----------------------|-------------|--------|---------|-------|
| | <1500 | 1500 - 2499 | >=2500 | Unknown | |
| Less than High School | 1 | 21 | 128 | 0 | 150 |
| High School Graduate or GED | 6 | 18 | 154 | 1 | 179 |
| Some College | 4 | 15 | 132 | 0 | 151 |
| Bachelors Degree | 0 | 2 | 28 | 0 | 30 |
| Masters or PhD | 0 | 1 | 13 | 0 | 14 |
| Unknown | 1 | 0 | 5 | 0 | 6 |
| Total | 12 | 57 | 460 | 1 | 530 |

Table 4
Vance County Resident Births for 2016
By Education of Mother and Birth Weight in Grams
For White Non-Hispanic Women

| Education of Mother | Birth Weight in Grams | | | Total |
|-----------------------------|-----------------------|-------------|--------|-------|
| | <1500 | 1500 - 2499 | >=2500 | |
| Less than High School | 0 | 7 | 27 | 34 |
| High School Graduate or GED | 0 | 3 | 46 | 49 |
| Some College | 2 | 7 | 55 | 64 |
| Bachelors Degree | 0 | 0 | 16 | 16 |
| Masters or PhD | 0 | 0 | 5 | 5 |
| Total | 2 | 17 | 149 | 168 |

Table 4
Vance County Resident Births for 2016
By Education of Mother and Birth Weight in Grams
For African American Non-Hispanic Women

| Education of Mother | Birth Weight in Grams | | | | Total |
|-----------------------------|-----------------------|-------------|--------|---------|-------|
| | <1500 | 1500 - 2499 | >=2500 | Unknown | |
| Less than High School | 0 | 8 | 59 | 0 | 67 |
| High School Graduate or GED | 6 | 14 | 99 | 1 | 120 |
| Some College | 2 | 8 | 70 | 0 | 80 |
| Bachelors Degree | 0 | 2 | 8 | 0 | 10 |
| Masters or PhD | 0 | 1 | 7 | 0 | 8 |
| Unknown | 1 | 0 | 2 | 0 | 3 |
| Total | 9 | 33 | 245 | 1 | 288 |

Table 4
Vance County Resident Births for 2016
By Education of Mother and Birth Weight in Grams
For Other Non-Hispanic Women

| Education of Mother | Birth Weight in Grams | | | Total |
|-----------------------------|-----------------------|-------------|--------|-------|
| | <1500 | 1500 - 2499 | >=2500 | |
| Less than High School | 1 | 0 | 4 | 5 |
| High School Graduate or GED | 0 | 1 | 1 | 2 |
| Some College | 0 | 0 | 1 | 1 |
| Bachelors Degree | 0 | 0 | 2 | 2 |
| Masters or PhD | 0 | 0 | 1 | 1 |
| Total | 1 | 1 | 9 | 11 |

Table 4
Vance County Resident Births for 2016
By Education of Mother and Birth Weight in Grams
For Hispanic Women

| Education of Mother | Birth Weight in Grams | | Total |
|-----------------------------|-----------------------|--------|-------|
| | 1500 - 2499 | >=2500 | |
| Less than High School | 6 | 38 | 44 |
| High School Graduate or GED | 0 | 8 | 8 |
| Some College | 0 | 6 | 6 |
| Bachelors Degree | 0 | 2 | 2 |
| Unknown | 0 | 3 | 3 |
| Total | 6 | 57 | 63 |

Table 5
Vance County Resident Births for 2016
By Month Prenatal Care Began and Education of Mother
For All Women

| Month Prenatal Care Began | Education of Mother | | | | | | Total |
|---------------------------------|--------------------------|-----------------------------------|--------------|------------------|----------------|---------|-------|
| | Less than High School | High School Graduate or GED | Some College | Bachelors Degree | Masters or PhD | Unknown | |
| First Month | 11 | 18 | 15 | 3 | 1 | 0 | 48 |
| Second Month | 22 | 44 | 40 | 9 | 5 | 0 | 120 |
| Third Month | 34 | 36 | 44 | 9 | 3 | 0 | 126 |
| Fourth Month | 24 | 30 | 14 | 4 | 3 | 0 | 75 |
| Fifth Month | 17 | 9 | 9 | 0 | 0 | 1 | 36 |
| Sixth Month | 9 | 7 | 9 | 0 | 0 | 0 | 25 |
| Seventh Month | 7 | 9 | 5 | 2 | 0 | 0 | 23 |
| Eighth Month | 7 | 5 | 3 | 2 | 0 | 0 | 17 |
| Ninth Month | 3 | 3 | 0 | 0 | 0 | 2 | 8 |
| None | 12 | 15 | 12 | 0 | 2 | 3 | 44 |
| Not Stated | 4 | 3 | 0 | 1 | 0 | 0 | 8 |
| Total | 150 | 179 | 151 | 30 | 14 | 6 | 530 |

Table 5
Vance County Resident Births for 2016
By Month Prenatal Care Began and Education of Mother
For White Non-Hispanic Women

| Month Prenatal Care Began | Education of Mother | | | | | Total |
|---------------------------------|--------------------------|-----------------------------------|--------------|------------------|----------------|-------|
| | Less than High School | High School Graduate or GED | Some College | Bachelors Degree | Masters or PhD | |
| First Month | 2 | 5 | 7 | 1 | 1 | 16 |
| Second Month | 12 | 18 | 20 | 6 | 2 | 58 |
| Third Month | 7 | 9 | 21 | 6 | 0 | 43 |
| Fourth Month | 4 | 9 | 4 | 1 | 1 | 19 |
| Fifth Month | 3 | 2 | 2 | 0 | 0 | 7 |
| Sixth Month | 2 | 1 | 2 | 0 | 0 | 5 |
| Seventh Month | 1 | 2 | 1 | 0 | 0 | 4 |
| Eighth Month | 0 | 1 | 1 | 2 | 0 | 4 |
| None | 2 | 2 | 6 | 0 | 1 | 11 |
| Not Stated | 1 | 0 | 0 | 0 | 0 | 1 |
| Total | 34 | 49 | 64 | 16 | 5 | 168 |

Table 5
Vance County Resident Births for 2016
By Month Prenatal Care Began and Education of Mother
For African American Non-Hispanic Women

| Month Prenatal Care Began | Education of Mother | | | | | | Total |
|---------------------------------|--------------------------|-----------------------------------|--------------|------------------|----------------|---------|-------|
| | Less than High School | High School Graduate or GED | Some College | Bachelors Degree | Masters or PhD | Unknown | |
| First Month | 6 | 11 | 7 | 2 | 0 | 0 | 26 |
| Second Month | 9 | 26 | 20 | 2 | 3 | 0 | 60 |
| Third Month | 14 | 24 | 20 | 2 | 2 | 0 | 62 |
| Fourth Month | 8 | 19 | 8 | 2 | 2 | 0 | 39 |
| Fifth Month | 8 | 7 | 6 | 0 | 0 | 0 | 21 |
| Sixth Month | 6 | 4 | 7 | 0 | 0 | 0 | 17 |
| Seventh Month | 3 | 7 | 4 | 1 | 0 | 0 | 15 |
| Eighth Month | 5 | 4 | 2 | 0 | 0 | 0 | 11 |
| Ninth Month | 1 | 3 | 0 | 0 | 0 | 1 | 5 |
| None | 6 | 13 | 6 | 0 | 1 | 2 | 28 |
| Not Stated | 1 | 2 | 0 | 1 | 0 | 0 | 4 |
| Total | 67 | 120 | 80 | 10 | 8 | 3 | 288 |

Table 5
Vance County Resident Births for 2016
By Month Prenatal Care Began and Education of Mother
For Other Non-Hispanic Women

| Month Prenatal Care Began | Education of Mother | | | | | Total |
|---------------------------------|--------------------------|-----------------------------------|--------------|------------------|----------------|-------|
| | Less than High School | High School Graduate or GED | Some College | Bachelors Degree | Masters or PhD | |
| First Month | 1 | 0 | 0 | 0 | 0 | 1 |
| Third Month | 2 | 0 | 0 | 0 | 1 | 3 |
| Fourth Month | 1 | 0 | 1 | 1 | 0 | 3 |
| Fifth Month | 1 | 0 | 0 | 0 | 0 | 1 |
| Sixth Month | 0 | 1 | 0 | 0 | 0 | 1 |
| Seventh Month | 0 | 0 | 0 | 1 | 0 | 1 |
| Not Stated | 0 | 1 | 0 | 0 | 0 | 1 |
| Total | 5 | 2 | 1 | 2 | 1 | 11 |

Table 5
Vance County Resident Births for 2016
By Month Prenatal Care Began and Education of Mother
For Hispanic Women

| Month Prenatal Care Began | Education of Mother | | | | | Total |
|---------------------------------|--------------------------|-----------------------------------|--------------|------------------|---------|-------|
| | Less than High School | High School Graduate or GED | Some College | Bachelors Degree | Unknown | |
| First Month | 2 | 2 | 1 | 0 | 0 | 5 |
| Second Month | 1 | 0 | 0 | 1 | 0 | 2 |
| Third Month | 11 | 3 | 3 | 1 | 0 | 18 |
| Fourth Month | 11 | 2 | 1 | 0 | 0 | 14 |
| Fifth Month | 5 | 0 | 1 | 0 | 1 | 7 |
| Sixth Month | 1 | 1 | 0 | 0 | 0 | 2 |
| Seventh Month | 3 | 0 | 0 | 0 | 0 | 3 |
| Eighth Month | 2 | 0 | 0 | 0 | 0 | 2 |
| Ninth Month | 2 | 0 | 0 | 0 | 1 | 3 |
| None | 4 | 0 | 0 | 0 | 1 | 5 |
| Not Stated | 2 | 0 | 0 | 0 | 0 | 2 |
| Total | 44 | 8 | 6 | 2 | 3 | 63 |

Table 6
Vance County Resident Births for 2016
By Month Prenatal Care Began and Age of Mother
For All Women

| Age of Mother | Month Prenatal Care Began | | | | | | | | | | | Total |
|---------------|---------------------------|--------------|-------------|--------------|-------------|-------------|---------------|--------------|-------------|------|------------|-------|
| | First Month | Second Month | Third Month | Fourth Month | Fifth Month | Sixth Month | Seventh Month | Eighth Month | Ninth Month | None | Not Stated | |
| 15 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| 16 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 1 | 4 |
| 17 | 2 | 2 | 0 | 0 | 1 | 0 | 0 | 2 | 0 | 0 | 0 | 7 |
| 18 | 0 | 4 | 4 | 2 | 1 | 1 | 1 | 1 | 0 | 1 | 0 | 15 |
| 19 | 3 | 6 | 3 | 6 | 1 | 0 | 1 | 2 | 0 | 1 | 0 | 23 |
| 20 | 2 | 8 | 5 | 3 | 0 | 1 | 1 | 2 | 0 | 1 | 1 | 24 |
| 21 | 6 | 3 | 5 | 5 | 3 | 3 | 4 | 0 | 0 | 1 | 0 | 30 |
| 22 | 7 | 11 | 9 | 8 | 1 | 6 | 3 | 3 | 0 | 3 | 0 | 51 |
| 23 | 2 | 13 | 9 | 3 | 1 | 2 | 1 | 1 | 0 | 5 | 0 | 37 |
| 24 | 1 | 7 | 6 | 4 | 5 | 1 | 0 | 2 | 0 | 6 | 0 | 32 |
| 25 thru 29 | 14 | 32 | 45 | 19 | 14 | 6 | 4 | 0 | 2 | 8 | 2 | 146 |
| 30 thru 34 | 7 | 20 | 23 | 17 | 6 | 4 | 3 | 3 | 4 | 10 | 2 | 99 |
| 35 thru 39 | 3 | 10 | 12 | 6 | 1 | 1 | 4 | 1 | 0 | 5 | 2 | 45 |
| 40 thru 44 | 1 | 3 | 4 | 2 | 0 | 0 | 1 | 0 | 1 | 3 | 0 | 15 |
| Total | 48 | 120 | 126 | 75 | 36 | 25 | 23 | 17 | 8 | 44 | 8 | 530 |

Table 6
Vance County Resident Births for 2016
By Month Prenatal Care Began and Age of Mother
For White Non-Hispanic Women

| Age of Mother | Month Prenatal Care Began | | | | | | | | | | Total |
|-------------------|---------------------------|--------------|-------------|--------------|-------------|-------------|---------------|--------------|------|------------|-------|
| | First Month | Second Month | Third Month | Fourth Month | Fifth Month | Sixth Month | Seventh Month | Eighth Month | None | Not Stated | |
| 17 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 18 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 3 |
| 19 | 0 | 4 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 6 |
| 20 | 2 | 5 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 8 |
| 21 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 2 |
| 22 | 2 | 4 | 4 | 3 | 0 | 1 | 0 | 0 | 1 | 0 | 15 |
| 23 | 0 | 6 | 3 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 10 |
| 24 | 1 | 3 | 3 | 1 | 2 | 0 | 0 | 2 | 1 | 0 | 13 |
| 25 thru 29 | 6 | 19 | 20 | 7 | 2 | 2 | 1 | 0 | 1 | 0 | 58 |
| 30 thru 34 | 3 | 9 | 6 | 4 | 2 | 2 | 1 | 1 | 3 | 1 | 32 |
| 35 thru 39 | 1 | 3 | 6 | 2 | 0 | 0 | 2 | 0 | 3 | 0 | 17 |
| 40 thru 44 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 3 |
| Total | 16 | 58 | 43 | 19 | 7 | 5 | 4 | 4 | 11 | 1 | 168 |

Table 6
Vance County Resident Births for 2016
By Month Prenatal Care Began and Age of Mother
For African American Non-Hispanic Women

| Age of Mother | Month Prenatal Care Began | | | | | | | | | | | Total |
|---------------|---------------------------|--------------|-------------|--------------|-------------|-------------|---------------|--------------|-------------|------|------------|-------|
| | First Month | Second Month | Third Month | Fourth Month | Fifth Month | Sixth Month | Seventh Month | Eighth Month | Ninth Month | None | Not Stated | |
| 15 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| 16 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 |
| 17 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 4 |
| 18 | 0 | 2 | 2 | 2 | 1 | 1 | 0 | 0 | 0 | 1 | 0 | 9 |
| 19 | 2 | 2 | 2 | 4 | 0 | 0 | 1 | 2 | 0 | 0 | 0 | 13 |
| 20 | 0 | 3 | 5 | 1 | 0 | 1 | 1 | 2 | 0 | 1 | 0 | 14 |
| 21 | 4 | 2 | 3 | 4 | 2 | 3 | 4 | 0 | 0 | 1 | 0 | 23 |
| 22 | 2 | 5 | 4 | 5 | 1 | 3 | 3 | 3 | 0 | 2 | 0 | 28 |
| 23 | 2 | 7 | 4 | 2 | 1 | 2 | 1 | 1 | 0 | 5 | 0 | 25 |
| 24 | 0 | 4 | 2 | 2 | 3 | 1 | 0 | 0 | 0 | 5 | 0 | 17 |
| 25 thru 29 | 8 | 13 | 20 | 8 | 8 | 4 | 2 | 0 | 1 | 6 | 2 | 72 |
| 30 thru 34 | 4 | 11 | 15 | 7 | 3 | 2 | 2 | 1 | 4 | 4 | 0 | 53 |
| 35 thru 39 | 2 | 7 | 3 | 2 | 1 | 0 | 1 | 1 | 0 | 2 | 1 | 20 |
| 40 thru 44 | 0 | 2 | 1 | 2 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 6 |
| Total | 26 | 60 | 62 | 39 | 21 | 17 | 15 | 11 | 5 | 28 | 4 | 288 |

Table 6
Vance County Resident Births for 2016
By Month Prenatal Care Began and Age of Mother
For Other Non-Hispanic Women

| Age of Mother | Month Prenatal Care Began | | | | | | | Total |
|---------------|---------------------------|-------------|--------------|-------------|-------------|---------------|------------|-------|
| | First Month | Third Month | Fourth Month | Fifth Month | Sixth Month | Seventh Month | Not Stated | |
| 19 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 2 |
| 20 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| 21 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 22 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| 25 thru 29 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 2 |
| 30 thru 34 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 2 |
| 35 thru 39 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| 40 thru 44 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 |
| Total | 1 | 3 | 3 | 1 | 1 | 1 | 1 | 11 |

Table 6
Vance County Resident Births for 2016
By Month Prenatal Care Began and Age of Mother
For Hispanic Women

| Age of Mother | Month Prenatal Care Began | | | | | | | | | | | Total |
|---------------|---------------------------|--------------|-------------|--------------|-------------|-------------|---------------|--------------|-------------|------|------------|-------|
| | First Month | Second Month | Third Month | Fourth Month | Fifth Month | Sixth Month | Seventh Month | Eighth Month | Ninth Month | None | Not Stated | |
| 16 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 2 |
| 17 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 2 |
| 18 | 0 | 0 | 2 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 3 |
| 19 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| 20 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 21 | 1 | 0 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| 22 | 3 | 2 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 7 |
| 23 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| 24 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| 25 thru 29 | 0 | 0 | 4 | 3 | 4 | 0 | 1 | 0 | 1 | 1 | 0 | 14 |
| 30 thru 34 | 0 | 0 | 1 | 5 | 1 | 0 | 0 | 1 | 0 | 3 | 1 | 12 |
| 35 thru 39 | 0 | 0 | 3 | 2 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 7 |
| 40 thru 44 | 0 | 0 | 2 | 0 | 0 | 0 | 1 | 0 | 1 | 1 | 0 | 5 |
| Total | 5 | 2 | 18 | 14 | 7 | 2 | 3 | 2 | 3 | 5 | 2 | 63 |

Table 7
Vance County Resident Births for 2016
By Month Prenatal Care Began and Marital Status of Mother
For All Women

| Month Prenatal Care Began | Marital Status of Mother | | | Total |
|---------------------------------|--------------------------|-----------|------------|-------|
| | Married | Unmarried | Not stated | |
| First Month | 17 | 31 | 0 | 48 |
| Second Month | 50 | 70 | 0 | 120 |
| Third Month | 55 | 71 | 0 | 126 |
| Fourth Month | 25 | 50 | 0 | 75 |
| Fifth Month | 8 | 28 | 0 | 36 |
| Sixth Month | 3 | 22 | 0 | 25 |
| Seventh Month | 5 | 18 | 0 | 23 |
| Eighth Month | 2 | 15 | 0 | 17 |
| Ninth Month | 1 | 7 | 0 | 8 |
| None | 12 | 31 | 1 | 44 |
| Not Stated | 2 | 6 | 0 | 8 |
| Total | 180 | 349 | 1 | 530 |

Table 7
Vance County Resident Births for 2016
By Month Prenatal Care Began and Marital Status of Mother
For White Non-Hispanic Women

| Month Prenatal Care Began | Marital Status of Mother | | Total |
|---------------------------------|-----------------------------|-----------|-------|
| | Married | Unmarried | |
| First Month | 10 | 6 | 16 |
| Second Month | 34 | 24 | 58 |
| Third Month | 32 | 11 | 43 |
| Fourth Month | 11 | 8 | 19 |
| Fifth Month | 1 | 6 | 7 |
| Sixth Month | 3 | 2 | 5 |
| Seventh Month | 3 | 1 | 4 |
| Eighth Month | 1 | 3 | 4 |
| None | 4 | 7 | 11 |
| Not Stated | 1 | 0 | 1 |
| Total | 100 | 68 | 168 |

Table 7
Vance County Resident Births for 2016
By Month Prenatal Care Began and Marital Status of Mother
For African American Non-Hispanic Women

| Month Prenatal Care Began | Marital Status of Mother | | | Total |
|---------------------------------|--------------------------|-----------|------------|-------|
| | Married | Unmarried | Not stated | |
| First Month | 5 | 21 | 0 | 26 |
| Second Month | 15 | 45 | 0 | 60 |
| Third Month | 14 | 48 | 0 | 62 |
| Fourth Month | 6 | 33 | 0 | 39 |
| Fifth Month | 4 | 17 | 0 | 21 |
| Sixth Month | 0 | 17 | 0 | 17 |
| Seventh Month | 0 | 15 | 0 | 15 |
| Eighth Month | 0 | 11 | 0 | 11 |
| Ninth Month | 0 | 5 | 0 | 5 |
| None | 4 | 23 | 1 | 28 |
| Not Stated | 0 | 4 | 0 | 4 |
| Total | 48 | 239 | 1 | 288 |

Table 7
Vance County Resident Births for 2016
By Month Prenatal Care Began and Marital Status of Mother
For Other Non-Hispanic Women

| Month Prenatal Care Began | Marital Status of Mother | | Total |
|---------------------------------|-----------------------------|-----------|-------|
| | Married | Unmarried | |
| First Month | 0 | 1 | 1 |
| Third Month | 1 | 2 | 3 |
| Fourth Month | 1 | 2 | 3 |
| Fifth Month | 0 | 1 | 1 |
| Sixth Month | 0 | 1 | 1 |
| Seventh Month | 1 | 0 | 1 |
| Not Stated | 0 | 1 | 1 |
| Total | 3 | 8 | 11 |

Table 7
Vance County Resident Births for 2016
By Month Prenatal Care Began and Marital Status of Mother
For Hispanic Women

| Month Prenatal Care Began | Marital Status of Mother | | Total |
|---------------------------------|-----------------------------|-----------|-------|
| | Married | Unmarried | |
| First Month | 2 | 3 | 5 |
| Second Month | 1 | 1 | 2 |
| Third Month | 8 | 10 | 18 |
| Fourth Month | 7 | 7 | 14 |
| Fifth Month | 3 | 4 | 7 |
| Sixth Month | 0 | 2 | 2 |
| Seventh Month | 1 | 2 | 3 |
| Eighth Month | 1 | 1 | 2 |
| Ninth Month | 1 | 2 | 3 |
| None | 4 | 1 | 5 |
| Not Stated | 1 | 1 | 2 |
| Total | 29 | 34 | 63 |

Table 8
Vance County Resident Births for 2016
By Month Prenatal Care Began and Birth Order
For All Women

| Month Prenatal Care Began | Birth Order | | | | | | | | | Total |
|---------------------------------|-------------|-----|-----|-----|-----|-----|-----|-----|-------------|-------|
| | 1st | 2nd | 3rd | 4th | 5th | 6th | 7th | 8th | 9th or More | |
| First Month | 15 | 10 | 4 | 8 | 7 | 2 | 0 | 1 | 1 | 48 |
| Second Month | 46 | 27 | 18 | 11 | 6 | 4 | 4 | 2 | 2 | 120 |
| Third Month | 30 | 35 | 27 | 15 | 7 | 5 | 5 | 1 | 1 | 126 |
| Fourth Month | 26 | 14 | 13 | 11 | 4 | 2 | 3 | 1 | 1 | 75 |
| Fifth Month | 7 | 8 | 10 | 6 | 2 | 2 | 0 | 1 | 0 | 36 |
| Sixth Month | 6 | 8 | 3 | 7 | 0 | 0 | 1 | 0 | 0 | 25 |
| Seventh Month | 5 | 3 | 6 | 3 | 4 | 1 | 0 | 0 | 1 | 23 |
| Eighth Month | 4 | 3 | 4 | 1 | 3 | 2 | 0 | 0 | 0 | 17 |
| Ninth Month | 1 | 0 | 2 | 0 | 0 | 1 | 1 | 1 | 2 | 8 |
| None | 13 | 15 | 5 | 6 | 1 | 1 | 0 | 2 | 1 | 44 |
| Not Stated | 2 | 1 | 1 | 2 | 2 | 0 | 0 | 0 | 0 | 8 |
| Total | 155 | 124 | 93 | 70 | 36 | 20 | 14 | 9 | 9 | 530 |

Table 8
Vance County Resident Births for 2016
By Month Prenatal Care Began and Birth Order
For White Non-Hispanic Women

| Month Prenatal Care Began | Birth Order | | | | | | | | | Total |
|---------------------------------|-------------|-----|-----|-----|-----|-----|-----|-----|-------------|-------|
| | 1st | 2nd | 3rd | 4th | 5th | 6th | 7th | 8th | 9th or More | |
| First Month | 5 | 3 | 4 | 2 | 1 | 1 | 0 | 0 | 0 | 16 |
| Second Month | 21 | 18 | 8 | 6 | 2 | 0 | 2 | 1 | 0 | 58 |
| Third Month | 10 | 11 | 11 | 4 | 4 | 2 | 1 | 0 | 0 | 43 |
| Fourth Month | 5 | 3 | 4 | 2 | 2 | 1 | 0 | 1 | 1 | 19 |
| Fifth Month | 0 | 3 | 3 | 0 | 1 | 0 | 0 | 0 | 0 | 7 |
| Sixth Month | 1 | 0 | 1 | 3 | 0 | 0 | 0 | 0 | 0 | 5 |
| Seventh Month | 0 | 0 | 0 | 0 | 3 | 1 | 0 | 0 | 0 | 4 |
| Eighth Month | 1 | 0 | 0 | 0 | 1 | 2 | 0 | 0 | 0 | 4 |
| None | 3 | 4 | 0 | 2 | 0 | 0 | 0 | 1 | 1 | 11 |
| Not Stated | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Total | 46 | 42 | 32 | 19 | 14 | 7 | 3 | 3 | 2 | 168 |

Table 8
Vance County Resident Births for 2016
By Month Prenatal Care Began and Birth Order
For African American Non-Hispanic Women

| Month Prenatal Care Began | Birth Order | | | | | | | | | Total |
|---------------------------------|-------------|-----|-----|-----|-----|-----|-----|-----|-------------|-------|
| | 1st | 2nd | 3rd | 4th | 5th | 6th | 7th | 8th | 9th or More | |
| First Month | 8 | 5 | 0 | 5 | 5 | 1 | 0 | 1 | 1 | 26 |
| Second Month | 24 | 9 | 10 | 4 | 4 | 4 | 2 | 1 | 2 | 60 |
| Third Month | 16 | 17 | 12 | 8 | 2 | 1 | 4 | 1 | 1 | 62 |
| Fourth Month | 17 | 7 | 5 | 5 | 1 | 1 | 3 | 0 | 0 | 39 |
| Fifth Month | 2 | 4 | 5 | 6 | 1 | 2 | 0 | 1 | 0 | 21 |
| Sixth Month | 3 | 7 | 2 | 4 | 0 | 0 | 1 | 0 | 0 | 17 |
| Seventh Month | 5 | 1 | 4 | 3 | 1 | 0 | 0 | 0 | 1 | 15 |
| Eighth Month | 2 | 3 | 3 | 1 | 2 | 0 | 0 | 0 | 0 | 11 |
| Ninth Month | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 1 | 2 | 5 |
| None | 9 | 10 | 3 | 3 | 1 | 1 | 0 | 1 | 0 | 28 |
| Not Stated | 1 | 1 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 4 |
| Total | 87 | 64 | 45 | 40 | 18 | 11 | 10 | 6 | 7 | 288 |

Table 8
Vance County Resident Births for 2016
By Month Prenatal Care Began and Birth Order
For Other Non-Hispanic Women

| Month Prenatal Care Began | Birth Order | | | | | Total |
|---------------------------------|-------------|-----|-----|-----|-----|-------|
| | 1st | 2nd | 3rd | 5th | 6th | |
| First Month | 0 | 1 | 0 | 0 | 0 | 1 |
| Third Month | 0 | 1 | 1 | 0 | 1 | 3 |
| Fourth Month | 1 | 0 | 1 | 1 | 0 | 3 |
| Fifth Month | 0 | 1 | 0 | 0 | 0 | 1 |
| Sixth Month | 1 | 0 | 0 | 0 | 0 | 1 |
| Seventh Month | 0 | 0 | 1 | 0 | 0 | 1 |
| Not Stated | 1 | 0 | 0 | 0 | 0 | 1 |
| Total | 3 | 3 | 3 | 1 | 1 | 11 |

Table 8
Vance County Resident Births for 2016
By Month Prenatal Care Began and Birth Order
For Hispanic Women

| Month Prenatal Care Began | Birth Order | | | | | | | Total |
|---------------------------------|-------------|-----|-----|-----|-----|-----|-----|-------|
| | 1st | 2nd | 3rd | 4th | 5th | 6th | 7th | |
| First Month | 2 | 1 | 0 | 1 | 1 | 0 | 0 | 5 |
| Second Month | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 2 |
| Third Month | 4 | 6 | 3 | 3 | 1 | 1 | 0 | 18 |
| Fourth Month | 3 | 4 | 3 | 4 | 0 | 0 | 0 | 14 |
| Fifth Month | 5 | 0 | 2 | 0 | 0 | 0 | 0 | 7 |
| Sixth Month | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 2 |
| Seventh Month | 0 | 2 | 1 | 0 | 0 | 0 | 0 | 3 |
| Eighth Month | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 2 |
| Ninth Month | 1 | 0 | 1 | 0 | 0 | 0 | 1 | 3 |
| None | 1 | 1 | 2 | 1 | 0 | 0 | 0 | 5 |
| Not Stated | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 2 |
| Total | 19 | 15 | 13 | 11 | 3 | 1 | 1 | 63 |

Table 9
Vance County Resident Births for 2016
By Month Prenatal Care Began and Birth Weight in Grams
For All Women

| Month Prenatal Care Began | Birth Weight in Grams | | | | Total |
|---------------------------------|-----------------------|-------------|--------|---------|-------|
| | <1500 | 1500 - 2499 | >=2500 | Unknown | |
| First Month | 0 | 5 | 43 | 0 | 48 |
| Second Month | 1 | 7 | 112 | 0 | 120 |
| Third Month | 3 | 8 | 115 | 0 | 126 |
| Fourth Month | 0 | 4 | 71 | 0 | 75 |
| Fifth Month | 0 | 6 | 30 | 0 | 36 |
| Sixth Month | 0 | 6 | 19 | 0 | 25 |
| Seventh Month | 0 | 5 | 18 | 0 | 23 |
| Eighth Month | 0 | 0 | 17 | 0 | 17 |
| Ninth Month | 0 | 0 | 8 | 0 | 8 |
| None | 6 | 16 | 21 | 1 | 44 |
| Not Stated | 2 | 0 | 6 | 0 | 8 |
| Total | 12 | 57 | 460 | 1 | 530 |

Table 9
Vance County Resident Births for 2016
By Month Prenatal Care Began and Birth Weight in Grams
For White Non-Hispanic Women

| Month Prenatal Care Began | Birth Weight in Grams | | | Total |
|---------------------------------|-----------------------|-------------|--------|-------|
| | <1500 | 1500 - 2499 | >=2500 | |
| First Month | 0 | 1 | 15 | 16 |
| Second Month | 0 | 4 | 54 | 58 |
| Third Month | 2 | 5 | 36 | 43 |
| Fourth Month | 0 | 0 | 19 | 19 |
| Fifth Month | 0 | 1 | 6 | 7 |
| Sixth Month | 0 | 1 | 4 | 5 |
| Seventh Month | 0 | 0 | 4 | 4 |
| Eighth Month | 0 | 0 | 4 | 4 |
| None | 0 | 5 | 6 | 11 |
| Not Stated | 0 | 0 | 1 | 1 |
| Total | 2 | 17 | 149 | 168 |

Table 9
Vance County Resident Births for 2016
By Month Prenatal Care Began and Birth Weight in Grams
For African American Non-Hispanic Women

| Month Prenatal Care Began | Birth Weight in Grams | | | | Total |
|---------------------------------|-----------------------|-------------|--------|---------|-------|
| | <1500 | 1500 - 2499 | >=2500 | Unknown | |
| First Month | 0 | 4 | 22 | 0 | 26 |
| Second Month | 1 | 3 | 56 | 0 | 60 |
| Third Month | 0 | 2 | 60 | 0 | 62 |
| Fourth Month | 0 | 3 | 36 | 0 | 39 |
| Fifth Month | 0 | 3 | 18 | 0 | 21 |
| Sixth Month | 0 | 4 | 13 | 0 | 17 |
| Seventh Month | 0 | 3 | 12 | 0 | 15 |
| Eighth Month | 0 | 0 | 11 | 0 | 11 |
| Ninth Month | 0 | 0 | 5 | 0 | 5 |
| None | 6 | 11 | 10 | 1 | 28 |
| Not Stated | 2 | 0 | 2 | 0 | 4 |
| Total | 9 | 33 | 245 | 1 | 288 |

Table 9
Vance County Resident Births for 2016
By Month Prenatal Care Began and Birth Weight in Grams
For Other Non-Hispanic Women

| Month Prenatal Care Began | Birth Weight in Grams | | | Total |
|---------------------------------|-----------------------|-------------|--------|-------|
| | <1500 | 1500 - 2499 | >=2500 | |
| First Month | 0 | 0 | 1 | 1 |
| Third Month | 1 | 0 | 2 | 3 |
| Fourth Month | 0 | 0 | 3 | 3 |
| Fifth Month | 0 | 0 | 1 | 1 |
| Sixth Month | 0 | 1 | 0 | 1 |
| Seventh Month | 0 | 0 | 1 | 1 |
| Not Stated | 0 | 0 | 1 | 1 |
| Total | 1 | 1 | 9 | 11 |

Table 9
Vance County Resident Births for 2016
By Month Prenatal Care Began and Birth Weight in Grams
For Hispanic Women

| Month Prenatal Care Began | Birth Weight in Grams | | Total |
|---------------------------------|--------------------------|--------|-------|
| | 1500 - 2499 | >=2500 | |
| First Month | 0 | 5 | 5 |
| Second Month | 0 | 2 | 2 |
| Third Month | 1 | 17 | 18 |
| Fourth Month | 1 | 13 | 14 |
| Fifth Month | 2 | 5 | 7 |
| Sixth Month | 0 | 2 | 2 |
| Seventh Month | 2 | 1 | 3 |
| Eighth Month | 0 | 2 | 2 |
| Ninth Month | 0 | 3 | 3 |
| None | 0 | 5 | 5 |
| Not Stated | 0 | 2 | 2 |
| Total | 6 | 57 | 63 |

Table 10
Vance County Resident Births for 2016
By Number of Prenatal Visits and Education of Mother
For All Women

| Number of Prenatal Visits | Education of Mother | | | | | | Total |
|---------------------------|-----------------------|-----------------------------|--------------|------------------|----------------|---------|-------|
| | Less than High School | High School Graduate or GED | Some College | Bachelors Degree | Masters or PhD | Unknown | |
| 1 | 4 | 4 | 2 | 0 | 0 | 1 | 11 |
| 2 | 2 | 1 | 2 | 1 | 0 | 0 | 6 |
| 3 | 10 | 3 | 2 | 1 | 0 | 0 | 16 |
| 4 | 4 | 4 | 3 | 3 | 0 | 1 | 15 |
| 5 | 6 | 15 | 3 | 0 | 0 | 0 | 24 |
| 6 | 6 | 14 | 5 | 0 | 0 | 0 | 25 |
| 7 | 6 | 8 | 9 | 0 | 0 | 0 | 23 |
| 8 | 10 | 20 | 4 | 0 | 0 | 0 | 34 |
| 9 | 14 | 7 | 4 | 0 | 0 | 0 | 25 |
| 10 | 16 | 19 | 8 | 1 | 1 | 0 | 45 |
| 11 | 11 | 15 | 20 | 5 | 2 | 0 | 53 |
| 12 | 12 | 11 | 15 | 5 | 2 | 0 | 45 |
| 13 | 9 | 15 | 13 | 2 | 4 | 0 | 43 |
| 14 | 6 | 9 | 16 | 4 | 1 | 0 | 36 |
| 15 | 3 | 3 | 9 | 1 | 0 | 0 | 16 |
| 16 or More | 18 | 13 | 24 | 6 | 2 | 1 | 64 |
| No PNC Visits | 12 | 15 | 12 | 0 | 2 | 3 | 44 |
| Not Stated | 1 | 3 | 0 | 1 | 0 | 0 | 5 |
| Total | 150 | 179 | 151 | 30 | 14 | 6 | 530 |

Table 10
Vance County Resident Births for 2016
By Number of Prenatal Visits and Education of Mother
For White Non-Hispanic Women

| Number of Prenatal Visits | Education of Mother | | | | | Total |
|---------------------------|-----------------------|-----------------------------|--------------|------------------|----------------|-------|
| | Less than High School | High School Graduate or GED | Some College | Bachelors Degree | Masters or PhD | |
| 1 | 0 | 1 | 0 | 0 | 0 | 1 |
| 2 | 0 | 0 | 1 | 0 | 0 | 1 |
| 3 | 3 | 0 | 0 | 0 | 0 | 3 |
| 4 | 1 | 0 | 0 | 0 | 0 | 1 |
| 5 | 2 | 2 | 0 | 0 | 0 | 4 |
| 6 | 0 | 4 | 3 | 0 | 0 | 7 |
| 7 | 1 | 2 | 3 | 0 | 0 | 6 |
| 8 | 2 | 6 | 0 | 0 | 0 | 8 |
| 9 | 1 | 1 | 1 | 0 | 0 | 3 |
| 10 | 2 | 4 | 1 | 1 | 0 | 8 |
| 11 | 4 | 6 | 8 | 3 | 0 | 21 |
| 12 | 3 | 5 | 8 | 2 | 1 | 19 |
| 13 | 1 | 10 | 9 | 2 | 3 | 25 |
| 14 | 2 | 1 | 9 | 3 | 0 | 15 |
| 15 | 2 | 0 | 6 | 0 | 0 | 8 |
| 16 or More | 7 | 5 | 9 | 5 | 0 | 26 |
| No PNC Visits | 2 | 2 | 6 | 0 | 1 | 11 |
| Not Stated | 1 | 0 | 0 | 0 | 0 | 1 |
| Total | 34 | 49 | 64 | 16 | 5 | 168 |

Table 10
Vance County Resident Births for 2016
By Number of Prenatal Visits and Education of Mother
For African American Non-Hispanic Women

| Number of Prenatal Visits | Education of Mother | | | | | | Total |
|---------------------------|-----------------------|-----------------------------|--------------|------------------|----------------|---------|-------|
| | Less than High School | High School Graduate or GED | Some College | Bachelors Degree | Masters or PhD | Unknown | |
| 1 | 1 | 3 | 2 | 0 | 0 | 1 | 7 |
| 2 | 2 | 1 | 1 | 0 | 0 | 0 | 4 |
| 3 | 6 | 3 | 2 | 0 | 0 | 0 | 11 |
| 4 | 1 | 4 | 3 | 3 | 0 | 0 | 11 |
| 5 | 2 | 12 | 3 | 0 | 0 | 0 | 17 |
| 6 | 4 | 8 | 2 | 0 | 0 | 0 | 14 |
| 7 | 4 | 5 | 6 | 0 | 0 | 0 | 15 |
| 8 | 6 | 13 | 4 | 0 | 0 | 0 | 23 |
| 9 | 8 | 5 | 3 | 0 | 0 | 0 | 16 |
| 10 | 8 | 15 | 7 | 0 | 1 | 0 | 31 |
| 11 | 5 | 8 | 7 | 2 | 1 | 0 | 23 |
| 12 | 4 | 5 | 6 | 2 | 1 | 0 | 18 |
| 13 | 2 | 4 | 3 | 0 | 1 | 0 | 10 |
| 14 | 3 | 8 | 7 | 1 | 1 | 0 | 20 |
| 15 | 0 | 3 | 3 | 1 | 0 | 0 | 7 |
| 16 or More | 5 | 8 | 15 | 0 | 2 | 0 | 30 |
| No PNC Visits | 6 | 13 | 6 | 0 | 1 | 2 | 28 |
| Not Stated | 0 | 2 | 0 | 1 | 0 | 0 | 3 |
| Total | 67 | 120 | 80 | 10 | 8 | 3 | 288 |

Table 10
Vance County Resident Births for 2016
By Number of Prenatal Visits and Education of Mother
For Other Non-Hispanic Women

| Number of Prenatal Visits | Education of Mother | | | | | Total |
|---------------------------|-----------------------|-----------------------------|--------------|------------------|----------------|-------|
| | Less than High School | High School Graduate or GED | Some College | Bachelors Degree | Masters or PhD | |
| 2 | 0 | 0 | 0 | 1 | 0 | 1 |
| 5 | 0 | 1 | 0 | 0 | 0 | 1 |
| 6 | 1 | 0 | 0 | 0 | 0 | 1 |
| 9 | 1 | 0 | 0 | 0 | 0 | 1 |
| 10 | 1 | 0 | 0 | 0 | 0 | 1 |
| 11 | 0 | 0 | 1 | 0 | 1 | 2 |
| 12 | 0 | 0 | 0 | 1 | 0 | 1 |
| 13 | 1 | 0 | 0 | 0 | 0 | 1 |
| 16 or More | 1 | 0 | 0 | 0 | 0 | 1 |
| Not Stated | 0 | 1 | 0 | 0 | 0 | 1 |
| Total | 5 | 2 | 1 | 2 | 1 | 11 |

Table 10
Vance County Resident Births for 2016
By Number of Prenatal Visits and Education of Mother
For Hispanic Women

| Number of Prenatal Visits | Education of Mother | | | | | Total |
|---------------------------|-----------------------|-----------------------------|--------------|------------------|---------|-------|
| | Less than High School | High School Graduate or GED | Some College | Bachelors Degree | Unknown | |
| 1 | 3 | 0 | 0 | 0 | 0 | 3 |
| 3 | 1 | 0 | 0 | 1 | 0 | 2 |
| 4 | 2 | 0 | 0 | 0 | 1 | 3 |
| 5 | 2 | 0 | 0 | 0 | 0 | 2 |
| 6 | 1 | 2 | 0 | 0 | 0 | 3 |
| 7 | 1 | 1 | 0 | 0 | 0 | 2 |
| 8 | 2 | 1 | 0 | 0 | 0 | 3 |
| 9 | 4 | 1 | 0 | 0 | 0 | 5 |
| 10 | 5 | 0 | 0 | 0 | 0 | 5 |
| 11 | 2 | 1 | 4 | 0 | 0 | 7 |
| 12 | 5 | 1 | 1 | 0 | 0 | 7 |
| 13 | 5 | 1 | 1 | 0 | 0 | 7 |
| 14 | 1 | 0 | 0 | 0 | 0 | 1 |
| 15 | 1 | 0 | 0 | 0 | 0 | 1 |
| 16 or More | 5 | 0 | 0 | 1 | 1 | 7 |
| No PNC Visits | 4 | 0 | 0 | 0 | 1 | 5 |
| Total | 44 | 8 | 6 | 2 | 3 | 63 |

Table 11
Vance County Resident Births for 2016
By Number of Prenatal Visits and Age of Mother
For All Women

| Number of Prenatal Visits | Age of Mother | | | | | | | | | | | | | | Total |
|---------------------------------|---------------|----|----|----|----|----|----|----|----|----|------------------|------------------|------------------|------------------|-------|
| | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 thru 29 | 30 thru 34 | 35 thru 39 | 40 thru 44 | |
| 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 5 | 2 | 0 | 1 | 11 |
| 2 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 2 | 0 | 6 |
| 3 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 4 | 1 | 2 | 5 | 2 | 0 | 0 | 16 |
| 4 | 0 | 0 | 1 | 2 | 1 | 1 | 1 | 2 | 0 | 0 | 5 | 0 | 1 | 1 | 15 |
| 5 | 0 | 1 | 0 | 1 | 0 | 2 | 1 | 5 | 3 | 4 | 2 | 4 | 1 | 0 | 24 |
| 6 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 8 | 3 | 1 | 7 | 2 | 0 | 0 | 25 |
| 7 | 0 | 0 | 0 | 0 | 2 | 1 | 1 | 3 | 3 | 0 | 7 | 5 | 1 | 0 | 23 |
| 8 | 1 | 0 | 1 | 1 | 5 | 2 | 2 | 4 | 3 | 3 | 7 | 3 | 2 | 0 | 34 |
| 9 | 0 | 0 | 1 | 0 | 1 | 2 | 5 | 1 | 1 | 0 | 6 | 2 | 5 | 1 | 25 |
| 10 | 0 | 2 | 1 | 4 | 2 | 2 | 4 | 3 | 0 | 1 | 9 | 12 | 3 | 2 | 45 |
| 11 | 0 | 0 | 1 | 2 | 3 | 1 | 6 | 4 | 5 | 2 | 15 | 9 | 4 | 1 | 53 |
| 12 | 0 | 0 | 0 | 2 | 3 | 4 | 1 | 3 | 1 | 1 | 12 | 13 | 4 | 1 | 45 |
| 13 | 0 | 0 | 0 | 0 | 1 | 2 | 2 | 5 | 4 | 2 | 13 | 7 | 6 | 1 | 43 |
| 14 | 0 | 0 | 1 | 1 | 0 | 0 | 2 | 3 | 2 | 4 | 16 | 6 | 0 | 1 | 36 |
| 15 | 0 | 0 | 0 | 0 | 2 | 1 | 0 | 1 | 0 | 1 | 7 | 2 | 1 | 1 | 16 |
| 16 or More | 1 | 0 | 0 | 1 | 1 | 2 | 1 | 2 | 5 | 4 | 19 | 17 | 9 | 2 | 64 |
| No PNC Visits | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 3 | 5 | 6 | 8 | 10 | 5 | 3 | 44 |
| Not Stated | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 2 | 1 | 1 | 0 | 5 |
| Total | 2 | 4 | 7 | 15 | 23 | 24 | 30 | 51 | 37 | 32 | 146 | 99 | 45 | 15 | 530 |

Table 11
Vance County Resident Births for 2016
By Number of Prenatal Visits and Age of Mother
For White Non-Hispanic Women

| Number of Prenatal Visits | Age of Mother | | | | | | | | | | | | | Total |
|---------------------------|---------------|----|----|----|----|----|----|----|------------|------------|------------|------------|-----|-------|
| | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 thru 29 | 30 thru 34 | 35 thru 39 | 40 thru 44 | | |
| 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | |
| 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | |
| 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 0 | 0 | 3 | |
| 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | |
| 5 | 0 | 0 | 0 | 1 | 0 | 2 | 0 | 1 | 0 | 0 | 0 | 0 | 4 | |
| 6 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 4 | 0 | 0 | 0 | 7 | |
| 7 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 1 | 2 | 1 | 0 | 6 | |
| 8 | 0 | 0 | 0 | 2 | 0 | 1 | 1 | 1 | 1 | 2 | 0 | 0 | 8 | |
| 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 0 | 3 | |
| 10 | 0 | 2 | 0 | 0 | 0 | 1 | 0 | 0 | 4 | 0 | 1 | 0 | 8 | |
| 11 | 1 | 1 | 1 | 0 | 2 | 1 | 1 | 0 | 10 | 3 | 1 | 0 | 21 | |
| 12 | 0 | 0 | 1 | 3 | 0 | 1 | 0 | 0 | 5 | 6 | 2 | 1 | 19 | |
| 13 | 0 | 0 | 0 | 1 | 0 | 3 | 2 | 2 | 10 | 3 | 4 | 0 | 25 | |
| 14 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 2 | 8 | 2 | 0 | 0 | 15 | |
| 15 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 3 | 1 | 1 | 1 | 8 | |
| 16 or More | 0 | 0 | 1 | 1 | 0 | 1 | 3 | 4 | 6 | 8 | 2 | 0 | 26 | |
| No PNC Visits | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 1 | 1 | 3 | 3 | 1 | 11 | |
| Not Stated | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | |
| Total | 1 | 3 | 6 | 8 | 2 | 15 | 10 | 13 | 58 | 32 | 17 | 3 | 168 | |

Table 11
Vance County Resident Births for 2016
By Number of Prenatal Visits and Age of Mother
For African American Non-Hispanic Women

| Number of Prenatal Visits | Age of Mother | | | | | | | | | | | | | | Total |
|---------------------------|---------------|----|----|----|----|----|----|----|----|----|------------|------------|------------|------------|-------|
| | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 thru 29 | 30 thru 34 | 35 thru 39 | 40 thru 44 | |
| 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 5 | 1 | 0 | 0 | 7 |
| 2 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 0 | 4 |
| 3 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 3 | 1 | 2 | 2 | 1 | 0 | 0 | 11 |
| 4 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 2 | 0 | 0 | 4 | 0 | 1 | 0 | 11 |
| 5 | 0 | 1 | 0 | 1 | 0 | 1 | 1 | 2 | 3 | 3 | 1 | 3 | 1 | 0 | 17 |
| 6 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 5 | 2 | 0 | 2 | 2 | 0 | 0 | 14 |
| 7 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 2 | 2 | 0 | 5 | 3 | 0 | 0 | 15 |
| 8 | 1 | 0 | 1 | 1 | 5 | 0 | 2 | 2 | 2 | 1 | 5 | 1 | 2 | 0 | 23 |
| 9 | 0 | 0 | 0 | 0 | 0 | 2 | 5 | 1 | 1 | 0 | 4 | 1 | 2 | 0 | 16 |
| 10 | 0 | 1 | 1 | 1 | 1 | 2 | 4 | 2 | 0 | 1 | 4 | 10 | 2 | 2 | 31 |
| 11 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 3 | 3 | 1 | 3 | 6 | 2 | 1 | 23 |
| 12 | 0 | 0 | 0 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 4 | 5 | 1 | 0 | 18 |
| 13 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 | 1 | 0 | 2 | 3 | 1 | 0 | 10 |
| 14 | 0 | 0 | 1 | 1 | 0 | 0 | 2 | 1 | 1 | 2 | 7 | 4 | 0 | 1 | 20 |
| 15 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 4 | 1 | 0 | 0 | 7 |
| 16 or More | 1 | 0 | 0 | 1 | 0 | 1 | 1 | 1 | 2 | 0 | 12 | 6 | 4 | 1 | 30 |
| No PNC Visits | 0 | 0 | 0 | 1 | 0 | 1 | 1 | 2 | 5 | 5 | 6 | 4 | 2 | 1 | 28 |
| Not Stated | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 1 | 0 | 3 |
| Total | 2 | 2 | 4 | 9 | 13 | 14 | 23 | 28 | 25 | 17 | 72 | 53 | 20 | 6 | 288 |

Table 11
Vance County Resident Births for 2016
By Number of Prenatal Visits and Age of Mother
For Other Non-Hispanic Women

| Number of Prenatal Visits | Age of Mother | | | | | | | | Total |
|---------------------------|---------------|----|----|----|------------|------------|------------|------------|-------|
| | 19 | 20 | 21 | 22 | 25 thru 29 | 30 thru 34 | 35 thru 39 | 40 thru 44 | |
| 2 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| 5 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 |
| 6 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 |
| 9 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 10 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| 11 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 2 |
| 12 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 |
| 13 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| 16 or More | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| Not Stated | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Total | 2 | 1 | 1 | 1 | 2 | 2 | 1 | 1 | 11 |

Table 11
Vance County Resident Births for 2016
By Number of Prenatal Visits and Age of Mother
For Hispanic Women

| Number of Prenatal Visits | Age of Mother | | | | | | | | | | | | | Total |
|---------------------------|---------------|----|----|----|----|----|----|----|----|------------|------------|------------|------------|-------|
| | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 thru 29 | 30 thru 34 | 35 thru 39 | 40 thru 44 | |
| 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 3 |
| 3 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 2 |
| 4 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 3 |
| 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 2 |
| 6 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 1 | 0 | 0 | 0 | 3 |
| 7 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 2 |
| 8 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 | 0 | 0 | 0 | 3 |
| 9 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 5 |
| 10 | 1 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 5 |
| 11 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 1 | 1 | 1 | 0 | 1 | 0 | 7 |
| 12 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 2 | 2 | 1 | 0 | 7 |
| 13 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 0 | 1 | 1 | 1 | 0 | 7 |
| 14 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 |
| 15 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 16 or More | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 3 | 1 | 7 |
| No PNC Visits | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 0 | 1 | 5 |
| Total | 2 | 2 | 3 | 2 | 1 | 4 | 7 | 2 | 2 | 14 | 12 | 7 | 5 | 63 |

Table 12
Vance County Resident Births for 2016
By Number of Prenatal Visits and Marital Status of Mother
For All Women

| Number of Prenatal Visits | Marital Status of Mother | | | Total |
|---------------------------|--------------------------|-----------|------------|-------|
| | Married | Unmarried | Not stated | |
| 1 | 3 | 8 | 0 | 11 |
| 2 | 1 | 5 | 0 | 6 |
| 3 | 3 | 13 | 0 | 16 |
| 4 | 4 | 11 | 0 | 15 |
| 5 | 1 | 23 | 0 | 24 |
| 6 | 5 | 20 | 0 | 25 |
| 7 | 7 | 16 | 0 | 23 |
| 8 | 6 | 28 | 0 | 34 |
| 9 | 5 | 20 | 0 | 25 |
| 10 | 12 | 33 | 0 | 45 |
| 11 | 19 | 34 | 0 | 53 |
| 12 | 22 | 23 | 0 | 45 |
| 13 | 26 | 17 | 0 | 43 |
| 14 | 17 | 19 | 0 | 36 |
| 15 | 6 | 10 | 0 | 16 |
| 16 or More | 30 | 34 | 0 | 64 |
| No PNC Visits | 12 | 31 | 1 | 44 |
| Not Stated | 1 | 4 | 0 | 5 |
| Total | 180 | 349 | 1 | 530 |

Table 12
Vance County Resident Births for 2016
By Number of Prenatal Visits and Marital Status of Mother
For White Non-Hispanic Women

| Number of Prenatal Visits | Marital Status of Mother | | Total |
|---------------------------|--------------------------|-----------|-------|
| | Married | Unmarried | |
| 1 | 0 | 1 | 1 |
| 2 | 0 | 1 | 1 |
| 3 | 1 | 2 | 3 |
| 4 | 1 | 0 | 1 |
| 5 | 0 | 4 | 4 |
| 6 | 3 | 4 | 7 |
| 7 | 4 | 2 | 6 |
| 8 | 3 | 5 | 8 |
| 9 | 2 | 1 | 3 |
| 10 | 5 | 3 | 8 |
| 11 | 12 | 9 | 21 |
| 12 | 13 | 6 | 19 |
| 13 | 16 | 9 | 25 |
| 14 | 13 | 2 | 15 |
| 15 | 3 | 5 | 8 |
| 16 or More | 19 | 7 | 26 |
| No PNC Visits | 4 | 7 | 11 |
| Not Stated | 1 | 0 | 1 |
| Total | 100 | 68 | 168 |

Table 12
Vance County Resident Births for 2016
By Number of Prenatal Visits and Marital Status of Mother
For African American Non-Hispanic Women

| Number of Prenatal Visits | Marital Status of Mother | | | Total |
|---------------------------------|--------------------------|-----------|------------|-------|
| | Married | Unmarried | Not stated | |
| 1 | 1 | 6 | 0 | 7 |
| 2 | 0 | 4 | 0 | 4 |
| 3 | 1 | 10 | 0 | 11 |
| 4 | 2 | 9 | 0 | 11 |
| 5 | 0 | 17 | 0 | 17 |
| 6 | 0 | 14 | 0 | 14 |
| 7 | 1 | 14 | 0 | 15 |
| 8 | 3 | 20 | 0 | 23 |
| 9 | 2 | 14 | 0 | 16 |
| 10 | 5 | 26 | 0 | 31 |
| 11 | 5 | 18 | 0 | 23 |
| 12 | 5 | 13 | 0 | 18 |
| 13 | 4 | 6 | 0 | 10 |
| 14 | 3 | 17 | 0 | 20 |
| 15 | 3 | 4 | 0 | 7 |
| 16 or More | 9 | 21 | 0 | 30 |
| No PNC Visits | 4 | 23 | 1 | 28 |
| Not Stated | 0 | 3 | 0 | 3 |
| Total | 48 | 239 | 1 | 288 |

Table 12
Vance County Resident Births for 2016
By Number of Prenatal Visits and Marital Status of Mother
For Other Non-Hispanic Women

| Number of Prenatal Visits | Marital Status of Mother | | Total |
|---------------------------|--------------------------|-----------|-------|
| | Married | Unmarried | |
| 2 | 1 | 0 | 1 |
| 5 | 0 | 1 | 1 |
| 6 | 0 | 1 | 1 |
| 9 | 0 | 1 | 1 |
| 10 | 1 | 0 | 1 |
| 11 | 0 | 2 | 2 |
| 12 | 0 | 1 | 1 |
| 13 | 1 | 0 | 1 |
| 16 or More | 0 | 1 | 1 |
| Not Stated | 0 | 1 | 1 |
| Total | 3 | 8 | 11 |

Table 12
Vance County Resident Births for 2016
By Number of Prenatal Visits and Marital Status of Mother
For Hispanic Women

| Number of Prenatal Visits | Marital Status of Mother | | Total |
|---------------------------|--------------------------|-----------|-------|
| | Married | Unmarried | |
| 1 | 2 | 1 | 3 |
| 3 | 1 | 1 | 2 |
| 4 | 1 | 2 | 3 |
| 5 | 1 | 1 | 2 |
| 6 | 2 | 1 | 3 |
| 7 | 2 | 0 | 2 |
| 8 | 0 | 3 | 3 |
| 9 | 1 | 4 | 5 |
| 10 | 1 | 4 | 5 |
| 11 | 2 | 5 | 7 |
| 12 | 4 | 3 | 7 |
| 13 | 5 | 2 | 7 |
| 14 | 1 | 0 | 1 |
| 15 | 0 | 1 | 1 |
| 16 or More | 2 | 5 | 7 |
| No PNC Visits | 4 | 1 | 5 |
| Total | 29 | 34 | 63 |

Table 13
Vance County Resident Births for 2016
By Number of Prenatal Visits and Birth Order
For All Women

| Number of Prenatal Visits | Birth Order | | | | | | | | | Total |
|---------------------------|-------------|-----|-----|-----|-----|-----|-----|-----|-------------|-------|
| | 1st | 2nd | 3rd | 4th | 5th | 6th | 7th | 8th | 9th or More | |
| 1 | 1 | 3 | 2 | 2 | 1 | 1 | 0 | 1 | 0 | 11 |
| 2 | 1 | 1 | 1 | 0 | 1 | 0 | 0 | 1 | 1 | 6 |
| 3 | 1 | 1 | 5 | 4 | 3 | 1 | 1 | 0 | 0 | 16 |
| 4 | 4 | 4 | 4 | 0 | 0 | 1 | 1 | 0 | 1 | 15 |
| 5 | 9 | 3 | 5 | 3 | 2 | 1 | 0 | 0 | 1 | 24 |
| 6 | 6 | 8 | 5 | 2 | 1 | 1 | 1 | 0 | 1 | 25 |
| 7 | 2 | 6 | 1 | 7 | 5 | 0 | 2 | 0 | 0 | 23 |
| 8 | 12 | 9 | 2 | 4 | 3 | 2 | 1 | 1 | 0 | 34 |
| 9 | 6 | 8 | 5 | 4 | 1 | 0 | 0 | 1 | 0 | 25 |
| 10 | 14 | 7 | 7 | 7 | 4 | 1 | 2 | 1 | 2 | 45 |
| 11 | 23 | 9 | 13 | 4 | 4 | 0 | 0 | 0 | 0 | 53 |
| 12 | 15 | 9 | 8 | 8 | 5 | 0 | 0 | 0 | 0 | 45 |
| 13 | 9 | 11 | 8 | 8 | 1 | 3 | 2 | 0 | 1 | 43 |
| 14 | 14 | 12 | 3 | 3 | 1 | 2 | 1 | 0 | 0 | 36 |
| 15 | 5 | 4 | 4 | 1 | 0 | 1 | 1 | 0 | 0 | 16 |
| 16 or More | 19 | 13 | 14 | 6 | 2 | 5 | 2 | 2 | 1 | 64 |
| No PNC Visits | 13 | 15 | 5 | 6 | 1 | 1 | 0 | 2 | 1 | 44 |
| Not Stated | 1 | 1 | 1 | 1 | 1 | 0 | 0 | 0 | 0 | 5 |
| Total | 155 | 124 | 93 | 70 | 36 | 20 | 14 | 9 | 9 | 530 |

Table 13
Vance County Resident Births for 2016
By Number of Prenatal Visits and Birth Order
For White Non-Hispanic Women

| Number of Prenatal Visits | Birth Order | | | | | | | | | Total |
|---------------------------|-------------|-----|-----|-----|-----|-----|-----|-----|-------------|-------|
| | 1st | 2nd | 3rd | 4th | 5th | 6th | 7th | 8th | 9th or More | |
| 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 3 | 0 | 0 | 1 | 0 | 2 | 0 | 0 | 0 | 0 | 3 |
| 4 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 |
| 5 | 1 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| 6 | 3 | 1 | 2 | 0 | 0 | 1 | 0 | 0 | 0 | 7 |
| 7 | 2 | 1 | 0 | 1 | 2 | 0 | 0 | 0 | 0 | 6 |
| 8 | 2 | 2 | 1 | 1 | 2 | 0 | 0 | 0 | 0 | 8 |
| 9 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 1 | 0 | 3 |
| 10 | 2 | 2 | 1 | 2 | 1 | 0 | 0 | 0 | 0 | 8 |
| 11 | 7 | 5 | 5 | 3 | 1 | 0 | 0 | 0 | 0 | 21 |
| 12 | 6 | 5 | 3 | 2 | 3 | 0 | 0 | 0 | 0 | 19 |
| 13 | 5 | 7 | 6 | 4 | 0 | 1 | 1 | 0 | 1 | 25 |
| 14 | 6 | 5 | 0 | 2 | 1 | 1 | 0 | 0 | 0 | 15 |
| 15 | 2 | 2 | 2 | 0 | 0 | 1 | 1 | 0 | 0 | 8 |
| 16 or More | 6 | 5 | 8 | 2 | 1 | 2 | 1 | 1 | 0 | 26 |
| No PNC Visits | 3 | 4 | 0 | 2 | 0 | 0 | 0 | 1 | 1 | 11 |
| Not Stated | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Total | 46 | 42 | 32 | 19 | 14 | 7 | 3 | 3 | 2 | 168 |

Table 13
Vance County Resident Births for 2016
By Number of Prenatal Visits and Birth Order
For African American Non-Hispanic Women

| Number of Prenatal Visits | Birth Order | | | | | | | | | Total |
|---------------------------|-------------|-----|-----|-----|-----|-----|-----|-----|-------------|-------|
| | 1st | 2nd | 3rd | 4th | 5th | 6th | 7th | 8th | 9th or More | |
| 1 | 0 | 1 | 2 | 2 | 0 | 1 | 0 | 1 | 0 | 7 |
| 2 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 1 | 1 | 4 |
| 3 | 0 | 1 | 3 | 4 | 1 | 1 | 1 | 0 | 0 | 11 |
| 4 | 3 | 3 | 4 | 0 | 0 | 0 | 0 | 0 | 1 | 11 |
| 5 | 7 | 1 | 2 | 3 | 2 | 1 | 0 | 0 | 1 | 17 |
| 6 | 2 | 6 | 2 | 2 | 0 | 0 | 1 | 0 | 1 | 14 |
| 7 | 0 | 4 | 0 | 6 | 3 | 0 | 2 | 0 | 0 | 15 |
| 8 | 9 | 6 | 0 | 3 | 1 | 2 | 1 | 1 | 0 | 23 |
| 9 | 5 | 7 | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 16 |
| 10 | 9 | 4 | 6 | 5 | 2 | 0 | 2 | 1 | 2 | 31 |
| 11 | 13 | 1 | 5 | 1 | 3 | 0 | 0 | 0 | 0 | 23 |
| 12 | 7 | 1 | 5 | 3 | 2 | 0 | 0 | 0 | 0 | 18 |
| 13 | 2 | 2 | 1 | 2 | 0 | 2 | 1 | 0 | 0 | 10 |
| 14 | 8 | 6 | 3 | 1 | 0 | 1 | 1 | 0 | 0 | 20 |
| 15 | 3 | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 7 |
| 16 or More | 10 | 7 | 5 | 2 | 1 | 2 | 1 | 1 | 1 | 30 |
| No PNC Visits | 9 | 10 | 3 | 3 | 1 | 1 | 0 | 1 | 0 | 28 |
| Not Stated | 0 | 1 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 3 |
| Total | 87 | 64 | 45 | 40 | 18 | 11 | 10 | 6 | 7 | 288 |

Table 13
Vance County Resident Births for 2016
By Number of Prenatal Visits and Birth Order
For Other Non-Hispanic Women

| Number of Prenatal Visits | Birth Order | | | | | Total |
|---------------------------------|-------------|-----|-----|-----|-----|-------|
| | 1st | 2nd | 3rd | 5th | 6th | |
| 2 | 0 | 0 | 1 | 0 | 0 | 1 |
| 5 | 1 | 0 | 0 | 0 | 0 | 1 |
| 6 | 0 | 1 | 0 | 0 | 0 | 1 |
| 9 | 0 | 1 | 0 | 0 | 0 | 1 |
| 10 | 0 | 0 | 0 | 1 | 0 | 1 |
| 11 | 0 | 0 | 2 | 0 | 0 | 2 |
| 12 | 1 | 0 | 0 | 0 | 0 | 1 |
| 13 | 0 | 1 | 0 | 0 | 0 | 1 |
| 16 or More | 0 | 0 | 0 | 0 | 1 | 1 |
| Not Stated | 1 | 0 | 0 | 0 | 0 | 1 |
| Total | 3 | 3 | 3 | 1 | 1 | 11 |

Table 13
Vance County Resident Births for 2016
By Number of Prenatal Visits and Birth Order
For Hispanic Women

| Number of Prenatal Visits | Birth Order | | | | | | | Total |
|---------------------------------|-------------|-----|-----|-----|-----|-----|-----|-------|
| | 1st | 2nd | 3rd | 4th | 5th | 6th | 7th | |
| 1 | 1 | 1 | 0 | 0 | 1 | 0 | 0 | 3 |
| 3 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 2 |
| 4 | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 3 |
| 5 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 2 |
| 6 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 3 |
| 7 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 2 |
| 8 | 1 | 1 | 1 | 0 | 0 | 0 | 0 | 3 |
| 9 | 1 | 0 | 2 | 2 | 0 | 0 | 0 | 5 |
| 10 | 3 | 1 | 0 | 0 | 0 | 1 | 0 | 5 |
| 11 | 3 | 3 | 1 | 0 | 0 | 0 | 0 | 7 |
| 12 | 1 | 3 | 0 | 3 | 0 | 0 | 0 | 7 |
| 13 | 2 | 1 | 1 | 2 | 1 | 0 | 0 | 7 |
| 14 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 |
| 15 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 |
| 16 or More | 3 | 1 | 1 | 2 | 0 | 0 | 0 | 7 |
| No PNC Visits | 1 | 1 | 2 | 1 | 0 | 0 | 0 | 5 |
| Total | 19 | 15 | 13 | 11 | 3 | 1 | 1 | 63 |

Table 14
Vance County Resident Births for 2016
By Number of Prenatal Visits and Birth Weight in Grams
For All Women

| Number of Prenatal Visits | Birth Weight in Grams | | | | Total |
|---------------------------|-----------------------|-------------|--------|---------|-------|
| | <1500 | 1500 - 2499 | >=2500 | Unknown | |
| 1 | 0 | 1 | 10 | 0 | 11 |
| 2 | 0 | 0 | 6 | 0 | 6 |
| 3 | 0 | 3 | 13 | 0 | 16 |
| 4 | 0 | 1 | 14 | 0 | 15 |
| 5 | 1 | 5 | 18 | 0 | 24 |
| 6 | 0 | 3 | 22 | 0 | 25 |
| 7 | 0 | 2 | 21 | 0 | 23 |
| 8 | 0 | 3 | 31 | 0 | 34 |
| 9 | 0 | 7 | 18 | 0 | 25 |
| 10 | 0 | 2 | 43 | 0 | 45 |
| 11 | 0 | 1 | 52 | 0 | 53 |
| 12 | 0 | 3 | 42 | 0 | 45 |
| 13 | 1 | 1 | 41 | 0 | 43 |
| 14 | 0 | 0 | 36 | 0 | 36 |
| 15 | 1 | 0 | 15 | 0 | 16 |
| 16 or More | 1 | 9 | 54 | 0 | 64 |
| No PNC Visits | 6 | 16 | 21 | 1 | 44 |
| Not Stated | 2 | 0 | 3 | 0 | 5 |
| Total | 12 | 57 | 460 | 1 | 530 |

Table 14
Vance County Resident Births for 2016
By Number of Prenatal Visits and Birth Weight in Grams
For White Non-Hispanic Women

| Number of Prenatal Visits | Birth Weight in Grams | | | Total |
|---------------------------|-----------------------|-------------|--------|-------|
| | <1500 | 1500 - 2499 | >=2500 | |
| 1 | 0 | 0 | 1 | 1 |
| 2 | 0 | 0 | 1 | 1 |
| 3 | 0 | 1 | 2 | 3 |
| 4 | 0 | 0 | 1 | 1 |
| 5 | 0 | 2 | 2 | 4 |
| 6 | 0 | 2 | 5 | 7 |
| 7 | 0 | 0 | 6 | 6 |
| 8 | 0 | 0 | 8 | 8 |
| 9 | 0 | 0 | 3 | 3 |
| 10 | 0 | 1 | 7 | 8 |
| 11 | 0 | 0 | 21 | 21 |
| 12 | 0 | 0 | 19 | 19 |
| 13 | 1 | 1 | 23 | 25 |
| 14 | 0 | 0 | 15 | 15 |
| 15 | 1 | 0 | 7 | 8 |
| 16 or More | 0 | 5 | 21 | 26 |
| No PNC Visits | 0 | 5 | 6 | 11 |
| Not Stated | 0 | 0 | 1 | 1 |
| Total | 2 | 17 | 149 | 168 |

Table 14
Vance County Resident Births for 2016
By Number of Prenatal Visits and Birth Weight in Grams
For African American Non-Hispanic Women

| Number of Prenatal Visits | Birth Weight in Grams | | | | Total |
|---------------------------|-----------------------|-------------|--------|---------|-------|
| | <1500 | 1500 - 2499 | >=2500 | Unknown | |
| 1 | 0 | 0 | 7 | 0 | 7 |
| 2 | 0 | 0 | 4 | 0 | 4 |
| 3 | 0 | 2 | 9 | 0 | 11 |
| 4 | 0 | 0 | 11 | 0 | 11 |
| 5 | 1 | 2 | 14 | 0 | 17 |
| 6 | 0 | 1 | 13 | 0 | 14 |
| 7 | 0 | 2 | 13 | 0 | 15 |
| 8 | 0 | 3 | 20 | 0 | 23 |
| 9 | 0 | 4 | 12 | 0 | 16 |
| 10 | 0 | 0 | 31 | 0 | 31 |
| 11 | 0 | 1 | 22 | 0 | 23 |
| 12 | 0 | 3 | 15 | 0 | 18 |
| 13 | 0 | 0 | 10 | 0 | 10 |
| 14 | 0 | 0 | 20 | 0 | 20 |
| 15 | 0 | 0 | 7 | 0 | 7 |
| 16 or More | 0 | 4 | 26 | 0 | 30 |
| No PNC Visits | 6 | 11 | 10 | 1 | 28 |
| Not Stated | 2 | 0 | 1 | 0 | 3 |
| Total | 9 | 33 | 245 | 1 | 288 |

Table 14
Vance County Resident Births for 2016
By Number of Prenatal Visits and Birth Weight in Grams
For Other Non-Hispanic Women

| Number of Prenatal Visits | Birth Weight in Grams | | | Total |
|---------------------------------|-----------------------|-------------|--------|-------|
| | <1500 | 1500 - 2499 | >=2500 | |
| 2 | 0 | 0 | 1 | 1 |
| 5 | 0 | 1 | 0 | 1 |
| 6 | 0 | 0 | 1 | 1 |
| 9 | 0 | 0 | 1 | 1 |
| 10 | 0 | 0 | 1 | 1 |
| 11 | 0 | 0 | 2 | 2 |
| 12 | 0 | 0 | 1 | 1 |
| 13 | 0 | 0 | 1 | 1 |
| 16 or More | 1 | 0 | 0 | 1 |
| Not Stated | 0 | 0 | 1 | 1 |
| Total | 1 | 1 | 9 | 11 |

Table 14
Vance County Resident Births for 2016
By Number of Prenatal Visits and Birth Weight in Grams
For Hispanic Women

| Number of Prenatal Visits | Birth Weight in Grams | | Total |
|---------------------------|-----------------------|--------|-------|
| | 1500 - 2499 | >=2500 | |
| 1 | 1 | 2 | 3 |
| 3 | 0 | 2 | 2 |
| 4 | 1 | 2 | 3 |
| 5 | 0 | 2 | 2 |
| 6 | 0 | 3 | 3 |
| 7 | 0 | 2 | 2 |
| 8 | 0 | 3 | 3 |
| 9 | 3 | 2 | 5 |
| 10 | 1 | 4 | 5 |
| 11 | 0 | 7 | 7 |
| 12 | 0 | 7 | 7 |
| 13 | 0 | 7 | 7 |
| 14 | 0 | 1 | 1 |
| 15 | 0 | 1 | 1 |
| 16 or More | 0 | 7 | 7 |
| No PNC Visits | 0 | 5 | 5 |
| Total | 6 | 57 | 63 |

Table 15
Vance County Resident Births for 2016
By Month Prenatal Care Began and Number of Prenatal Visits
For All Women

| Number of Prenatal Visits | Month Prenatal Care Began | | | | | | | | | | | Total |
|---------------------------|---------------------------|--------------|-------------|--------------|-------------|-------------|---------------|--------------|-------------|------|------------|-------|
| | First Month | Second Month | Third Month | Fourth Month | Fifth Month | Sixth Month | Seventh Month | Eighth Month | Ninth Month | None | Not Stated | |
| 1 | 3 | 1 | 0 | 0 | 1 | 1 | 1 | 0 | 3 | 0 | 1 | 11 |
| 2 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 2 | 2 | 0 | 0 | 6 |
| 3 | 0 | 2 | 2 | 0 | 4 | 2 | 1 | 4 | 1 | 0 | 0 | 16 |
| 4 | 1 | 2 | 1 | 1 | 0 | 2 | 5 | 2 | 1 | 0 | 0 | 15 |
| 5 | 1 | 2 | 2 | 4 | 2 | 5 | 5 | 2 | 0 | 0 | 1 | 24 |
| 6 | 3 | 2 | 6 | 3 | 2 | 3 | 3 | 2 | 1 | 0 | 0 | 25 |
| 7 | 3 | 2 | 8 | 5 | 2 | 2 | 1 | 0 | 0 | 0 | 0 | 23 |
| 8 | 6 | 4 | 9 | 8 | 3 | 1 | 3 | 0 | 0 | 0 | 0 | 34 |
| 9 | 1 | 3 | 6 | 6 | 4 | 2 | 3 | 0 | 0 | 0 | 0 | 25 |
| 10 | 7 | 14 | 12 | 7 | 3 | 0 | 0 | 2 | 0 | 0 | 0 | 45 |
| 11 | 7 | 14 | 15 | 11 | 4 | 2 | 0 | 0 | 0 | 0 | 0 | 53 |
| 12 | 5 | 15 | 14 | 8 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 45 |
| 13 | 5 | 13 | 17 | 7 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 43 |
| 14 | 3 | 13 | 11 | 5 | 2 | 1 | 0 | 1 | 0 | 0 | 0 | 36 |
| 15 | 0 | 14 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 16 |
| 16 or More | 3 | 19 | 21 | 9 | 6 | 3 | 0 | 2 | 0 | 0 | 1 | 64 |
| No PNC Visits | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 44 | 0 | 44 |
| Not Stated | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 5 |
| Total | 48 | 120 | 126 | 75 | 36 | 25 | 23 | 17 | 8 | 44 | 8 | 530 |

Table 15
Vance County Resident Births for 2016
By Month Prenatal Care Began and Number of Prenatal Visits
For White Non-Hispanic Women

| Number of Prenatal Visits | Month Prenatal Care Began | | | | | | | | | | Total |
|---------------------------|---------------------------|--------------|-------------|--------------|-------------|-------------|---------------|--------------|------|------------|-------|
| | First Month | Second Month | Third Month | Fourth Month | Fifth Month | Sixth Month | Seventh Month | Eighth Month | None | Not Stated | |
| 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 2 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 3 | 0 | 0 | 1 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 3 |
| 4 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 5 | 1 | 0 | 1 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 4 |
| 6 | 1 | 1 | 3 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 7 |
| 7 | 1 | 2 | 1 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 6 |
| 8 | 1 | 1 | 2 | 3 | 0 | 0 | 1 | 0 | 0 | 0 | 8 |
| 9 | 0 | 1 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 3 |
| 10 | 0 | 4 | 3 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 8 |
| 11 | 4 | 7 | 4 | 2 | 2 | 2 | 0 | 0 | 0 | 0 | 21 |
| 12 | 1 | 9 | 7 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 19 |
| 13 | 3 | 9 | 9 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 25 |
| 14 | 1 | 6 | 4 | 2 | 0 | 1 | 0 | 1 | 0 | 0 | 15 |
| 15 | 0 | 7 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 8 |
| 16 or More | 2 | 10 | 7 | 4 | 1 | 0 | 0 | 2 | 0 | 0 | 26 |
| No PNC Visits | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 11 | 0 | 11 |
| Not Stated | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| Total | 16 | 58 | 43 | 19 | 7 | 5 | 4 | 4 | 11 | 1 | 168 |

Table 15
Vance County Resident Births for 2016
By Month Prenatal Care Began and Number of Prenatal Visits
For African American Non-Hispanic Women

| Number of Prenatal Visits | Month Prenatal Care Began | | | | | | | | | | | Total |
|---------------------------|---------------------------|--------------|-------------|--------------|-------------|-------------|---------------|--------------|-------------|------|------------|-------|
| | First Month | Second Month | Third Month | Fourth Month | Fifth Month | Sixth Month | Seventh Month | Eighth Month | Ninth Month | None | Not Stated | |
| 1 | 3 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 2 | 0 | 0 | 7 |
| 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 0 | 0 | 4 |
| 3 | 0 | 1 | 1 | 0 | 2 | 2 | 1 | 4 | 0 | 0 | 0 | 11 |
| 4 | 0 | 2 | 1 | 1 | 0 | 2 | 4 | 1 | 0 | 0 | 0 | 11 |
| 5 | 0 | 2 | 1 | 4 | 1 | 3 | 4 | 1 | 0 | 0 | 1 | 17 |
| 6 | 0 | 1 | 3 | 2 | 1 | 2 | 2 | 2 | 1 | 0 | 0 | 14 |
| 7 | 2 | 0 | 7 | 3 | 1 | 2 | 0 | 0 | 0 | 0 | 0 | 15 |
| 8 | 4 | 3 | 7 | 4 | 2 | 1 | 2 | 0 | 0 | 0 | 0 | 23 |
| 9 | 1 | 2 | 4 | 3 | 2 | 2 | 2 | 0 | 0 | 0 | 0 | 16 |
| 10 | 6 | 10 | 7 | 5 | 2 | 0 | 0 | 1 | 0 | 0 | 0 | 31 |
| 11 | 2 | 7 | 6 | 7 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 23 |
| 12 | 4 | 6 | 4 | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 18 |
| 13 | 1 | 4 | 3 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 10 |
| 14 | 2 | 7 | 6 | 3 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 20 |
| 15 | 0 | 6 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 7 |
| 16 or More | 1 | 9 | 11 | 4 | 3 | 2 | 0 | 0 | 0 | 0 | 0 | 30 |
| No PNC Visits | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 28 | 0 | 28 |
| Not Stated | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 3 |
| Total | 26 | 60 | 62 | 39 | 21 | 17 | 15 | 11 | 5 | 28 | 4 | 288 |

Table 15
Vance County Resident Births for 2016
By Month Prenatal Care Began and Number of Prenatal Visits
For Other Non-Hispanic Women

| Number of Prenatal Visits | Month Prenatal Care Began | | | | | | | Total |
|---------------------------------|---------------------------|----------------|-----------------|----------------|----------------|------------------|---------------|-------|
| | First Month | Third Month | Fourth Month | Fifth Month | Sixth Month | Seventh Month | Not Stated | |
| 2 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| 5 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| 6 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 9 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 |
| 10 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 |
| 11 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 2 |
| 12 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 |
| 13 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 |
| 16 or More | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 |
| Not Stated | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| Total | 1 | 3 | 3 | 1 | 1 | 1 | 1 | 11 |

Table 15
Vance County Resident Births for 2016
By Month Prenatal Care Began and Number of Prenatal Visits
For Hispanic Women

| Number of Prenatal Visits | Month Prenatal Care Began | | | | | | | | | | | Total |
|---------------------------|---------------------------|--------------|-------------|--------------|-------------|-------------|---------------|--------------|-------------|------|------------|-------|
| | First Month | Second Month | Third Month | Fourth Month | Fifth Month | Sixth Month | Seventh Month | Eighth Month | Ninth Month | None | Not Stated | |
| 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 1 | 3 |
| 3 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 2 |
| 4 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 0 | 3 |
| 5 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 2 |
| 6 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 3 |
| 7 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| 8 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| 9 | 0 | 0 | 2 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 5 |
| 10 | 1 | 0 | 2 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 5 |
| 11 | 1 | 0 | 4 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 7 |
| 12 | 0 | 0 | 3 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 7 |
| 13 | 1 | 0 | 4 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 7 |
| 14 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 15 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 16 or More | 0 | 0 | 2 | 1 | 2 | 1 | 0 | 0 | 0 | 0 | 1 | 7 |
| No PNC Visits | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 0 | 5 |
| Total | 5 | 2 | 18 | 14 | 7 | 2 | 3 | 2 | 3 | 5 | 2 | 63 |

Table 16
Vance County Resident Births for 2016
By Risk Factors, This Pregnancy and Birth Weight in Grams
For All Women

| Risk Factors | | Birth Weight in Grams | | | | Total |
|---|--------------|-----------------------|-------------|--------|---------|-------|
| | | <1500 | 1500 - 2499 | >=2500 | Unknown | |
| None | | 6 | 43 | 353 | 0 | 402 |
| Prepregnancy Diabetes | | 0 | 0 | 8 | 0 | 8 |
| Gestational Diabetes | | 0 | 0 | 24 | 0 | 24 |
| Prepregnancy Hypertension | | 1 | 3 | 5 | 0 | 9 |
| Gestational Hypertension | | 1 | 1 | 10 | 1 | 13 |
| Eclampsia | | 0 | 1 | 1 | 0 | 2 |
| Previous Preterm | | 5 | 9 | 18 | 0 | 32 |
| Other Previous Poor Pregnancy Outcome | | 2 | 4 | 12 | 0 | 18 |
| Pregnancy Resulted From Infertility Treatment | | 0 | 0 | 0 | 0 | 0 |
| Previous C-Section | | 3 | 4 | 59 | 1 | 67 |
| | Total | 12 | 57 | 460 | 1 | 530 |

Table 16
Vance County Resident Births for 2016
By Risk Factors, This Pregnancy and Birth Weight in Grams
For White Non-Hispanic Women

| Risk Factors | | Birth Weight in Grams | | | Total |
|---|--------------|-----------------------|-------------|--------|-------|
| | | <1500 | 1500 - 2499 | >=2500 | |
| None | | 0 | 14 | 111 | 125 |
| Prepregnancy Diabetes | | 0 | 0 | 1 | 1 |
| Gestational Diabetes | | 0 | 0 | 7 | 7 |
| Prepregnancy Hypertension | | 0 | 0 | 1 | 1 |
| Gestational Hypertension | | 0 | 0 | 3 | 3 |
| Eclampsia | | 0 | 0 | 0 | 0 |
| Previous Preterm | | 1 | 3 | 6 | 10 |
| Other Previous Poor Pregnancy Outcome | | 1 | 1 | 9 | 11 |
| Pregnancy Resulted From Infertility Treatment | | 0 | 0 | 0 | 0 |
| Previous C-Section | | 2 | 1 | 21 | 24 |
| | Total | 2 | 17 | 149 | 168 |

Table 16
Vance County Resident Births for 2016
By Risk Factors, This Pregnancy and Birth Weight in Grams
For African American Non-Hispanic Women

| Risk Factors | | Birth Weight in Grams | | | | Total |
|---|--------------|-----------------------|-------------|--------|---------|-------|
| | | <1500 | 1500 - 2499 | >=2500 | Unknown | |
| None | | 6 | 24 | 193 | 0 | 223 |
| Prepregnancy Diabetes | | 0 | 0 | 6 | 0 | 6 |
| Gestational Diabetes | | 0 | 0 | 8 | 0 | 8 |
| Prepregnancy Hypertension | | 0 | 3 | 3 | 0 | 6 |
| Gestational Hypertension | | 1 | 1 | 6 | 1 | 9 |
| Eclampsia | | 0 | 1 | 1 | 0 | 2 |
| Previous Preterm | | 3 | 4 | 11 | 0 | 18 |
| Other Previous Poor Pregnancy Outcome | | 0 | 3 | 3 | 0 | 6 |
| Pregnancy Resulted From Infertility Treatment | | 0 | 0 | 0 | 0 | 0 |
| Previous C-Section | | 0 | 2 | 30 | 1 | 33 |
| | Total | 9 | 33 | 245 | 1 | 288 |

Table 16
Vance County Resident Births for 2016
By Risk Factors, This Pregnancy and Birth Weight in Grams
For Other Non-Hispanic Women

| Risk Factors | | Birth Weight in Grams | | | Total |
|---|--------------|-----------------------|-------------|--------|-------|
| | | <1500 | 1500 - 2499 | >=2500 | |
| None | | 0 | 1 | 7 | 8 |
| Prepregnancy Diabetes | | 0 | 0 | 0 | 0 |
| Gestational Diabetes | | 0 | 0 | 1 | 1 |
| Prepregnancy Hypertension | | 1 | 0 | 1 | 2 |
| Gestational Hypertension | | 0 | 0 | 0 | 0 |
| Eclampsia | | 0 | 0 | 0 | 0 |
| Previous Preterm | | 1 | 0 | 0 | 1 |
| Other Previous Poor Pregnancy Outcome | | 1 | 0 | 0 | 1 |
| Pregnancy Resulted From Infertility Treatment | | 0 | 0 | 0 | 0 |
| Previous C-Section | | 1 | 0 | 0 | 1 |
| | Total | 1 | 1 | 9 | 11 |

Table 16
Vance County Resident Births for 2016
By Risk Factors, This Pregnancy and Birth Weight in Grams
For Hispanic Women

| Risk Factors | | Birth Weight in Grams | | Total |
|---|--------------|-----------------------|--------|-------|
| | | 1500 - 2499 | >=2500 | |
| None | | 4 | 42 | 46 |
| Prepregnancy Diabetes | | 0 | 1 | 1 |
| Gestational Diabetes | | 0 | 8 | 8 |
| Prepregnancy Hypertension | | 0 | 0 | 0 |
| Gestational Hypertension | | 0 | 1 | 1 |
| Eclampsia | | 0 | 0 | 0 |
| Previous Preterm | | 2 | 1 | 3 |
| Other Previous Poor Pregnancy Outcome | | 0 | 0 | 0 |
| Pregnancy Resulted From Infertility Treatment | | 0 | 0 | 0 |
| Previous C-Section | | 1 | 8 | 9 |
| | Total | 6 | 57 | 63 |

Table 17
Vance County Resident Births for 2016
By Maternal Smoking, This Pregnancy, and Birth Weight in Grams
For All Women

| Maternal Smoking, This Pregnancy | Birth Weight in Grams | | | | Total |
|-------------------------------------|-----------------------|-------------|--------|---------|-------|
| | <1500 | 1500 - 2499 | >=2500 | Unknown | |
| Did Not Smoke | 12 | 50 | 394 | 1 | 457 |
| Smoked | 0 | 7 | 66 | 0 | 73 |

Table 17
Vance County Resident Births for 2016
By Maternal Smoking, This Pregnancy, and Birth Weight in Grams
For White Non-Hispanic Women

| Maternal Smoking, This Pregnancy | Birth Weight in Grams | | | Total |
|-------------------------------------|-----------------------|-------------|--------|-------|
| | <1500 | 1500 - 2499 | >=2500 | |
| Did Not Smoke | 2 | 13 | 121 | 136 |
| Smoked | 0 | 4 | 28 | 32 |
| Total | 2 | 17 | 149 | 168 |

Table 17
Vance County Resident Births for 2016
By Maternal Smoking, This Pregnancy, and Birth Weight in Grams
For African American Non-Hispanic Women

| Maternal Smoking, This Pregnancy | Birth Weight in Grams | | | | Total |
|-------------------------------------|-----------------------|-------------|--------|---------|-------|
| | <1500 | 1500 - 2499 | >=2500 | Unknown | |
| Did Not Smoke | 9 | 30 | 208 | 1 | 248 |
| Smoked | 0 | 3 | 37 | 0 | 40 |
| Total | 9 | 33 | 245 | 1 | 288 |

Table 17
Vance County Resident Births for 2016
By Maternal Smoking, This Pregnancy, and Birth Weight in Grams
For Other Non-Hispanic Women

| Maternal Smoking, This Pregnancy | Birth Weight in Grams | | | Total |
|-------------------------------------|-----------------------|-------------|--------|-------|
| | <1500 | 1500 - 2499 | >=2500 | |
| Did Not Smoke | 1 | 1 | 8 | 10 |
| Smoked | 0 | 0 | 1 | 1 |
| Total | 1 | 1 | 9 | 11 |

Table 17
Vance County Resident Births for 2016
By Maternal Smoking, This Pregnancy, and Birth Weight in Grams
For Hispanic Women

| Maternal Smoking, This Pregnancy | Birth Weight in Grams | | Total |
|-------------------------------------|-----------------------|--------|-------|
| | 1500 - 2499 | >=2500 | |
| Did Not Smoke | 6 | 57 | 63 |
| Total | 6 | 57 | 63 |

Table 18
Vance County Resident Births for 2016
By Maternal Pre-pregnancy BMI, This Pregnancy, and Birth Weight in Grams
For All Women

| Maternal Pre-pregnancy BMI, This Pregnancy | Birth Weight in Grams | | | | Total |
|--|-----------------------|-------------|--------|---------|-------|
| | <1500 | 1500 - 2499 | >=2500 | Unknown | |
| Underweight (<18.5) | 2 | 1 | 17 | 0 | 20 |
| Normal (18.5-24.9) | 5 | 23 | 136 | 0 | 164 |
| Overweight (25-29.9) | 0 | 13 | 109 | 1 | 123 |
| Obese (30+) | 2 | 19 | 194 | 0 | 215 |
| Unknown | 3 | 1 | 4 | 0 | 8 |
| Total | 12 | 57 | 460 | 1 | 530 |

Table 18
Vance County Resident Births for 2016
By Maternal Pre-pregnancy BMI, This Pregnancy, and Birth Weight in Grams
For White Non-Hispanic Women

| Maternal Pre-pregnancy BMI, This Pregnancy | Birth Weight in Grams | | | Total |
|--|-----------------------|-------------|--------|-------|
| | <1500 | 1500 - 2499 | >=2500 | |
| Underweight (<18.5) | 0 | 0 | 6 | 6 |
| Normal (18.5-24.9) | 0 | 11 | 60 | 71 |
| Overweight (25-29.9) | 0 | 1 | 37 | 38 |
| Obese (30+) | 1 | 4 | 46 | 51 |
| Unknown | 1 | 1 | 0 | 2 |
| Total | 2 | 17 | 149 | 168 |

Table 18
Vance County Resident Births for 2016
By Maternal Pre-pregnancy BMI, This Pregnancy, and Birth Weight in Grams
For African American Non-Hispanic Women

| Maternal Pre-pregnancy BMI, This Pregnancy | Birth Weight in Grams | | | | Total |
|--|-----------------------|-------------|--------|---------|-------|
| | <1500 | 1500 - 2499 | >=2500 | Unknown | |
| Underweight (<18.5) | 2 | 0 | 10 | 0 | 12 |
| Normal (18.5-24.9) | 4 | 10 | 53 | 0 | 67 |
| Overweight (25-29.9) | 0 | 10 | 53 | 1 | 64 |
| Obese (30+) | 1 | 13 | 127 | 0 | 141 |
| Unknown | 2 | 0 | 2 | 0 | 4 |
| Total | 9 | 33 | 245 | 1 | 288 |

Table 18
Vance County Resident Births for 2016
By Maternal Pre-pregnancy BMI, This Pregnancy, and Birth Weight in Grams
For Other Non-Hispanic Women

| Maternal Pre-pregnancy BMI, This Pregnancy | Birth Weight in Grams | | | Total |
|--|-----------------------|-------------|--------|-------|
| | <1500 | 1500 - 2499 | >=2500 | |
| Normal (18.5-24.9) | 1 | 1 | 5 | 7 |
| Overweight (25-29.9) | 0 | 0 | 3 | 3 |
| Obese (30+) | 0 | 0 | 1 | 1 |
| Total | 1 | 1 | 9 | 11 |

Table 18
Vance County Resident Births for 2016
By Maternal Pre-pregnancy BMI, This Pregnancy, and Birth Weight in Grams
For Hispanic Women

| Maternal Pre-pregnancy BMI, This Pregnancy | Birth Weight in Grams | | Total |
|--|--------------------------|--------|-------|
| | 1500 - 2499 | >=2500 | |
| Underweight (<18.5) | 1 | 1 | 2 |
| Normal (18.5-24.9) | 1 | 18 | 19 |
| Overweight (25-29.9) | 2 | 16 | 18 |
| Obese (30+) | 2 | 20 | 22 |
| Unknown | 0 | 2 | 2 |
| Total | 6 | 57 | 63 |

Table 19
Vance County Resident Births for 2016
By Characteristics of Labor and Delivery and Birth Weight in Grams
For All Women

| Characteristics of Labor and Delivery | | Birth Weight in Grams | | | | Total |
|---------------------------------------|--------------|-----------------------|-------------|--------|---------|-------|
| | | <1500 | 1500 - 2499 | >=2500 | Unknown | |
| None | | 0 | 15 | 104 | 0 | 119 |
| Induction of Labor | | 2 | 11 | 121 | 0 | 134 |
| Augmentation of Labor | | 2 | 10 | 97 | 0 | 109 |
| Non-Vertex Presentation | | 2 | 5 | 8 | 0 | 15 |
| Steroids | | 7 | 9 | 3 | 0 | 19 |
| Antibiotics Received by Mother | | 7 | 22 | 104 | 0 | 133 |
| Choriomnionitis | | 0 | 1 | 9 | 0 | 10 |
| Meconium | | 0 | 0 | 26 | 0 | 26 |
| Fetal Intolerance of Labor | | 0 | 6 | 61 | 0 | 67 |
| Epidural | | 8 | 32 | 259 | 1 | 300 |
| | Total | 12 | 57 | 460 | 1 | 530 |

Table 19
Vance County Resident Births for 2016
By Characteristics of Labor and Delivery and Birth Weight in Grams
For White Non-Hispanic Women

| Characteristics of Labor and Delivery | | Birth Weight in Grams | | | Total |
|---------------------------------------|--------------|-----------------------|-------------|--------|-------|
| | | <1500 | 1500 - 2499 | >=2500 | |
| None | | 0 | 2 | 32 | 34 |
| Induction of Labor | | 0 | 4 | 37 | 41 |
| Augmentation of Labor | | 0 | 4 | 35 | 39 |
| Non-Vertex Presentation | | 0 | 2 | 2 | 4 |
| Steroids | | 1 | 2 | 1 | 4 |
| Antibiotics Received by Mother | | 0 | 9 | 34 | 43 |
| Chorionnionitis | | 0 | 1 | 2 | 3 |
| Meconium | | 0 | 0 | 5 | 5 |
| Fetal Intolerance of Labor | | 0 | 2 | 16 | 18 |
| Epidural | | 2 | 13 | 94 | 109 |
| | Total | 2 | 17 | 149 | 168 |

Table 19
Vance County Resident Births for 2016
By Characteristics of Labor and Delivery and Birth Weight in Grams
For African American Non-Hispanic Women

| Characteristics of Labor and Delivery | | Birth Weight in Grams | | | | Total |
|---------------------------------------|--------------|-----------------------|-------------|--------|---------|-------|
| | | <1500 | 1500 - 2499 | >=2500 | Unknown | |
| None | | 0 | 10 | 53 | 0 | 63 |
| Induction of Labor | | 2 | 6 | 69 | 0 | 77 |
| Augmentation of Labor | | 2 | 6 | 48 | 0 | 56 |
| Non-Vertex Presentation | | 2 | 2 | 4 | 0 | 8 |
| Steroids | | 6 | 6 | 2 | 0 | 14 |
| Antibiotics Received by Mother | | 7 | 11 | 59 | 0 | 77 |
| Choriomnionitis | | 0 | 0 | 4 | 0 | 4 |
| Meconium | | 0 | 0 | 17 | 0 | 17 |
| Fetal Intolerance of Labor | | 0 | 4 | 35 | 0 | 39 |
| Epidural | | 5 | 17 | 135 | 1 | 158 |
| | Total | 9 | 33 | 245 | 1 | 288 |

Table 19
Vance County Resident Births for 2016
By Characteristics of Labor and Delivery and Birth Weight in Grams
For Other Non-Hispanic Women

| Characteristics of Labor and Delivery | | Birth Weight in Grams | | | Total |
|---------------------------------------|--------------|-----------------------|-------------|--------|-------|
| | | <1500 | 1500 - 2499 | >=2500 | |
| None | | 0 | 0 | 2 | 2 |
| Induction of Labor | | 0 | 0 | 0 | 0 |
| Augmentation of Labor | | 0 | 0 | 3 | 3 |
| Non-Vertex Presentation | | 0 | 1 | 1 | 2 |
| Steroids | | 0 | 0 | 0 | 0 |
| Antibiotics Received by Mother | | 0 | 0 | 3 | 3 |
| Choriomnionitis | | 0 | 0 | 0 | 0 |
| Meconium | | 0 | 0 | 0 | 0 |
| Fetal Intolerance of Labor | | 0 | 0 | 2 | 2 |
| Epidural | | 1 | 1 | 6 | 8 |
| | Total | 1 | 1 | 9 | 11 |

Table 19
Vance County Resident Births for 2016
By Characteristics of Labor and Delivery and Birth Weight in Grams
For Hispanic Women

| Characteristics of Labor and Delivery | | Birth Weight in Grams | | Total |
|---------------------------------------|--------------|-----------------------|--------|-------|
| | | 1500 - 2499 | >=2500 | |
| None | | 3 | 17 | 20 |
| Induction of Labor | | 1 | 15 | 16 |
| Augmentation of Labor | | 0 | 11 | 11 |
| Non-Vertex Presentation | | 0 | 1 | 1 |
| Steroids | | 1 | 0 | 1 |
| Antibiotics Received by Mother | | 2 | 8 | 10 |
| Choriomnionitis | | 0 | 3 | 3 |
| Meconium | | 0 | 4 | 4 |
| Fetal Intolerance of Labor | | 0 | 8 | 8 |
| Epidural | | 1 | 24 | 25 |
| | Total | 6 | 57 | 63 |

Table 20
Vance County Resident Births for 2016
By Onset of Labor and Birth Weight in Grams
For All Women

| Onset of Labor | | Birth Weight in Grams | | | | Total |
|-----------------------------|--------------|-----------------------|-------------|--------|---------|-------|
| | | <1500 | 1500 - 2499 | >=2500 | Unknown | |
| None | | 5 | 45 | 398 | 1 | 449 |
| PROM | | 3 | 2 | 16 | 0 | 21 |
| Precipitous Labor (<3 hrs.) | | 4 | 10 | 34 | 0 | 48 |
| Prolonged Labor (> 20 hrs.) | | 0 | 0 | 15 | 0 | 15 |
| | Total | 12 | 57 | 460 | 1 | 530 |

Table 20
Vance County Resident Births for 2016
By Onset of Labor and Birth Weight in Grams
For White Non-Hispanic Women

| Onset of Labor | | Birth Weight in Grams | | | Total |
|-----------------------------|--------------|-----------------------|-------------|--------|-------|
| | | <1500 | 1500 - 2499 | >=2500 | |
| None | | 2 | 13 | 131 | 146 |
| PROM | | 0 | 1 | 7 | 8 |
| Precipitous Labor (<3 hrs.) | | 0 | 3 | 8 | 11 |
| Prolonged Labor (> 20 hrs.) | | 0 | 0 | 4 | 4 |
| | Total | 2 | 17 | 149 | 168 |

Table 20
Vance County Resident Births for 2016
By Onset of Labor and Birth Weight in Grams
For African American Non-Hispanic Women

| Onset of Labor | | Birth Weight in Grams | | | | Total |
|-----------------------------|--------------|-----------------------|-------------|--------|---------|-------|
| | | <1500 | 1500 - 2499 | >=2500 | Unknown | |
| None | | 2 | 26 | 210 | 1 | 239 |
| PROM | | 3 | 1 | 8 | 0 | 12 |
| Precipitous Labor (<3 hrs.) | | 4 | 6 | 19 | 0 | 29 |
| Prolonged Labor (> 20 hrs.) | | 0 | 0 | 9 | 0 | 9 |
| | Total | 9 | 33 | 245 | 1 | 288 |

Table 20
Vance County Resident Births for 2016
By Onset of Labor and Birth Weight in Grams
For Other Non-Hispanic Women

| Onset of Labor | | Birth Weight in Grams | | | Total |
|-----------------------------|--------------|-----------------------|-------------|--------|-------|
| | | <1500 | 1500 - 2499 | >=2500 | |
| None | | 1 | 1 | 8 | 10 |
| PROM | | 0 | 0 | 0 | 0 |
| Precipitous Labor (<3 hrs.) | | 0 | 0 | 1 | 1 |
| Prolonged Labor (> 20 hrs.) | | 0 | 0 | 0 | 0 |
| | Total | 1 | 1 | 9 | 11 |

Table 20
Vance County Resident Births for 2016
By Onset of Labor and Birth Weight in Grams
For Hispanic Women

| Onset of Labor | | Birth Weight in Grams | | Total |
|-----------------------------|-------|-----------------------|--------|-------|
| | | 1500 - 2499 | >=2500 | |
| None | | 5 | 49 | 54 |
| PROM | | 0 | 1 | 1 |
| Precipitous Labor (<3 hrs.) | | 1 | 6 | 7 |
| Prolonged Labor (> 20 hrs.) | | 0 | 2 | 2 |
| | Total | 6 | 57 | 63 |

Table 21
Vance County Resident Births for 2016
By Method of Delivery and Birth Weight in Grams
For All Women

| Method of Delivery | Birth Weight in Grams | | | | Total |
|---------------------------------|-----------------------|-------------|--------|---------|-------|
| | <1500 | 1500 - 2499 | >=2500 | Unknown | |
| Vaginal | 9 | 35 | 330 | 0 | 374 |
| Vaginal after Previous Cesarean | 0 | 1 | 7 | 0 | 8 |
| Primary C-Section | 0 | 18 | 71 | 0 | 89 |
| Repeat C-Section | 3 | 3 | 52 | 1 | 59 |
| Total | 12 | 57 | 460 | 1 | 530 |

Table 21
Vance County Resident Births for 2016
By Method of Delivery and Birth Weight in Grams
For White Non-Hispanic Women

| Method of Delivery | Birth Weight in Grams | | | Total |
|---------------------------------|-----------------------|-------------|--------|-------|
| | <1500 | 1500 - 2499 | >=2500 | |
| Vaginal | 0 | 12 | 106 | 118 |
| Vaginal after Previous Cesarean | 0 | 0 | 2 | 2 |
| Primary C-Section | 0 | 4 | 22 | 26 |
| Repeat C-Section | 2 | 1 | 19 | 22 |
| Total | 2 | 17 | 149 | 168 |

Table 21
Vance County Resident Births for 2016
By Method of Delivery and Birth Weight in Grams
For African American Non-Hispanic Women

| Method of Delivery | Birth Weight in Grams | | | | Total |
|---------------------------------|-----------------------|-------------|--------|---------|-------|
| | <1500 | 1500 - 2499 | >=2500 | Unknown | |
| Vaginal | 9 | 19 | 176 | 0 | 204 |
| Vaginal after Previous Cesarean | 0 | 0 | 2 | 0 | 2 |
| Primary C-Section | 0 | 12 | 39 | 0 | 51 |
| Repeat C-Section | 0 | 2 | 28 | 1 | 31 |
| Total | 9 | 33 | 245 | 1 | 288 |

Table 21
Vance County Resident Births for 2016
By Method of Delivery and Birth Weight in Grams
For Other Non-Hispanic Women

| Method of Delivery | Birth Weight in Grams | | | Total |
|--------------------|-----------------------|-------------|--------|-------|
| | <1500 | 1500 - 2499 | >=2500 | |
| Vaginal | 0 | 0 | 7 | 7 |
| Primary C-Section | 0 | 1 | 2 | 3 |
| Repeat C-Section | 1 | 0 | 0 | 1 |
| Total | 1 | 1 | 9 | 11 |

Table 21
Vance County Resident Births for 2016
By Method of Delivery and Birth Weight in Grams
For Hispanic Women

| Method of Delivery | Birth Weight in Grams | | Total |
|---------------------------------|-----------------------|--------|-------|
| | 1500 - 2499 | >=2500 | |
| Vaginal | 4 | 41 | 45 |
| Vaginal after Previous Cesarean | 1 | 3 | 4 |
| Primary C-Section | 1 | 8 | 9 |
| Repeat C-Section | 0 | 5 | 5 |
| Total | 6 | 57 | 63 |

Table 22
Vance County Resident Births for 2016
By Conditions of Newborn and Birth Weight in Grams
For All Women

| Condition of Newborn | | Birth Weight in Grams | | | | Total |
|--|--------------|-----------------------|-------------|--------|---------|-------|
| | | <1500 | 1500 - 2499 | >=2500 | Unknown | |
| None | | 5 | 32 | 435 | 0 | 472 |
| Assisted Ventilation After Delivery | | 3 | 5 | 13 | 1 | 22 |
| Assisted Ventilation 6+ Hours | | 2 | 1 | 3 | 0 | 6 |
| NICU Admission | | 7 | 25 | 15 | 1 | 48 |
| Surfactant Replacement Therapy | | 0 | 0 | 0 | 0 | 0 |
| Antibiotics Received by Newborn | | 2 | 2 | 5 | 0 | 9 |
| Seizure or Other Nerological Dysfunction | | 0 | 0 | 0 | 0 | 0 |
| Significant Birth Injury | | 0 | 0 | 1 | 0 | 1 |
| | Total | 12 | 57 | 460 | 1 | 530 |

Table 22
Vance County Resident Births for 2016
By Conditions of Newborn and Birth Weight in Grams
For White Non-Hispanic Women

| Condition of Newborn | | Birth Weight in Grams | | | Total |
|--|--------------|-----------------------|-------------|--------|-------|
| | | <1500 | 1500 - 2499 | >=2500 | |
| None | | 2 | 10 | 135 | 147 |
| Assisted Ventilation After Delivery | | 0 | 2 | 6 | 8 |
| Assisted Ventilation 6+ Hours | | 0 | 0 | 2 | 2 |
| NICU Admission | | 0 | 7 | 11 | 18 |
| Surfactant Replacement Therapy | | 0 | 0 | 0 | 0 |
| Antibiotics Received by Newborn | | 0 | 0 | 3 | 3 |
| Seizure or Other Nerological Dysfunction | | 0 | 0 | 0 | 0 |
| Significant Birth Injury | | 0 | 0 | 1 | 1 |
| | Total | 2 | 17 | 149 | 168 |

Table 22
Vance County Resident Births for 2016
By Conditions of Newborn and Birth Weight in Grams
For African American Non-Hispanic Women

| Condition of Newborn | | Birth Weight in Grams | | | | Total |
|--|--------------|-----------------------|-------------|--------|---------|-------|
| | | <1500 | 1500 - 2499 | >=2500 | Unknown | |
| None | | 3 | 18 | 237 | 0 | 258 |
| Assisted Ventilation After Delivery | | 2 | 3 | 7 | 1 | 13 |
| Assisted Ventilation 6+ Hours | | 2 | 1 | 1 | 0 | 4 |
| NICU Admission | | 6 | 15 | 3 | 1 | 25 |
| Surfactant Replacement Therapy | | 0 | 0 | 0 | 0 | 0 |
| Antibiotics Received by Newborn | | 2 | 2 | 0 | 0 | 4 |
| Seizure or Other Nerological Dysfunction | | 0 | 0 | 0 | 0 | 0 |
| Significant Birth Injury | | 0 | 0 | 0 | 0 | 0 |
| | Total | 9 | 33 | 245 | 1 | 288 |

Table 22
Vance County Resident Births for 2016
By Conditions of Newborn and Birth Weight in Grams
For Other Non-Hispanic Women

| Condition of Newborn | | Birth Weight in Grams | | | Total |
|--|--------------|-----------------------|-------------|--------|-------|
| | | <1500 | 1500 - 2499 | >=2500 | |
| None | | 0 | 0 | 8 | 8 |
| Assisted Ventilation After Delivery | | 1 | 0 | 0 | 1 |
| Assisted Ventilation 6+ Hours | | 0 | 0 | 0 | 0 |
| NICU Admission | | 1 | 1 | 0 | 2 |
| Surfactant Replacement Therapy | | 0 | 0 | 0 | 0 |
| Antibiotics Received by Newborn | | 0 | 0 | 1 | 1 |
| Seizure or Other Nerological Dysfunction | | 0 | 0 | 0 | 0 |
| Significant Birth Injury | | 0 | 0 | 0 | 0 |
| | Total | 1 | 1 | 9 | 11 |

Table 22
Vance County Resident Births for 2016
By Conditions of Newborn and Birth Weight in Grams
For Hispanic Women

| Condition of Newborn | | Birth Weight in Grams | | Total |
|--|--------------|-----------------------|--------|-------|
| | | 1500 - 2499 | >=2500 | |
| None | | 4 | 55 | 59 |
| Assisted Ventilation After Delivery | | 0 | 0 | 0 |
| Assisted Ventilation 6+ Hours | | 0 | 0 | 0 |
| NICU Admission | | 2 | 1 | 3 |
| Surfactant Replacement Therapy | | 0 | 0 | 0 |
| Antibiotics Received by Newborn | | 0 | 1 | 1 |
| Seizure or Other Nerological Dysfunction | | 0 | 0 | 0 |
| Significant Birth Injury | | 0 | 0 | 0 |
| | Total | 6 | 57 | 63 |