

Table 3: 2009 Cancer Incidence and Mortality by County

	Incidence		Mortality	
	Cases	Rate	Deaths	Rate
North Carolina	49,575	496.8	17,476	177.8
Alamance	908	534.8	332	191.7
Alexander	193	436.7	72	173.0
Alleghany	65	406.3	27	155.3
Anson	140	482.3	50	165.1
Ashe	184	479.1	84	212.5
Avery	102	439.9	40	165.7
Beaufort	354	547.9	122	185.8
Bertie	131	528.5	47	187.9
Bladen	145	366.1	68	172.2
Brunswick	686	420.5	240	156.9
Buncombe	1,494	519.7	519	173.0
Burke	552	503.5	202	180.6
Cabarrus	955	584.1	281	179.1
Caldwell	435	443.1	185	189.0
Camden	52	523.4	12	116.0
Carteret	454	491.3	204	222.5
Caswell	130	444.2	51	174.1
Catawba	818	446.7	325	178.7
Chatham	268	341.1	130	163.3
Cherokee	196	501.3	82	187.2
Chowan	85	406.5	43	196.9
Clay	84	520.2	30	177.8
Cleveland	605	508.0	234	193.8
Columbus	302	457.3	122	183.7
Craven	575	489.3	215	179.3
Cumberland	1,317	488.4	498	193.0
Currituck	132	511.1	51	213.5
Dare	233	535.1	69	162.7
Davidson	879	484.8	314	174.2
Davie	248	482.5	67	131.0
Duplin	295	512.8	104	183.4
Durham	1,149	487.6	409	184.8
Edgecombe	299	554.2	121	235.9
Forsyth	1,926	494.5	679	173.8

Rates are per 100,000 persons and are age-adjusted to the 2000 U.S. Census.

Cancers of the urinary bladder and female breast include *in situ* cases.

Brain and other central nervous system cancer excludes benign cases.

Rates based on counts less than 16 are unstable and should be used with caution.

Rates are calculated using the bridged-race population estimates obtained from the National Center for Health Statistics available online at www.cdc.gov/nchs/nvss/bridged_race/data_documentation.htm#vintage2010.

Table 3 (continued): 2009 Cancer Incidence and Mortality by County

	Incidence		Mortality	
	Cases	Rate	Deaths	Rate
Franklin	295	484.8	112	193.2
Gaston	1,161	502.7	401	174.7
Gates	51	372.6	27	193.9
Graham	59	528.4	23	185.4
Granville	330	549.5	125	213.7
Greene	101	465.4	45	222.7
Guilford	2,791	557.7	869	174.0
Halifax	358	530.4	164	229.2
Harnett	450	445.8	189	200.1
Haywood	402	476.6	149	171.1
Henderson	794	497.6	265	155.6
Hertford	147	523.5	65	220.9
Hoke	95	279.0	65	209.2
Hyde	26	377.7	14	215.0
Iredell	810	477.8	306	180.3
Jackson	209	508.7	75	178.3
Johnston	691	455.4	267	191.7
Jones	68	530.2	23	166.4
Lee	368	530.2	105	147.4
Lenoir	437	610.8	153	211.9
Lincoln	410	494.8	142	177.7
McDowell	326	594.4	115	204.9
Macon	264	500.8	70	126.6
Madison	128	480.5	44	163.0
Martin	155	487.9	56	184.9
Mecklenburg	3,751	485.5	1,153	162.1
Mitchell	117	523.8	47	197.5
Montgomery	150	453.9	62	190.8
Moore	718	567.7	221	157.9
Nash	559	487.0	228	192.9
New Hanover	1,145	529.3	386	180.0
Northampton	151	512.7	60	196.7
Onslow	559	510.6	200	196.3
Orange	617	507.3	165	138.5
Pamlico	82	436.1	30	152.8

Rates are per 100,000 persons and are age-adjusted to the 2000 U.S. Census.

Cancers of the urinary bladder and female breast include *in situ* cases.

Brain and other central nervous system cancer excludes benign cases.

Rates based on counts less than 16 are unstable and should be used with caution.

Rates are calculated using the bridged-race population estimates obtained from the National Center for Health Statistics available online at www.cdc.gov/nchs/nvss/bridged_race/data_documentation.htm#vintage2010.

Table 3 (continued): 2009 Cancer Incidence and Mortality by County

	Incidence		Mortality	
	Cases	Rate	Deaths	Rate
Pasquotank	226	492.0	88	193.0
Pender	291	456.8	118	189.1
Perquimans	81	419.4	35	185.5
Person	228	516.8	92	203.2
Pitt	751	522.1	247	180.9
Polk	151	469.8	60	174.7
Randolph	874	540.5	311	194.5
Richmond	281	533.8	111	208.6
Robeson	572	453.8	214	177.8
Rockingham	607	527.1	229	197.7
Rowan	825	501.3	296	174.3
Rutherford	489	580.0	166	193.0
Sampson	285	410.3	140	206.5
Scotland	206	516.4	97	241.4
Stanly	414	562.6	135	181.3
Stokes	236	409.4	108	186.9
Surry	526	574.6	190	199.9
Swain	106	619.6	36	200.5
Transylvania	223	428.4	73	129.2
Tyrrell	34	699.7	17	342.1
Union	690	411.9	221	144.6
Vance	266	552.5	106	218.5
Wake	3,723	497.3	1,004	152.2
Warren	129	472.6	61	212.5
Washington	70	413.5	29	156.6
Watauga	195	436.1	67	146.9
Wayne	641	527.7	270	221.7
Wilkes	417	482.1	164	188.2
Wilson	479	527.6	198	219.6
Yadkin	224	486.1	97	212.4
Yancey	128	482.9	46	164.3

Rates are per 100,000 persons and are age-adjusted to the 2000 U.S. Census.

Cancers of the urinary bladder and female breast include *in situ* cases.

Brain and other central nervous system cancer excludes benign cases.

Rates based on counts less than 16 are unstable and should be used with caution.

Rates are calculated using the bridged-race population estimates obtained from the National Center for Health Statistics available online at www.cdc.gov/nchs/nvss/bridged_race/data_documentation.htm#vintage2010.