

**Table 7: 2009 Cancer Incidence and Mortality by Gender**

	Incidence				Mortality			
	Males		Females		Males		Females	
	Cases	Rate	Cases	Rate	Deaths	Rate	Deaths	Rate
All Cancers	25,080	566.0	24,494	451.4	9,356	226.7	8,120	145.0
Oral Cavity and Pharynx	900	19.3	363	6.5	203	4.7	64	1.1
Lip	30	0.7	11	0.2	1	0.0	0	0.0
Tongue	259	5.4	93	1.7	45	1.1	16	0.3
Salivary Glands	83	2.1	61	1.1	28	0.7	9	0.1
Floor of Mouth	56	1.2	19	0.3	2	0.1	1	0.0
Nasopharynx	30	0.6	20	0.4	20	0.4	4	0.1
Oropharynx	56	1.1	15	0.3	26	0.6	5	0.1
Hypopharynx	78	1.7	21	0.4	9	0.2	2	0.0
Other Mouth and Pharynx	308	6.4	123	2.2	72	1.6	27	0.5
Digestive System	4,274	97.2	3,457	62.2	2,245	52.6	1,730	30.5
Esophagus	384	8.4	92	1.6	320	7.1	75	1.3
Stomach	366	8.4	227	4.0	187	4.5	121	2.1
Small Intestine	122	2.7	113	2.1	21	0.5	24	0.4
Colon and Rectum	2,111	48.8	1,951	35.3	777	18.7	717	12.6
Anus and Anal Canal	67	1.4	116	2.1	6	0.1	13	0.2
Liver and Intrahepatic Bile Duct	481	10.3	167	3.0	357	7.9	170	3.1
Gallbladder	39	0.9	78	1.3	21	0.5	42	0.7
Pancreas	578	13.3	525	9.3	502	11.8	509	9.0
Other Digestive Organs	126	2.9	188	3.4	54	1.4	59	1.1
Respiratory System	4,649	106.4	3,293	59.2	3,272	77.3	2,259	40.5
Larynx	367	7.9	91	1.6	92	2.1	26	0.5
Lung and Bronchus	4,169	95.8	3,153	56.7	3,155	74.6	2,220	39.8
Other Respiratory Organs	113	2.7	49	0.9	25	0.6	13	0.2
Bones and Joints	42	0.9	35	0.7	26	0.6	24	0.5
Soft Tissue including Heart	184	4.3	146	2.8	63	1.4	64	1.1
Malignant Melanoma of the Skin	1,350	31.5	1,004	19.4	199	4.8	119	2.2
Breast	107	2.5	8,553	158.2	10	0.2	1,178	21.3
Invasive Breast	93	2.2	6,891	127.5				
In Situ Breast	14	0.3	1,662	30.7				
Female Genital System	.	.	2,581	47.8	.	.	805	14.4
Cervix Uteri, Invasive	.	.	337	6.9	.	.	120	2.2
Uterus (Corpus, NOS)	.	.	1,344	24.1	.	.	214	3.7
Ovary	.	.	670	12.4	.	.	421	7.5
Other Female Genital Organs	.	.	230	4.3	.	.	50	0.9

Rates are per 100,000 persons and are age-adjusted to the 2000 U.S. Census.

Cancers of the urinary bladder and female breast include *in situ* cases.

Brain and other central nervous system cancers exclude benign cases.

Rates based on counts less than 16 are unstable and should be used with caution.

Rates are calculated using the bridged-race population estimates obtained from the National Center for Health Statistics available online at [www.cdc.gov/nchs/nvss/bridged\\_race/data\\_documentation.htm#vintage2010](http://www.cdc.gov/nchs/nvss/bridged_race/data_documentation.htm#vintage2010).

**Table 7 (continued): 2009 Cancer Incidence and Mortality by Gender**

	Incidence				Mortality			
	Males		Females		Males		Females	
	Cases	Rate	Cases	Rate	Deaths	Rate	Deaths	Rate
Male Genital System	7,140	154.0	.	.	872	24.1	.	.
Prostate	6,854	147.6	.	.	849	23.5	.	.
Testis	243	5.4	.	.	13	0.3	.	.
Penis	38	0.9	.	.	10	0.2	.	.
Other Male Genital Organs	5	0.1	.	.	0	0.0	.	.
Urinary System	2,732	64.1	1,191	21.6	544	13.8	273	4.8
Urinary Bladder	1,618	39.3	505	9.0	275	7.3	137	2.4
Kidney and Renal Pelvis	1,067	23.7	657	12.1	256	6.2	129	2.3
Ureter	29	0.7	24	0.4	11	0.3	3	0.1
Other Urinary Organs	18	0.5	5	0.1	2	0.1	4	0.1
Eye and Orbit	36	0.8	33	0.6	3	0.1	1	0.0
Brain and Other CNS	365	8.2	291	5.6	212	4.9	179	3.3
Endocrine System	331	7.2	941	19.0	36	0.9	40	0.7
Thyroid Gland	301	6.5	911	18.4	20	0.5	26	0.5
Other Endocrine and Thymus	30	0.6	30	0.6	16	0.4	14	0.3
Lymphomas	1,113	25.3	1,004	18.8	307	7.5	274	4.9
Hodgkin Disease	126	2.7	128	2.7	26	0.6	20	0.4
Non-Hodgkin Lymphoma	987	22.6	876	16.2	281	6.9	254	4.6
Multiple Myeloma	344	8.0	293	5.3	188	4.8	179	3.1
Leukemia	659	15.6	539	10.1	402	10.2	287	5.2
Acute Lymphocytic Leukemia	79	1.8	70	1.5	20	0.4	10	0.2
Chronic Lymphocytic Leukemia	242	5.7	153	2.6	96	2.5	63	1.1
Acute Myeloid Leukemia	184	4.4	185	3.6	173	4.2	123	2.3
Chronic Myeloid Leukemia	84	2.0	65	1.2	19	0.5	13	0.2
Other Leukemia	70	1.7	66	1.2	94	2.5	78	1.4
Other Cancers - Uncategorized	854	20.8	770	13.7	774	18.9	644	11.3

Rates are per 100,000 persons and are age-adjusted to the 2000 U.S. Census.

Cancers of the urinary bladder and female breast include *in situ* cases.

Brain and other central nervous system cancers exclude benign cases.

Rates based on counts less than 16 are unstable and should be used with caution.

Rates are calculated using the bridged-race population estimates obtained from the National Center for Health Statistics available online at [www.cdc.gov/nchs/nvss/bridged\\_race/data\\_documentation.htm#vintage2010](http://www.cdc.gov/nchs/nvss/bridged_race/data_documentation.htm#vintage2010).