

**Table 3: 2010 Cancer Incidence and Mortality by County**

	Incidence		Mortality	
	Cases	Rate	Deaths	Rate
North Carolina	49,340	477.6	18,013	178.4
Alamance	866	492.7	314	177.7
Alexander	212	470.0	70	158.3
Alleghany	87	543.6	31	175.9
Anson	135	420.1	55	174.8
Ashe	173	427.4	63	155.5
Avery	101	421.2	47	194.5
Beaufort	380	577.8	134	202.2
Bertie	112	405.9	51	179.3
Bladen	172	392.7	85	201.0
Brunswick	726	441.5	265	167.3
Buncombe	1,382	459.7	526	173.2
Burke	591	520.4	240	206.1
Cabarrus	928	527.9	313	189.4
Caldwell	465	456.9	222	218.5
Camden	57	497.5	16	128.8
Carteret	509	532.1	198	202.9
Caswell	162	506.0	51	169.2
Catawba	853	482.2	330	189.4
Chatham	393	452.4	151	163.6
Cherokee	202	486.6	80	187.6
Chowan	100	486.6	50	220.1
Clay	92	516.1	33	184.4
Cleveland	594	495.6	200	174.1
Columbus	300	427.4	149	214.9
Craven	609	500.3	214	176.0
Cumberland	1,181	420.0	494	189.0
Currituck	111	420.8	43	177.2
Dare	208	496.4	70	179.6
Davidson	992	523.3	344	183.7
Davie	267	496.4	98	183.5
Duplin	274	403.4	103	156.2
Durham	1,155	476.2	397	171.6
Edgecombe	304	443.8	135	205.8
Forsyth	2,025	528.6	680	181.2

Rates are per 100,000 persons and are age-adjusted to the 2000 U.S. Census.

Cancers of the urinary bladder and female breast include *in situ* cases.

Brain and other central nervous system cancer excludes benign cases.

Rates based on counts less than 16 are unstable and should be used with caution.

Rates are calculated using the bridged-race population estimates obtained from the National Center for Health Statistics available online at [www.cdc.gov/nchs/nvss/bridged\\_race/data\\_documentation.htm#vintage2011](http://www.cdc.gov/nchs/nvss/bridged_race/data_documentation.htm#vintage2011).

**Table 3 (continued): 2010 Cancer Incidence and Mortality by County**

	Incidence		Mortality	
	Cases	Rate	Deaths	Rate
Franklin	298	451.8	108	178.8
Gaston	1,151	498.6	472	208.0
Gates	57	383.0	36	256.7
Graham	46	373.2	18	147.7
Granville	328	488.5	115	181.5
Greene	115	489.7	43	186.9
Guilford	2,722	534.6	825	163.1
Halifax	323	471.0	135	196.3
Harnett	484	457.4	175	175.4
Haywood	384	438.0	137	155.4
Henderson	802	479.0	257	142.1
Hertford	132	419.8	61	188.8
Hoke	169	485.1	55	186.3
Hyde	35	462.6	13	177.7
Iredell	870	503.2	313	188.4
Jackson	212	454.8	91	203.3
Johnston	757	472.8	271	189.2
Jones	80	590.9	35	246.0
Lee	306	474.9	120	190.8
Lenoir	356	467.3	165	219.8
Lincoln	418	470.8	152	174.1
McDowell	296	514.8	91	156.8
Macon	258	471.7	103	187.1
Madison	111	396.9	46	161.3
Martin	164	493.0	54	155.3
Mecklenburg	3,676	468.2	1,252	172.6
Mitchell	124	520.2	45	180.2
Montgomery	163	474.8	48	137.0
Moore	689	502.9	238	162.6
Nash	528	470.2	203	183.6
New Hanover	1,002	448.2	384	169.3
Northampton	137	434.7	66	199.6
Onslow	605	484.9	197	179.2
Orange	561	452.2	197	175.2
Pamlico	89	407.8	35	153.4

Rates are per 100,000 persons and are age-adjusted to the 2000 U.S. Census.

Cancers of the urinary bladder and female breast include *in situ* cases.

Brain and other central nervous system cancer excludes benign cases.

Rates based on counts less than 16 are unstable and should be used with caution.

Rates are calculated using the bridged-race population estimates obtained from the National Center for Health Statistics available online at [www.cdc.gov/nchs/nvss/bridged\\_race/data\\_documentation.htm#vintage2011](http://www.cdc.gov/nchs/nvss/bridged_race/data_documentation.htm#vintage2011).

**Table 3 (continued): 2010 Cancer Incidence and Mortality by County**

	Incidence		Mortality	
	Cases	Rate	Deaths	Rate
Pasquotank	247	546.4	96	208.6
Pender	325	507.4	105	161.8
Perquimans	78	368.5	28	141.3
Person	250	519.3	109	227.9
Pitt	728	487.7	246	171.0
Polk	130	362.8	54	159.1
Randolph	811	495.5	302	186.8
Richmond	296	547.0	125	230.0
Robeson	570	422.4	249	193.1
Rockingham	608	504.5	227	189.1
Rowan	800	497.5	303	185.6
Rutherford	406	455.9	165	179.7
Sampson	351	485.8	140	192.5
Scotland	203	490.9	80	197.6
Stanly	369	492.6	138	179.8
Stokes	273	454.8	102	170.1
Surry	428	448.5	187	195.6
Swain	93	522.9	36	215.4
Transylvania	219	367.1	85	137.7
Tyrrell	22	395.9	15	252.9
Union	833	461.0	305	187.4
Vance	234	446.1	98	183.7
Wake	3,559	465.0	1,093	156.1
Warren	130	433.1	58	197.7
Washington	93	512.8	41	212.6
Watauga	219	433.6	75	156.8
Wayne	640	480.6	222	172.3
Wilkes	397	434.3	177	195.0
Wilson	464	486.5	203	220.0
Yadkin	224	462.1	93	190.5
Yancey	120	452.5	48	174.8

Rates are per 100,000 persons and are age-adjusted to the 2000 U.S. Census.

Cancers of the urinary bladder and female breast include *in situ* cases.

Brain and other central nervous system cancer excludes benign cases.

Rates based on counts less than 16 are unstable and should be used with caution.

Rates are calculated using the bridged-race population estimates obtained from the National Center for Health Statistics available online at [www.cdc.gov/nchs/nvss/bridged\\_race/data\\_documentation.htm#vintage2011](http://www.cdc.gov/nchs/nvss/bridged_race/data_documentation.htm#vintage2011).