

**Table 7: 2010 Cancer Incidence and Mortality by Gender**

	Incidence				Mortality			
	Males		Females		Males		Females	
	Cases	Rate	Cases	Rate	Deaths	Rate	Deaths	Rate
All Cancers	ts of	535.3	24,639	440.3	9,658	226.8	8,355	145.7
Oral Cavity and Pharynx	856	17.4	353	6.2	176	3.8	84	1.5
Lip	23	0.5	10	0.2	0	0.0	1	0.0
Tongue	246	4.8	114	2.0	42	0.9	24	0.4
Salivary Glands	75	1.8	40	0.7	23	0.5	6	0.1
Floor of Mouth	46	0.9	20	0.3	1	0.0	2	0.0
Nasopharynx	40	0.8	14	0.2	12	0.2	6	0.1
Oropharynx	58	1.2	15	0.2	11	0.3	9	0.2
Hypopharynx	69	1.4	15	0.3	9	0.2	2	0.0
Other Mouth and Pharynx	299	6.0	125	2.2	78	1.6	34	0.6
Digestive System	4,248	92.6	3,610	63.6	2,356	53.5	1,709	29.5
Esophagus	383	8.1	82	1.4	349	7.6	87	1.5
Stomach	409	9.0	265	4.6	171	4.0	138	2.4
Small Intestine	144	3.0	158	2.8	22	0.5	22	0.4
Colon and Rectum	1,979	43.8	1,972	34.9	801	18.9	669	11.5
Anus and Anal Canal	60	1.3	100	1.8	12	0.3	17	0.3
Liver and Intrahepatic Bile Duct	485	9.8	201	3.5	385	8.1	152	2.7
Gallbladder	41	0.9	61	1.1	23	0.5	27	0.5
Pancreas	638	14.0	581	10.1	553	12.6	525	9.0
Other Digestive Organs	109	2.5	190	3.4	40	1.0	72	1.2
Respiratory System	4,676	103.4	3,302	57.7	3,361	76.2	2,302	40.3
Larynx	371	7.8	98	1.7	102	2.3	21	0.4
Lung and Bronchus	4,199	93.1	3,161	55.2	3,243	73.6	2,266	39.7
Other Respiratory Organs	106	2.5	43	0.8	16	0.4	15	0.3
Bones and Joints	53	1.1	43	0.8	20	0.4	15	0.3
Soft Tissue including Heart	187	4.2	146	2.6	71	1.7	83	1.5
Malignant Melanoma of the Skin	1,276	28.5	896	16.8	198	4.6	94	1.7
Breast	75	1.7	8,526	152.3	9	0.2	1,334	23.4
Invasive Breast	65	1.5	7,020	125.5				
In Situ Breast	10	0.2	1,506	26.8				
Female Genital System	.	.	2,619	46.5	.	.	846	14.8
Cervix Uteri, Invasive	.	.	331	6.4	.	.	112	2.0
Uterus (Corpus, NOS)	.	.	1,409	24.4	.	.	246	4.2
Ovary	.	.	622	11.0	.	.	430	7.5
Other Female Genital Organs	.	.	257	4.6	.	.	58	1.0

Rates are per 100,000 persons and are age-adjusted to the 2000 U.S. Census.

Cancers of the urinary bladder and female breast include *in situ* cases.

Brain and other central nervous system cancers exclude benign cases.

Rates based on counts less than 16 are unstable and should be used with caution.

Rates are calculated using the bridged-race population estimates obtained from the National Center for Health Statistics available online at [www.cdc.gov/nchs/nvss/bridged\\_race/data\\_documentation.htm#vintage2011](http://www.cdc.gov/nchs/nvss/bridged_race/data_documentation.htm#vintage2011).

**Table 7 (continued): 2010 Cancer Incidence and Mortality by Gender**

	Incidence				Mortality			
	Males		Females		Males		Females	
	Cases	Rate	Cases	Rate	Deaths	Rate	Deaths	Rate
Male Genital System	6,886	141.4	.	.	937	25.5	.	.
Prostate	6,649	136.3	.	.	914	24.9	.	.
Testis	199	4.4	.	.	12	0.3	.	.
Penis	33	0.7	.	.	10	0.2	.	.
Other Male Genital Organs	5	0.1	.	.	1	0.0	.	.
Urinary System	2,624	59.2	1,162	20.5	576	14.5	292	5.0
Urinary Bladder	1,564	36.5	484	8.4	303	8.0	129	2.2
Kidney and Renal Pelvis	1,001	21.2	637	11.4	261	6.1	154	2.7
Ureter	35	0.8	24	0.4	7	0.2	3	0.0
Other Urinary Organs	24	0.6	17	0.3	5	0.1	6	0.1
Eye and Orbit	48	1.1	40	0.8	4	0.1	3	0.1
Brain and Other CNS	370	7.9	313	5.9	249	5.5	195	3.4
Endocrine System	352	7.5	999	19.3	36	0.8	46	0.8
Thyroid Gland	322	6.9	960	18.6	22	0.5	27	0.5
Other Endocrine and Thymus	30	0.6	39	0.7	14	0.3	19	0.3
Lymphomas	1,099	24.6	1,008	18.3	337	8.1	285	4.9
Hodgkin Disease	126	2.7	117	2.4	16	0.3	18	0.3
Non-Hodgkin Lymphoma	973	21.9	891	15.9	321	7.7	267	4.6
Multiple Myeloma	372	8.4	319	5.5	192	4.7	170	2.9
Leukemia	668	14.9	509	9.2	355	8.8	284	5.1
Acute Lymphocytic Leukemia	56	1.2	48	1.0	12	0.3	19	0.4
Chronic Lymphocytic Leukemia	215	4.9	155	2.7	81	2.1	41	0.7
Acute Myeloid Leukemia	213	4.8	185	3.4	147	3.6	106	1.9
Chronic Myeloid Leukemia	94	2.0	61	1.1	22	0.5	17	0.3
Other Leukemia	90	2.0	60	1.0	93	2.3	101	1.8
Other Cancers - Uncategorized	2,423	55.2	1,879	34.4	781	18.5	613	10.6

Rates are per 100,000 persons and are age-adjusted to the 2000 U.S. Census.

Cancers of the urinary bladder and female breast include *in situ* cases.

Brain and other central nervous system cancers exclude benign cases.

Rates based on counts less than 16 are unstable and should be used with caution.

Rates are calculated using the bridged-race population estimates obtained from the National Center for Health Statistics available online at [www.cdc.gov/nchs/nvss/bridged\\_race/data\\_documentation.htm#vintage2011](http://www.cdc.gov/nchs/nvss/bridged_race/data_documentation.htm#vintage2011).