

Table 3: 2011 Cancer Incidence and Mortality by County

	Incidence		Mortality	
	Cases	Rate	Deaths	Rate
North Carolina	50,764	476.7	18,201	174.0
Alamance	920	511.5	303	167.1
Alexander	222	482.5	77	175.0
Alleghany	87	523.3	28	177.4
Anson	148	454.4	62	191.5
Ashe	202	511.6	73	170.0
Avery	104	425.1	30	125.2
Beaufort	358	535.4	125	187.4
Bertie	126	448.9	46	156.4
Bladen	175	398.5	66	142.0
Brunswick	755	431.6	309	180.4
Buncombe	1,546	505.7	521	165.3
Burke	617	537.9	220	186.3
Cabarrus	958	528.8	304	174.3
Caldwell	497	475.2	188	184.4
Camden	58	536.8	16	152.2
Carteret	481	484.4	184	182.2
Caswell	133	417.1	56	174.5
Catawba	856	470.5	307	168.4
Chatham	347	373.1	162	168.3
Cherokee	188	438.9	75	164.6
Chowan	105	467.1	44	191.1
Clay	60	338.2	30	144.4
Cleveland	611	510.9	244	205.6
Columbus	327	453.9	142	195.6
Craven	576	460.9	245	190.8
Cumberland	1,312	465.5	511	190.9
Currituck	126	460.8	62	248.7
Dare	192	432.9	66	156.1
Davidson	1,003	509.8	343	176.9
Davie	298	533.7	91	160.5
Duplin	281	414.6	100	149.1
Durham	1,262	496.7	453	186.5
Edgecombe	304	437.2	143	204.2
Forsyth	1,957	501.4	730	186.3

Rates are per 100,000 persons and are age-adjusted to the 2000 U.S. Census.

Cancers of the urinary bladder and female breast include *in situ* cases.

Brain and other central nervous system cancer excludes benign cases.

Rates based on counts less than 16 are unstable and should be used with caution.

Rates are calculated using the bridged-race population estimates obtained from the National Center for Health Statistics available online at www.cdc.gov/nchs/nvss/bridged_race/data_documentation.htm#vintage2012.

Table 3 (continued): 2011 Cancer Incidence and Mortality by County

	Incidence		Mortality	
	Cases	Rate	Deaths	Rate
Franklin	304	439.2	124	186.0
Gaston	1,094	460.3	461	199.9
Gates	68	437.0	20	128.4
Graham	52	394.7	13	105.1
Granville	322	467.5	131	199.0
Greene	96	403.3	48	209.4
Guilford	2,799	532.8	811	157.5
Halifax	370	514.3	149	201.0
Harnett	461	413.5	179	173.0
Haywood	428	482.0	159	172.2
Henderson	814	483.1	285	157.7
Hertford	140	443.9	64	212.1
Hoke	155	426.2	61	185.1
Hyde	42	552.9	17	246.6
Iredell	876	491.0	309	179.8
Jackson	224	484.2	79	158.0
Johnston	756	454.4	291	186.3
Jones	74	549.1	34	241.4
Lee	346	528.3	139	210.9
Lenoir	392	514.1	139	178.1
Lincoln	403	439.0	148	169.5
McDowell	289	492.3	110	184.3
Macon	247	439.4	102	181.3
Madison	115	399.8	34	110.2
Martin	156	488.1	57	162.1
Mecklenburg	3,873	472.4	1,203	157.4
Mitchell	101	428.5	37	152.2
Montgomery	143	416.9	46	140.0
Moore	647	472.8	237	156.7
Nash	513	441.3	223	190.5
New Hanover	1,060	448.9	414	174.1
Northampton	156	492.9	65	212.5
Onslow	620	497.1	206	180.6
Orange	612	484.5	191	168.0
Pamlico	91	419.2	30	148.8

Rates are per 100,000 persons and are age-adjusted to the 2000 U.S. Census.

Cancers of the urinary bladder and female breast include *in situ* cases.

Brain and other central nervous system cancer excludes benign cases.

Rates based on counts less than 16 are unstable and should be used with caution.

Rates are calculated using the bridged-race population estimates obtained from the National Center for Health Statistics available online at www.cdc.gov/nchs/nvss/bridged_race/data_documentation.htm#vintage2012.

Table 3 (continued): 2011 Cancer Incidence and Mortality by County

	Incidence		Mortality	
	Cases	Rate	Deaths	Rate
Pasquotank	233	507.2	102	222.4
Pender	298	441.3	111	170.5
Perquimans	91	427.8	32	145.4
Person	236	482.5	79	160.0
Pitt	731	477.5	277	187.1
Polk	137	408.0	48	124.9
Randolph	850	507.0	267	159.5
Richmond	297	541.5	118	217.8
Robeson	598	430.4	251	191.7
Rockingham	661	544.6	226	184.4
Rowan	792	483.5	316	190.9
Rutherford	395	435.7	161	176.5
Sampson	312	412.8	116	154.3
Scotland	230	537.0	68	164.7
Stanly	395	519.3	149	193.4
Stokes	272	436.3	125	198.5
Surry	466	486.7	207	207.6
Swain	104	565.1	41	221.2
Transylvania	225	388.8	90	141.0
Tyrrell	19	347.9	9	164.0
Union	816	426.7	261	150.3
Vance	299	546.9	94	177.3
Wake	3,927	477.5	1,143	157.4
Warren	112	383.5	55	166.0
Washington	82	439.5	24	114.7
Watauga	218	426.2	85	169.5
Wayne	637	469.5	291	217.2
Wilkes	435	470.3	175	189.4
Wilson	469	491.7	177	186.6
Yadkin	239	484.8	83	165.6
Yancey	117	442.8	48	191.4

Rates are per 100,000 persons and are age-adjusted to the 2000 U.S. Census.

Cancers of the urinary bladder and female breast include *in situ* cases.

Brain and other central nervous system cancer excludes benign cases.

Rates based on counts less than 16 are unstable and should be used with caution.

Rates are calculated using the bridged-race population estimates obtained from the National Center for Health Statistics available online at www.cdc.gov/nchs/nvss/bridged_race/data_documentation.htm#vintage2012.