

**Table 7: 2011 Cancer Incidence and Mortality by Gender**

	Incidence				Mortality			
	Males		Females		Males		Females	
	Cases	Rate	Cases	Rate	Deaths	Rate	Deaths	Rate
All Cancers	25,412	532.0	25,330	440.9	9,773	220.2	8,428	142.5
Oral Cavity and Pharynx	932	18.4	410	7.1	209	4.4	85	1.4
Lip	35	0.7	19	0.3	3	0.1	1	0.0
Tongue	276	5.4	116	2.0	43	0.8	13	0.2
Salivary Glands	68	1.5	55	1.0	18	0.4	15	0.3
Floor of Mouth	47	0.9	22	0.4	1	0.0	0	0.0
Nasopharynx	32	0.6	23	0.4	18	0.4	6	0.1
Oropharynx	46	0.9	21	0.3	33	0.7	10	0.2
Hypopharynx	80	1.6	21	0.3	8	0.2	3	0.0
Other Mouth and Pharynx	348	6.8	133	2.3	85	1.9	37	0.6
Digestive System	4,403	92.3	3,577	61.2	2,405	51.8	1,766	29.8
Esophagus	353	7.3	90	1.5	334	7.0	79	1.3
Stomach	426	9.2	261	4.4	207	4.7	127	2.2
Small Intestine	152	3.0	142	2.4	18	0.4	28	0.5
Colon and Rectum	2,051	44.0	1,916	32.9	777	17.2	695	11.7
Anus and Anal Canal	54	1.1	118	2.0	11	0.2	12	0.2
Liver and Intrahepatic Bile Duct	596	11.5	207	3.6	443	8.8	187	3.2
Gallbladder	28	0.6	61	1.0	22	0.5	39	0.6
Pancreas	625	13.1	609	10.4	547	11.9	521	8.8
Other Digestive Organs	118	2.5	173	3.0	46	1.1	78	1.3
Respiratory System	4,590	98.3	3,330	56.1	3,340	73.1	2,319	39.2
Larynx	354	7.0	106	1.7	108	2.2	19	0.3
Lung and Bronchus	4,126	88.8	3,183	53.6	3,215	70.6	2,294	38.8
Other Respiratory Organs	110	2.5	41	0.7	17	0.4	6	0.1
Bones and Joints	61	1.3	43	0.9	23	0.5	27	0.5
Soft Tissue including Heart	192	4.2	160	3.0	60	1.2	79	1.4
Malignant Melanoma of the Skin	1,317	28.6	910	16.6	194	4.4	95	1.6
Breast	86	1.8	9,113	158.9	19	0.4	1,309	22.1
Invasive Breast	73	1.6	7,449	129.8				
In Situ Breast	13	0.3	1,664	29.1				
Female Genital System	.	.	2,696	46.7	.	.	843	14.3
Cervix Uteri, Invasive	.	.	373	7.3	.	.	107	1.9
Uterus (Corpus, NOS)	.	.	1,453	24.4	.	.	248	4.1
Ovary	.	.	614	10.7	.	.	431	7.4
Other Female Genital Organs	.	.	256	4.4	.	.	57	1.0

Rates are per 100,000 persons and are age-adjusted to the 2000 U.S. Census.

Cancers of the urinary bladder and female breast include *in situ* cases.

Brain and other central nervous system cancers exclude benign cases.

Rates based on counts less than 16 are unstable and should be used with caution.

Rates are calculated using the bridged-race population estimates obtained from the National Center for Health Statistics available online at [www.cdc.gov/nchs/nvss/bridged\\_race/data\\_documentation.htm#vintage2012](http://www.cdc.gov/nchs/nvss/bridged_race/data_documentation.htm#vintage2012).

**Table 7 (continued): 2011 Cancer Incidence and Mortality by Gender**

	Incidence				Mortality			
	Males		Females		Males		Females	
	Cases	Rate	Cases	Rate	Deaths	Rate	Deaths	Rate
Male Genital System	7,324	145.7	.	.	874	22.8	.	.
Prostate	7,055	139.9	.	.	854	22.4	.	.
Testis	222	4.8	.	.	12	0.3	.	.
Penis	42	0.9	.	.	7	0.2	.	.
Other Male Genital Organs	5	0.1	.	.	1	0.0	.	.
Urinary System	2,614	56.7	1,276	22.0	543	12.9	289	4.9
Urinary Bladder	1,476	33.3	519	8.8	285	7.1	119	2.0
Kidney and Renal Pelvis	1,080	22.0	717	12.5	247	5.5	156	2.6
Ureter	40	1.0	30	0.5	4	0.1	7	0.1
Other Urinary Organs	18	0.5	10	0.2	7	0.2	7	0.1
Eye and Orbit	44	0.9	43	0.7	10	0.2	2	0.0
Brain and Other CNS	373	7.9	289	5.3	264	5.6	197	3.4
Endocrine System	344	7.0	941	18.1	33	0.7	40	0.7
Thyroid Gland	299	6.1	914	17.6	26	0.5	27	0.5
Other Endocrine and Thymus	45	0.9	27	0.5	7	0.2	13	0.2
Lymphomas	1,127	24.2	875	15.4	351	8.4	296	5.0
Hodgkin Disease	140	3.0	108	2.1	24	0.5	12	0.2
Non-Hodgkin Lymphoma	987	21.2	767	13.3	327	7.8	284	4.8
Multiple Myeloma	383	8.2	344	5.8	193	4.4	182	3.0
Leukemia	658	14.5	516	9.1	402	9.7	312	5.4
Acute Lymphocytic Leukemia	42	0.9	27	0.6	19	0.4	21	0.4
Chronic Lymphocytic Leukemia	235	5.0	161	2.7	97	2.5	63	1.0
Acute Myeloid Leukemia	203	4.5	168	3.0	169	3.9	132	2.3
Chronic Myeloid Leukemia	96	2.2	96	1.7	15	0.4	11	0.2
Other Leukemia	82	1.8	64	1.1	102	2.5	85	1.5
Other Cancers - Uncategorized	2,534	56.2	1,920	34.4	853	19.6	587	9.8

Rates are per 100,000 persons and are age-adjusted to the 2000 U.S. Census.

Cancers of the urinary bladder and female breast include *in situ* cases.

Brain and other central nervous system cancers exclude benign cases.

Rates based on counts less than 16 are unstable and should be used with caution.

Rates are calculated using the bridged-race population estimates obtained from the National Center for Health Statistics available online at [www.cdc.gov/nchs/nvss/bridged\\_race/data\\_documentation.htm#vintage2012](http://www.cdc.gov/nchs/nvss/bridged_race/data_documentation.htm#vintage2012).