

Table 3: 2013 Cancer Incidence and Mortality by County

	Incidence		Mortality	
	Cases	Rate	Deaths	Rate
North Carolina	51,745	461.1	18,615	168.0
Alamance	971	522.2	326	169.2
Alexander	200	412.2	72	152.3
Alleghany	71	385.9	30	155.5
Anson	138	435.7	66	207.2
Ashe	172	416.5	61	141.2
Avery	105	410.7	38	140.1
Beaufort	329	466.5	124	177.8
Bertie	117	396.8	61	202.1
Bladen	177	373.3	70	149.9
Brunswick	738	384.9	305	162.1
Buncombe	1,477	458.7	521	154.4
Burke	551	460.9	224	186.2
Cabarrus	936	482.5	302	163.8
Caldwell	470	434.4	208	191.4
Camden	57	464.9	24	210.3
Carteret	474	463.1	182	177.2
Caswell	144	429.8	66	199.5
Catawba	908	479.6	312	164.4
Chatham	424	422.4	149	133.5
Cherokee	201	419.8	81	172.2
Chowan	120	560.6	45	188.1
Clay	95	492.2	33	165.1
Cleveland	642	514.8	246	198.4
Columbus	315	429.0	144	197.0
Craven	604	475.2	229	175.8
Cumberland	1,305	439.8	482	170.4
Currituck	127	428.4	55	190.1
Dare	216	451.0	76	169.2
Davidson	1,000	482.3	374	181.5
Davie	299	525.4	112	194.1
Duplin	320	453.9	135	192.5
Durham	1,224	447.1	438	167.4
Edgecombe	312	447.6	133	186.8
Forsyth	2,030	499.3	715	174.5

Rates are per 100,000 persons and are age-adjusted to the 2000 U.S. Census.

Cancers of the urinary bladder and female breast include *in situ* cases.

Brain and other central nervous system cancer excludes benign cases.

Rates based on counts less than 16 are unstable and should be used with caution.

Rates are calculated using the bridged-race population estimates obtained from the National Center for Health Statistics available online at www.cdc.gov/nchs/nvss/bridged_race/data_documentation.htm#vintage2014.

Table 3 (continued): 2013 Cancer Incidence and Mortality by County

	Incidence		Mortality	
	Cases	Rate	Deaths	Rate
Franklin	350	467.3	145	196.7
Gaston	1,220	490.9	469	193.6
Gates	54	328.0	22	136.2
Graham	38	302.0	19	144.4
Granville	336	488.3	120	172.2
Greene	96	392.7	35	138.8
Guilford	2,693	482.0	862	157.7
Halifax	361	491.0	133	179.0
Harnett	556	485.9	200	181.2
Haywood	472	507.2	154	155.4
Henderson	792	451.6	296	158.0
Hertford	110	335.3	53	165.3
Hoke	200	489.8	75	216.6
Hyde	22	271.9	11	147.7
Iredell	832	443.6	343	186.4
Jackson	203	399.3	99	198.2
Johnston	781	428.1	314	187.2
Jones	58	397.8	22	143.0
Lee	325	469.1	126	181.5
Lenoir	374	485.2	157	198.5
Lincoln	442	450.8	144	155.6
McDowell	296	498.1	109	180.7
Macon	258	460.2	99	158.0
Madison	128	422.3	42	138.6
Martin	176	498.4	72	202.6
Mecklenburg	4,064	450.9	1,238	149.3
Mitchell	101	429.5	44	169.8
Montgomery	184	494.8	64	173.2
Moore	711	517.8	263	168.5
Nash	497	420.8	207	174.5
New Hanover	1,063	429.1	361	142.7
Northampton	151	471.9	49	160.3
Onslow	642	490.9	233	193.9
Orange	604	450.4	205	161.5
Pamlico	116	525.7	28	138.3

Rates are per 100,000 persons and are age-adjusted to the 2000 U.S. Census.

Cancers of the urinary bladder and female breast include *in situ* cases.

Brain and other central nervous system cancer excludes benign cases.

Rates based on counts less than 16 are unstable and should be used with caution.

Rates are calculated using the bridged-race population estimates obtained from the National Center for Health Statistics available online at www.cdc.gov/nchs/nvss/bridged_race/data_documentation.htm#vintage2014.

Table 3 (continued): 2013 Cancer Incidence and Mortality by County

	Incidence		Mortality	
	Cases	Rate	Deaths	Rate
Pasquotank	206	437.5	84	176.5
Pender	313	442.6	106	153.4
Perquimans	108	495.5	34	160.5
Person	235	459.1	97	189.5
Pitt	639	393.5	234	149.5
Polk	130	372.3	61	163.5
Randolph	886	511.7	284	166.1
Richmond	262	469.7	99	172.2
Robeson	599	410.7	260	188.4
Rockingham	694	549.0	262	205.6
Rowan	872	515.9	341	199.4
Rutherford	454	488.6	171	176.5
Sampson	336	433.4	144	185.1
Scotland	256	600.4	81	181.9
Stanly	339	445.8	125	158.9
Stokes	321	484.2	110	166.5
Surry	518	511.7	204	197.5
Swain	105	553.7	35	176.2
Transylvania	257	442.4	101	166.2
Tyrrell	21	382.0	12	209.6
Union	1,004	485.6	298	159.1
Vance	257	472.3	115	199.9
Wake	3,964	451.5	1,201	153.3
Warren	143	467.7	69	226.3
Washington	84	452.5	42	209.3
Watauga	241	444.9	49	88.1
Wayne	668	476.0	239	169.4
Wilkes	420	429.6	168	172.8
Wilson	450	447.5	203	198.9
Yadkin	234	456.1	85	164.0
Yancey	111	387.4	49	166.4

Rates are per 100,000 persons and are age-adjusted to the 2000 U.S. Census.

Cancers of the urinary bladder and female breast include *in situ* cases.

Brain and other central nervous system cancer excludes benign cases.

Rates based on counts less than 16 are unstable and should be used with caution.

Rates are calculated using the bridged-race population estimates obtained from the National Center for Health Statistics available online at www.cdc.gov/nchs/nvss/bridged_race/data_documentation.htm#vintage2014.