

Table 3: 2014 Cancer Incidence and Mortality by County

	Incidence		Mortality	
	Cases	Rate	Deaths	Rate
North Carolina	53,576	465.0	19,301	169.3
Alamance	879	458.8	339	169.8
Alexander	231	454.8	80	156.1
Alleghany	74	401.9	28	143.0
Anson	150	455.2	55	159.6
Ashe	205	489.0	81	184.9
Avery	137	531.0	39	152.5
Beaufort	319	440.8	141	191.5
Bertie	117	394.1	41	138.1
Bladen	202	413.4	81	159.3
Brunswick	824	409.7	350	172.7
Buncombe	1,536	460.8	551	160.5
Burke	616	511.6	203	163.7
Cabarrus	981	487.7	318	167.2
Caldwell	559	508.6	218	206.7
Camden	52	411.5	20	167.6
Carteret	458	446.8	182	162.6
Caswell	146	424.2	60	191.6
Catawba	913	472.4	342	176.7
Chatham	459	429.3	146	129.0
Cherokee	207	438.2	85	168.0
Chowan	94	419.5	38	156.1
Clay	57	317.1	28	135.4
Cleveland	575	462.2	263	211.6
Columbus	310	422.5	125	164.6
Craven	599	466.1	242	182.4
Cumberland	1,358	448.0	540	186.1
Currituck	143	464.8	58	206.9
Dare	219	422.5	74	144.8
Davidson	1,005	484.1	417	198.5
Davie	330	564.0	102	167.7
Duplin	291	395.3	118	156.7
Durham	1,235	427.8	423	156.0
Edgecombe	323	448.3	127	179.1
Forsyth	2,115	508.0	723	175.5

Rates are per 100,000 persons and are age-adjusted to the 2000 U.S. Census.

Cancers of the urinary bladder and female breast include *in situ* cases.

Brain and other central nervous system cancer excludes benign cases.

Rates based on counts less than 16 are unstable and should be used with caution.

Rates are calculated using the bridged-race population estimates obtained from the National Center for Health Statistics available online at www.cdc.gov/nchs/nvss/bridged_race/data_documentation.htm#vintage2015.

Table 3 (continued): 2014 Cancer Incidence and Mortality by County

	Incidence		Mortality	
	Cases	Rate	Deaths	Rate
Franklin	370	478.3	116	152.2
Gaston	1,178	471.2	472	190.9
Gates	63	423.2	25	153.1
Graham	59	436.3	29	201.7
Granville	341	471.0	112	164.6
Greene	123	479.2	54	214.0
Guilford	2,653	460.7	914	161.8
Halifax	341	483.5	155	202.7
Harnett	575	480.5	220	188.7
Haywood	436	460.7	172	167.6
Henderson	830	457.5	306	159.8
Hertford	132	431.6	54	170.1
Hoke	186	441.8	52	134.8
Hyde	27	327.7	15	190.5
Iredell	938	482.1	312	166.4
Jackson	217	394.7	69	129.5
Johnston	831	436.9	305	172.8
Jones	73	467.1	28	185.8
Lee	345	497.1	126	183.0
Lenoir	402	516.2	169	216.9
Lincoln	468	456.1	157	165.2
McDowell	314	505.6	120	193.7
Macon	301	491.2	104	161.8
Madison	124	401.3	50	168.3
Martin	161	461.3	70	202.5
Mecklenburg	4,261	457.4	1,331	154.8
Mitchell	127	551.7	44	170.5
Montgomery	187	507.0	62	157.6
Moore	692	488.7	244	155.9
Nash	557	468.5	229	191.0
New Hanover	1,179	461.7	427	164.6
Northampton	124	367.8	66	186.8
Onslow	682	510.7	239	188.6
Orange	591	430.3	201	158.6
Pamlico	124	570.6	33	158.4

Rates are per 100,000 persons and are age-adjusted to the 2000 U.S. Census.

Cancers of the urinary bladder and female breast include *in situ* cases.

Brain and other central nervous system cancer excludes benign cases.

Rates based on counts less than 16 are unstable and should be used with caution.

Rates are calculated using the bridged-race population estimates obtained from the National Center for Health Statistics available online at www.cdc.gov/nchs/nvss/bridged_race/data_documentation.htm#vintage2015.

Table 3 (continued): 2014 Cancer Incidence and Mortality by County

	Incidence		Mortality	
	Cases	Rate	Deaths	Rate
Pasquotank	231	479.6	86	177.9
Pender	300	413.3	133	190.9
Perquimans	92	424.0	40	167.9
Person	232	455.6	105	199.9
Pitt	714	433.4	271	167.3
Polk	116	303.5	57	153.2
Randolph	928	521.1	322	182.4
Richmond	263	474.1	110	197.5
Robeson	555	383.0	264	189.4
Rockingham	622	486.0	263	200.8
Rowan	928	534.0	359	204.4
Rutherford	450	470.2	161	170.9
Sampson	341	437.3	152	187.5
Scotland	254	576.8	90	200.5
Stanly	381	476.2	143	178.1
Stokes	327	493.8	99	150.8
Surry	545	537.2	187	178.5
Swain	103	560.6	28	145.1
Transylvania	275	487.9	84	136.6
Tyrrell	31	550.2	11	174.7
Union	927	428.1	297	148.5
Vance	244	438.0	113	197.7
Wake	4,344	472.2	1,249	149.5
Warren	139	443.1	50	155.9
Washington	77	389.1	28	161.2
Watauga	261	474.6	77	135.1
Wayne	694	486.4	272	191.2
Wilkes	423	431.2	186	186.6
Wilson	483	480.1	203	196.9
Yadkin	255	494.5	89	169.0
Yancey	144	512.2	52	169.6

Rates are per 100,000 persons and are age-adjusted to the 2000 U.S. Census.

Cancers of the urinary bladder and female breast include *in situ* cases.

Brain and other central nervous system cancer excludes benign cases.

Rates based on counts less than 16 are unstable and should be used with caution.

Rates are calculated using the bridged-race population estimates obtained from the National Center for Health Statistics available online at www.cdc.gov/nchs/nvss/bridged_race/data_documentation.htm#vintage2015.