

**Table 3: 2015 Cancer Incidence and Mortality by County**

	Incidence		Mortality	
	Cases	Rate	Deaths	Rate
North Carolina	56,225	475.9	19,309	164.7
Alamance	1,039	525.0	356	174.4
Alexander	230	437.2	74	143.7
Alleghany	81	437.0	21	115.4
Anson	129	400.0	67	200.2
Ashe	193	466.6	88	202.9
Avery	113	435.8	41	163.3
Beaufort	304	435.0	147	195.3
Bertie	136	456.7	50	169.0
Bladen	205	423.5	80	158.2
Brunswick	1,012	476.9	328	157.6
Buncombe	1,627	473.1	524	148.8
Burke	643	519.4	234	188.5
Cabarrus	996	483.4	330	167.2
Caldwell	533	488.1	190	171.8
Camden	73	572.7	17	139.9
Carteret	538	501.2	168	151.6
Caswell	184	519.0	72	208.5
Catawba	936	482.1	344	178.9
Chatham	562	492.8	141	111.5
Cherokee	226	478.6	58	122.5
Chowan	120	543.4	48	191.5
Clay	99	503.0	35	154.1
Cleveland	633	507.1	255	198.7
Columbus	332	431.7	101	126.1
Craven	643	502.0	243	181.0
Cumberland	1,439	468.2	518	173.8
Currituck	150	465.8	46	150.1
Dare	281	565.5	77	158.2
Davidson	1,049	488.1	410	189.6
Davie	302	510.0	109	172.3
Duplin	312	416.8	130	175.0
Durham	1,339	452.6	436	155.1
Edgecombe	338	475.5	141	197.4
Forsyth	2,131	493.4	714	165.7

Rates are per 100,000 persons and are age-adjusted to the 2000 U.S. Census.

Cancers of the urinary bladder and female breast include *in situ* cases.

Brain and other central nervous system cancer excludes benign cases.

Rates based on counts less than 16 are unstable and should be used with caution.

Rates are calculated using the bridged-race population estimates obtained from the National Center for Health Statistics available online at [www.cdc.gov/nchs/nvss/bridged\\_race/data\\_documentation.htm#vintage2016](http://www.cdc.gov/nchs/nvss/bridged_race/data_documentation.htm#vintage2016).

**Table 3 (continued): 2015 Cancer Incidence and Mortality by County**

	Incidence		Mortality	
	Cases	Rate	Deaths	Rate
Franklin	375	479.8	126	160.2
Gaston	1,302	506.4	471	183.9
Gates	69	455.3	28	182.4
Graham	65	518.9	19	145.6
Granville	352	471.9	123	168.9
Greene	122	455.4	37	135.3
Guilford	2,948	507.1	931	161.1
Halifax	348	474.4	142	188.3
Harnett	585	474.6	224	190.8
Haywood	531	554.7	157	155.3
Henderson	839	457.8	322	160.7
Hertford	134	405.2	59	174.3
Hoke	187	429.2	60	151.9
Hyde	27	341.2	14	198.2
Iredell	946	473.7	330	167.8
Jackson	199	382.3	80	154.3
Johnston	931	463.1	343	178.3
Jones	62	411.3	20	122.2
Lee	344	482.0	141	199.6
Lenoir	403	503.6	157	198.2
Lincoln	509	500.2	175	171.9
McDowell	301	488.2	115	188.1
Macon	274	455.6	105	169.3
Madison	129	414.5	49	152.1
Martin	191	518.1	77	197.8
Mecklenburg	4,482	463.7	1,298	143.1
Mitchell	113	446.5	48	175.2
Montgomery	138	365.6	56	157.0
Moore	512	349.6	228	141.3
Nash	553	468.0	216	178.7
New Hanover	1,215	464.8	438	164.0
Northampton	151	443.2	69	199.4
Onslow	724	519.7	265	198.7
Orange	665	466.0	182	139.6
Pamlico	118	540.7	48	198.8

Rates are per 100,000 persons and are age-adjusted to the 2000 U.S. Census.

Cancers of the urinary bladder and female breast include *in situ* cases.

Brain and other central nervous system cancer excludes benign cases.

Rates based on counts less than 16 are unstable and should be used with caution.

Rates are calculated using the bridged-race population estimates obtained from the National Center for Health Statistics available online at [www.cdc.gov/nchs/nvss/bridged\\_race/data\\_documentation.htm#vintage2016](http://www.cdc.gov/nchs/nvss/bridged_race/data_documentation.htm#vintage2016).

**Table 3 (continued): 2015 Cancer Incidence and Mortality by County**

	Incidence		Mortality	
	Cases	Rate	Deaths	Rate
Pasquotank	235	495.4	75	158.0
Pender	383	510.5	143	192.7
Perquimans	102	448.5	36	164.1
Person	233	434.8	96	175.0
Pitt	751	438.5	289	175.9
Polk	163	443.8	64	158.0
Randolph	951	523.0	298	164.4
Richmond	208	363.0	108	181.3
Robeson	628	416.9	254	178.4
Rockingham	712	547.2	255	189.9
Rowan	902	514.7	352	198.1
Rutherford	475	489.5	177	177.6
Sampson	421	535.2	155	196.8
Scotland	192	428.3	83	181.6
Stanly	362	446.6	146	183.1
Stokes	348	525.5	115	170.6
Surry	476	462.9	194	179.0
Swain	95	491.4	28	130.3
Transylvania	239	398.2	95	144.9
Tyrrell	23	383.4	10	171.1
Union	1,141	499.3	322	154.8
Vance	294	525.5	102	180.8
Wake	4,521	470.6	1,243	144.7
Warren	153	477.0	61	189.6
Washington	90	447.6	45	218.2
Watauga	273	468.3	81	139.1
Wayne	654	452.0	238	164.2
Wilkes	392	393.2	161	154.9
Wilson	442	419.9	182	172.0
Yadkin	235	462.4	105	199.6
Yancey	124	441.6	50	168.9

Rates are per 100,000 persons and are age-adjusted to the 2000 U.S. Census.

Cancers of the urinary bladder and female breast include *in situ* cases.

Brain and other central nervous system cancer excludes benign cases.

Rates based on counts less than 16 are unstable and should be used with caution.

Rates are calculated using the bridged-race population estimates obtained from the National Center for Health Statistics available online at [www.cdc.gov/nchs/nvss/bridged\\_race/data\\_documentation.htm#vintage2016](http://www.cdc.gov/nchs/nvss/bridged_race/data_documentation.htm#vintage2016).