

Table 4: 2015 Ten Highest and Lowest Cancer Incidence and Mortality Rates by County

Incidence - Lowest Ten			Mortality - Lowest Ten		
	Cases	Rate		Deaths	Rate
Hyde	27	341.2	Chatham	141	111.5
Moore	512	349.6	Alleghany	21	115.4
Richmond	208	363.0	Jones	20	122.2
Montgomery	138	365.6	Cherokee	58	122.5
Jackson	199	382.3	Columbus	101	126.1
Tyrrell	23	383.4	Swain	28	130.3
Wilkes	392	393.2	Greene	37	135.3
Transylvania	239	398.2	Watauga	81	139.1
Anson	129	400.0	Orange	182	139.6
Hertford	134	405.2	Camden	17	139.9
Incidence - Highest Ten			Mortality - Highest Ten		
	Cases	Rate		Deaths	Rate
Camden	73	572.7	Washington	45	218.2
Dare	281	565.5	Caswell	72	208.5
Haywood	531	554.7	Ashe	88	202.9
Rockingham	712	547.2	Anson	67	200.2
Chowan	120	543.4	Lee	141	199.6
Pamlico	118	540.7	Yadkin	105	199.6
Sampson	421	535.2	Northampton	69	199.4
Stokes	348	525.5	Pamlico	48	198.8
Vance	294	525.5	Onslow	265	198.7
Alamance	1,039	525.0	Cleveland	255	198.7

Rates are per 100,000 persons and are age-adjusted to the 2000 U.S. Census.

Cancers of the urinary bladder and female breast include *in situ* cases.

Brain and other central nervous system cancer excludes benign cases.

Rates based on counts less than 16 are unstable and should be used with caution.

Rates are calculated using the bridged-race population estimates obtained from the National Center for Health Statistics available online at www.cdc.gov/nchs/nvss/bridged_race/data_documentation.htm#vintage2016.