

Table 14: 2018 Top Ten Cancer Incidence and Mortality Sites by Race and Ethnicity

| Non-Hispanic Whites | | | | | |
|----------------------------|------------------|-------------|----------------------|------------------|-------------|
| | Incidence | | | Mortality | |
| | Cases | Rate | | Deaths | Rate |
| Female Breast | 8,095 | 169.8 | Lung and Bronchus | 4,122 | 41.1 |
| Prostate | 5,069 | 104.6 | Female Breast | 996 | 19.4 |
| Lung and Bronchus | 6,404 | 63.6 | Prostate | 663 | 16.4 |
| Colon and Rectum | 3,198 | 35.0 | Colon and Rectum | 1,151 | 12.2 |
| Melanoma (Skin) | 2,805 | 31.4 | Pancreas | 1,052 | 10.7 |
| Corpus Uteri | 1,245 | 24.8 | Leukemia | 625 | 6.6 |
| Urinary Bladder | 1,995 | 20.2 | Liver | 633 | 6.3 |
| Non-Hodgkin Lymphoma | 1,658 | 17.6 | Ovary | 293 | 5.7 |
| Kidney | 1,559 | 17.0 | Non-Hodgkin Lymphoma | 474 | 4.9 |
| Oral Cavity | 1,269 | 13.3 | Brain and Other CNS | 437 | 4.8 |

| Non-Hispanic Blacks | | | | | |
|----------------------------|------------------|-------------|-------------------|------------------|-------------|
| | Incidence | | | Mortality | |
| | Cases | Rate | | Deaths | Rate |
| Prostate | 2,055 | 179.8 | Prostate | 315 | 41.9 |
| Female Breast | 2,294 | 167.6 | Lung and Bronchus | 901 | 37.8 |
| Lung and Bronchus | 1,441 | 58.8 | Female Breast | 338 | 24.6 |
| Colon and Rectum | 881 | 37.0 | Colon and Rectum | 358 | 15.5 |
| Corpus Uteri | 393 | 27.3 | Pancreas | 309 | 12.8 |
| Kidney | 462 | 19.0 | Corpus Uteri | 125 | 9.1 |
| Pancreas | 433 | 18.4 | Liver | 199 | 7.7 |
| Multiple Myeloma | 331 | 13.7 | Multiple Myeloma | 128 | 6.1 |
| Non-Hodgkin Lymphoma | 279 | 11.9 | Stomach | 116 | 5.3 |
| Urinary Bladder | 262 | 11.1 | Ovary | 65 | 4.8 |

Rates are per 100,000 persons and are age-adjusted to the 2000 U.S. Census.

Cancers of the urinary bladder and female breast include *in situ* cases.

Brain and other central nervous system cancer excludes benign cases.

Rates are calculated using the bridged-race population estimates obtained from the National Center for Health Statistics available online at www.cdc.gov/nchs/nvss/bridged_race/data_documentation.htm#vintage2019.

Hispanic ethnicity is independent of race. Hispanic ethnicity is determined by self-report and the National Hispanic Identification Algorithm available online at www.naaccr.org/LinkClick.aspx?fileticket=iTvgbzLrx8I%3d&tabid=118&mid=458.

Approximately 17 percent of patients of American Indian race are reported as a different race. Therefore, cancer incidence for American Indians is assumed to be underestimated (Yankaskas BC, Knight K, Fleg A, Rao, C. Misclassification of American Indian Race in State Cancer Data among Non-federally Recognized Indians in North Carolina. *Journal of Registry Management*. 2009;36(1):7-11.).

Table 14 (continued): 2018 Top Ten Cancer Incidence and Mortality Sites by Race and Ethnicity

Non-Hispanic Other Races

| | Incidence | | | Mortality | |
|----------------------|-----------|-------|----------------------|-----------|------|
| | Cases | Rate | | Deaths | Rate |
| Prostate | 435 | 253.1 | Lung and Bronchus | 105 | 30.3 |
| Female Breast | 374 | 167.4 | Prostate | 17 | 14.1 |
| Lung and Bronchus | 234 | 62.1 | Female Breast | 32 | 13.8 |
| Colon and Rectum | 219 | 54.0 | Pancreas | 37 | 10.5 |
| Melanoma (Skin) | 177 | 47.5 | Colon and Rectum | 32 | 9.0 |
| Corpus Uteri | 70 | 31.3 | Liver | 28 | 7.6 |
| Non-Hodgkin Lymphoma | 75 | 19.0 | Ovary | 11 | ** |
| Endocrine | 83 | 18.4 | Non-Hodgkin Lymphoma | 16 | 4.7 |
| Urinary Bladder | 59 | 17.9 | Stomach | 16 | 4.2 |
| Leukemia | 60 | 15.3 | Cervix Uteri | 5 | ** |

Hispanics

| | Incidence | | | Mortality | |
|----------------------|-----------|-------|----------------------|-----------|------|
| | Cases | Rate | | Deaths | Rate |
| Female Breast | 368 | 135.0 | Lung and Bronchus | 65 | 19.5 |
| Prostate | 169 | 87.2 | Female Breast | 40 | 15.4 |
| Lung and Bronchus | 112 | 30.3 | Colon and Rectum | 38 | 10.3 |
| Colon and Rectum | 137 | 26.2 | Prostate | 8 | ** |
| Corpus Uteri | 76 | 25.5 | Liver | 30 | 6.1 |
| Non-Hodgkin Lymphoma | 86 | 18.0 | Pancreas | 20 | 5.2 |
| Kidney | 83 | 15.2 | Non-Hodgkin Lymphoma | 16 | 4.7 |
| Endocrine | 101 | 14.2 | Ovary | 10 | ** |
| Leukemia | 68 | 13.6 | Leukemia | 18 | 4.1 |
| Cervix Uteri | 39 | 12.2 | Stomach | 18 | 3.3 |

Rates are per 100,000 persons and are age-adjusted to the 2000 U.S. Census.

Cancers of the urinary bladder and female breast include *in situ* cases.

Brain and other central nervous system cancer excludes benign cases.

** Cancer incidence rates for cell sizes with fewer than 16 cases of cancer and cancer mortality rates based on cancer deaths less than 16 are suppressed as they are not stable.

Rates are calculated using the bridged-race population estimates obtained from the National Center for Health Statistics available online at www.cdc.gov/nchs/nvss/bridged_race/data_documentation.htm#vintage2019.

Hispanic ethnicity is independent of race. Hispanic ethnicity is determined by self-report and the National Hispanic Identification Algorithm available online at www.naaccr.org/LinkClick.aspx?fileticket=iTvgbzLrx8I%3d&tabid=118&mid=458.

Approximately 17 percent of patients of American Indian race are reported as a different race. Therefore, cancer incidence for American Indians is assumed to be underestimated (Yankaskas BC, Knight K, Fleg A, Rao, C. Misclassification of American Indian Race in State Cancer Data among Non-federally Recognized Indians in North Carolina. *Journal of Registry Management*. 2009;36(1):7-11.).